

7. Literaturverzeichnis

1. ALAM J, CAMHI S, CHOI AMK: Identification of a second 5' distal region that functions as a basal and inducer-dependent transcriptional enhancer of the mouse heme oxygenase-1 gene. *J Biol Chem*, 270: 11977-11984, 1995
2. ALAYASH AI: Hemoglobin-based blood substitutes: oxygen carriers, pressor agents, or oxidants? *Nat. Biotechnol*, 17: 545-549, 1999
3. AMBERSON W, JENNINGS J, RHODES C: Clinical experience with hemoglobin-saline solutions. *J Appl Physiol*, 1: 469-89, 1949
4. APPLEGATE LA, LUSCHER P, TYRELL RM: Induction of heme oxygenase: a general response to oxidant stress in cultured mammalian cells. *Cancer Res*, 51: 974-978, 1991
5. AUGUSTIN: Heme oxygenase-1: function, regulation, and implication of a novel stress-inducible protein in oxidant-induced lung injury. *Am J Respir Cell Mol Biol*, 15: 9-19, 1996
6. BACH F, SINGER D, SCHMIEDL A, BAUER M, LARSEN R: High energy phosphates and direct calorimetry as predictive parameters for metabolic recovery of the rat liver following ischemia. *Acta Anaesthesiol Scand*, 40: 940-7, 1996
7. BALLA G, VERCELLOTTI GM, MULLER-EBERHARD U, EATON J, JACOB HS: Exposure of endothelial cells to free heme potentiates damage mediated by granulocytes and toxic oxygen species. *Lab Invest*, 64: 648-655, 1991
8. BALLA G, JACOB HS, BALLA J, ROSENBERG M, NATH K, APPLE F, EATON JW, VERCELLOTTI GM: Ferritin: A cytoprotective antioxidant strategem of endothelium. *The journal of biological chemistry*, 267: 18148-18153, 1992
9. BALLA J, VERCELLOTTI GM, NATH K: Haem, haem oxygenase and ferritin in vascular endothelial cell injury. *Nephrol.Dial.Transplant*, 18 Suppl 5: 8-12. : 8-12, 2003
10. BARVE A, SEN AP, SAXENA PR, GULATI A.: Dose response effect of diaspirin crosslinked hemoglobin (DCLHb) on systemic hemodynamics and regional blood circulation in rats. *Artif Cells Blood Substit Immobil Biotechnol*, Jan-Mar: 25(1-2): 75-84, 1997
11. BAUE AE: Multiple, progressive, or sequential systems failure. A syndrome of the 1970s. *Arch Surg*, Jul: 110(7):779-81, 1975
12. BAUER M.: Nitric oxide. *Anaesthetist*, May: 46(5): 441-50, 1997

7. Literatur

13. BAUER M, BAUER I: Heme oxygenase-1: redox regulation and role in the hepatic response to oxidative stress. *Antioxid Redox Signal*, 4: 749-758, 2002;
14. BEAL AL, CERRA FB: Multiple organ failure syndrome in the 1990s. Systemic inflammatory response and organ dysfunction. *JAMA*, Jan 19;271(3):226-33, 1994
15. BEALE, SL; CORNEJO, J: Enzymatic heme oxygenase activity in soluble extracts of the unicellular red alga, Cyanidium caldarium. *Arch Biochem Biophys*, 235: 371-384, 1984
16. BISSELL DM, GUZELIAN PS: Degradation of endogenous hepatic heme by pathways not yielding carbon monoxide. Studies in normal rat liver and in primary hepatocyte culture. *Clin Invest*, 65: 1135-1140, 1980
17. BONKOWSKY HL, TSCHUDY DP, COLLINS A, DOHERTY J, BOSSENMAIER I, CARDINAL R, WATSON CJ: Repression of the overproduction of porphyrin precursors in acute intermittent porphyria by intravenous infusions of hematin. *Proc Natl Acad Sci U S A*, Nov 68(11):2725-9, 1971
18. BURHOP KE, ESTEP TE: Hemoglobin-induced myocardial lesions. *Artif. Cells Blood Substit. Immobil.Biotechnol*, 29: 101, 2001
19. CARRICO CJ, HOLCOMB JB, CHAUDRY IH: Scientific priorities and strategic planning for resuscitation research and life saving therapy following traumatic injury: report of the PULSE Trauma Work Group. *Shock*, 17: 165- 168, 2002
20. CHANG TM, LISTER C, NISHIYA, VARMA R: Immunological effects of hemoglobin, encapsulated hemoglobin, polyhemoglobin and conjugated hemoglobin using different immunization schedules. *Biomater Artif Cells Immobilization Biotechnol*, 20: 611-618, 1992
21. CHOI AMK, ALAM J: Heme oxygenase-1: Function, regulation, and implication of a novel stress-inducible protein in oxidant-induced lung injury. *Am J Respir Cell Mol Biol*, 15: 9-19, 1996
22. CHRISTODOULIDES N, DURANTE W, KROLL MH, SCHAFER AI: Vascular smooth muscle cell heme oxygenase generate guanylyl cyclase-stimulatory carbon monoxide. *Circulation*, 91: 2306-2309, 1990

7. Literatur

23. CLAVIEN PA, YADAV S, SINDRAM D, BENTLEY RC: Protective effects of ischemic preconditioning for liver resection performed under inflow occlusion in humans. Ann Surg, 232:155-162, 2000.
24. CONHAIM RL, RODENKIRCH L, WATSON KE, HARMS B: Acellular haemoglobin solution enters compressed lung capillaries more readily than red blood cells. J Appl Physiol, 89: 1198-1204, 2000
25. CONWAY EM, LIU L, NOWAKOWSKI B, STEINER-MOSONYI M, JACKMAN RW: Heat shock of vascular endothelial cells induces an up-regulatory transcriptional response of the thrombomodulin gene that is delayed in onset and does not attenuate. J Biol Chem, 269: 22804-22810, 1994
26. CRUSE I, MAINES MD: Evidence suggesting that the two forms of heme oxygenase are products of different genes. J Biol Chem, 263: 3348-3353, 1988
27. CUNNINGHAM I, KEAVENY TV: Splanchnic organ adenine nucleotides and their metabolites in hemorrhagic shock. Ir J Med Sci, 146: 136-143, 1977
28. DHAR GJ, BOSSENMAIER I, PETRYKA ZJ, CARDINAL R, WATSON CJ: Effects of hematin in hepatic porphyria. Further studies. Ann Intern Med, Jul: 83(1):20-30, 1975
29. DOHERTY DH, DOYLE M P, CURRY S R, VALI RJ, FATTOR TJ, OLSON JS, LEMON DD: Rate of reaction with nitric oxide determines the hypertensive effect of cell-free hemoglobin. Nat Biotechnol, 16: 672-676, 1998.
30. DOCHERTY JC, FIRNEISZ GD, SCHACTER BA: Methene bridge carbon atom elimination in oxidative heme degradation catalyzed by heme oxygenase and NADPH-cytochrome P-450 reductase. Arch Biochem Biophys, 235: 657-664, 1984
31. DRAZAN KE, CSETE ME, DA SHEN X, BULLINGTON D, COTTELL G, BUSUTTIL RW, SHAKED A.: Hepatic function is preserved following liver-directed, adenovirus-mediated gene transfer. J Surg Res, 59: 299-304, 1995
32. DRUMMOND GS, KAPPAS A: Prevention of neonatal hyperbilirubinemia by tin-protoporphyrin IX, a potent competitive inhibitor of heme oxidation. Proc Natl Acad Sci USA, 78: 6466-6470, 1981
33. DRUMMOND GS, KAPPAS, A.: Chemoprevention of neonatal jaundice: Potency of tin-protoporphyrins in an animal model. Science, 217 (24): 1250-1252, 1982

7. Literatur

34. DU ZY, HICKS M, WINLAW D, SPRATT P, MACDONALD P.: Ischemic preconditioning enhances donor lung preservation in the rat. *J Heart Lung Transplant*, 15:1258-1267, 1996
35. EBERTH CJ: Handbuch der Lehre von den Geweben des Menschen und der Tiere. Leipzig, 1871
36. ELBIRT KK, BONKOVSKY HL: Heme oxygenase: recent advances in understanding its regulation and role. *Proc Assoc Am Physicians*, 111: 438-447, 1999
37. EVERSE J, HSIA N: The toxicities of native and modified hemoglobins. *Free Radic Biol Med*, 22: 1075-1099, 1997;
38. EWING JF, MAINES MD: Rapid induction of heme oxygenase-1 mRNA and protein by hyperthermia in rat brain: heme oxygenase-2 is not a heat shock protein. *Proc Natl Acad Sci USA*, 88: 5364-5368, 1991
39. FRACELLA F, RENSING L: Stressproteine: Ihre wachsende Bedeutung in der Medizin. *Naturwissenschaften*, 82: 303-309, 1995
40. FREAS W, LLAVE R, JING M, HART J, MCQUILLAN P, MULDOON S: Contractile effects of diaspiran cross-linked hemoglobin (dclhb) on isolated porcine blood vessels. *J Lab Clin Med*, 125: 762-767, 1995
41. FUKAO H, HAGIYA Y, UESHIMA S, OKADA K, TAKAISHI T, IZAKI S, MATSUO O.: Effect of heat shock on the expression of urokinase-type plasminogen activator receptor in human umbilical vein endothelial cells. *Thromb Haemost*, Feb 75(2): 352-8, 1996
42. FURCHGOTT RF, JOTHIANANDAN D: Endothelium-dependent and independent vasodilation involving cyclic GMP: relaxation induced by nitric oxide, carbon monoxide and light. *Blood Vessels*, 28: 52-61, 1991
43. GARRIOCH MA: The body's response to blood loss. *Vox sanguinis*, 87 (Suppl 1): 74-76, 2004
44. GERNER EW, SCHNEIDER MJ: Induced thermal resistance in HeLa cells. *Nature*, 256: 500, 1975
45. GLAZIER SS, O'ROURKE DM, GRAHAM DL, WELSH FA: Induction of ischemic tolerance following brief focal ischemia in rat brain. *J Cereb Blood Flow Metab*, 14:545-553, 1994

7. Literatur

46. GONZALEZ-FLECHA B, CUTRIN JC, BOVERIS A: Time course and mechanism of oxidative stress and tissue damage in rat liver subjected to in vivo ischemia-reperfusion. *J clin Invest*, 91: 456-464, 1993
47. GRANGER DN: Intestinal microcirculation and transmucosal fluid transport. *Am J Physiol*, May: 240(5): G343-9, 1981
48. GRASER T, VEDERNIKOV YP, LI DS.: Study on the mechanism of carbon monoxide induced endothelium-independent relaxation in porcine coronary artery and vein. *Biomed Biochim Acta*, 49(4): 293-6, 1990
49. GULATI A, REBELLO S: Role of adrenergic mechanisms in the pressor effect of diaspirin cross-linked hemoglobin. *J Lab Clin Med*, Jul: 124(1):125-33, 1994
50. GULATI A, SINGH G, REBELLO S, SHARMA AC: Effect of diaspirin crosslinked and stroma-reduced hemoglobin on mean arterial pressure and endothelin-1 concentration in rats. *Life Sci*, 56(17): 1433-42, 1995
51. GULATI A, SEN AP: Dose-dependent effect of diaspirin cross-linked hemoglobin on regional blood circulation of severely hemorrhaged rats. *Shock*, Jan 9(1): 65-73, 1998
52. GUTTERIDGE JM, SMITH A: Antioxidant protection by haemopexin of haem-stimulated lipid peroxidation. *Biochem J*, 256: 861-865, 1988
53. GUYTON A: *Textbook of Medical Physiology*. Philadelphia, PA: W.B.Saunders, 1961
54. HAEFLIGER IO, ZSCHAUER A, ANDERSON DR: Relaxation of retinal pericyte contractile tone through the nitric oxide-cyclic guanosine monophosphate pathway. *Invest Ophthalmol Vis Sci*, 35: 991-997, 1994
55. HALLIWELL B: Superoxide-dependent formation of hydroxyl radicals in the presence of iron chelates. Is it a mechanism for hydroxyl radical formation? *FEBS Lett*, 92: 321-326, 1978
56. HARDY KJ, MCCLURE DN, SUBWONGCHAROEN S: Ischaemic preconditioning of the liver: a preliminary study. *Aust N Z J Surg*, 66: 707-710, 1996
57. HART J L, LEDVINA M A, MULDOON S M: Actions of diaspirin cross-linked hemoglobin on isolated rat and dog vessels. *J Lab Clin Med*, 129: 356-363, 1997
58. HAWKER F: Liver dysfunction in critical illness. *Anaesth Intensive Care*, May 19(2): 165-81, 1991

7. Literatur

59. HERMAN IM, D'AMORE PA : Microvascular pericytes contain muscle and nonmuscle actins. *J Cell Biol*, 101: 43-52, 1985
60. HESS JR, MACDONALD VW, BRINKLEY WW: Systemic and pulmonary hypertension after resuscitation with cell-free hemoglobin. *J Appl Physiol*, 74: 1769- 1778, 1993
61. HIRSCHI KK, D'AMORE PA.: Pericytes in the microvasculature. *Cardiovasc Res*, 32(4): 687-98, 1996
62. HOTTER G, CIOSA D, PRADOS M, FERNANDEZ-CRUZ L, PRATS N, GELPI E, ROSELLO-CATAFEU J: Intestinal preconditioning is mediated by a transient increase in nitric oxide. *Biochem Biophys Res Commun*, 222:27-32, 1996
63. IGNARRO LJ, BYRNS RE, BUGA GM, WOOD KS.: Endothelium-derived relaxing factor from pulmonary artery and vein possesses pharmacologic and chemical properties identical to those of nitric oxide radical. *Circ Res*, 61(6):866-79, 1987
64. INTAGLIETTA M, JOHNSON P, WINSLOW R: Microvascular and tissue oxygen distribution. *Cardiovascular Res*, 32: 632- 643, 1996
65. JAESCHKE H.: Mechanism of oxidant stress-induced acute tissue injury. *P.S.E.B.M.*: 209: 104, 1995
66. JIA L, BONAVENTURA C, BONAVENTURA J, STAMLER JS: S-Nitrosohaemoglobin: adynamic activity of blood involved in vascular control. *Nature*, 380: 221-226, 1996
67. JOHNSON RA, LAVESA M, ASKARI B, ABRAHAM NG, NASJLETTI A: A heme oxygenase product, presumably carbon monoxide, mediates a vasodepressor function in rats. *Hypertension*, 25: 166-169, 1995
68. JOYCE NC, DE CAMILLI P, BOYLES J: Pericytes, like vascular smooth muscle cells, are immunocytochemically positive for cyclic GMP-dependent protein kinase. *Microvasc Res*, 28: 206-219, 1984
69. KAMIKE W, WATANABE F, HASHIMOTO T, TAGAWA K, IKEDA Y, NAKAO K, KAWASHIMA Y: Changes in cellular levels of ATP and its catabolites in ischemic rat liver. *J Biochem*, 91:1349–56, 1982
70. KAPPAS A, DRUMMOND GS, SIMIONATTO CS, ANDERSON KE: Control of heme oxygenase and plasma levels of bilirubin by a synthetic heme analogue, tin-protoporphyrin. *Hepatology*, 4: 336-341, 1984

7. Literatur

71. KAPPAS A, DRUMMOND GS: Control of heme metabolism with synthetic metalloporphyrins. *Journal of clinical investigations*, 77(2): 335-339, 1986
72. KASTENBAUM MA, BOWMAN KO.: Tables for determining the statistical significance of mutation frequencies. *Mutat Res*, 9(5): 527-49, 1970
73. KATO Y, SHIMAZU M, KONDO M, UCHIDA K, KUMAMOTO Y, WAKABAYASHI G, KITAJIMA M, SUEMATSU M.: Bilirubin rinse: A simple protectant against the rat liver graft injury mimicking heme oxygenase-1 preconditioning. *Hepatology*, 38(2): 364-73, 2003
74. KEEL M, TRENTZ O.: Pathophysiology of polytrauma. *Injury*, 36(6): 691-709, 2005
75. KEIPERT P E, GONZALES A, GOMEZ CL, MACDONALD VW, HESS JR, WINSLOW RM: Acute changes in systemic blood pressure and urine output of conscious rats following exchange transfusion with diaspirin-crosslinked hemoglobin solution. *Transfusion*, 33: 701-708, 1993.
76. KEIPERT PE, GOMEZ CL, GONZALES A: Diaspirin cross-linked hemoglobin: tissue distribution and long-term excretion after exchange transfusion. *J Lab Clin Med*, 123: 701-711, 1994
77. KEIPERT PE: Oxygen therapeutics ("blood substitutes") where are they, and what can we expect? *Adv Exp Med Biol*, 540: 207-13, 2003
78. KELLEY, C; D'AMORE, P; HECHTMAN, HB; SHEPRO, D: Vasoactive hormones and cAMP affect pericyte contraction and stress fibers in vitro. *J Muscle Res Cell Motil*, 9: 184-194, 1987
79. KEYSE SM, TYRRELL RM: Heme oxygenase is the major 32-kDa stress protein induced in human skin fibroblasts by UVA radiation, hydrogen peroxide, and sodium arsenite. *Proc Natl Acad Sci USA*, 86: 99-103, 1989
80. KEYSE SM, APPLEGATE LA, TROMVOUKIS Y, TYRELL RM: Oxidant stress leads to transcriptional activation of the human heme oxygenase gene in cultured skin fibroblasts. *Mol Cell Biol*, 10: 4967-4969, 1990
81. KHARITONOV VG, SHARMA VS, PILZ RB, MAGDE D, KOESLING D.: Basis of guanylate cyclase activation by carbon monoxide. *Proc Natl Acad Sci U S A*, Mar 28: 92(7): 2568-71, 1995

7. Literatur

82. KOBAYASHI Y, OHSHIRO N, SUZUKI M, SASAKI T, TOKUYAMA S, YOSHIDA T, YAMAMOTO T: Sex-related effect of hemin on cytochrome P450 and drug-metabolizing enzymes in rat liver. *J Toxicol Sci*, Aug 25(3): 213-22, 2000
83. KOTHE N, EICHENTOPF B, BONHARD K: Characterization of a modified, stroma-free hemoglobin solution as an oxygen-carrying plasma substitute. *Surg Gynecol Obstet*, 161: 563-569, 1985
84. KUBES P, GRANGER DN: Nitric oxide modulates microvascular permeability. *Am J Physiol*, 262: H611-H615, 1992
85. KUBLUS D, ROESKEN F, AMON M, RUCKER M, BAUER M, BAUER I, MENGER MD: Mechanism of the delay phenomenon: tissue protection is mediated by heme oxygenase-1. *Am J Physiol Heart Circ Physiol*, Nov 287(5):H2332-40, 2004
86. KUBLUS D, RENSING H, PAXIAN M, THIERBACH JT, MEISEL T, REDL H, BAUER M, BAUER I.: Influence of heme-based solutions on stress protein expression and organ failure after hemorrhagic shock. *Crit Care Med*, Mar 33(3): 629-37, 2005
87. KUME M, YAMAMOTO Y, SAAD S, GOMI T, KIMOTO S, SHIMABUKURO T, YAGI T, NAKAGAMI M, TAKADA Y, MORIMOTO T, YAMAOKA Y: Ischemic preconditioning of the liver in rats: implications of heat shock protein induction to increase tolerance of ischemia-reperfusion injury. *J Lab Clin Med*, Sep 128(3): 251-8, 1996
88. KUTTY RK, MAINES MD: Purification and characterization of biliverdin reductase from rat liver. *J Biol Chem* 256: 3956-3962, 1981
89. KUTTY RK, DANIEL RF, RYAN DE, LEVIN W, MAINES MD: Rat liver cytochrome P-450b, P-420b, and P- 420c are degraded to biliverdin by heme oxygenase. *Arch Biochem Biophys*, 260: 638-644, 1988
90. KUTTY RK, KUTTY G, RODRIGUEZ IR, CHADER GJ, WIGGERT B: Chromosomal localization of the human heme oxygenase genes: heme oxygenase-1 (HMOX1) maps to chromosome 22q12 and heme oxygenase-2 (HMOX2) maps to chromosome 16p13.3. *Genomics*, 20: 513-516, 1994
91. LAMY ML, DAILY EK, BRICHANT JF, LARBUISSON RP, DEMEYERE RH, VANDERMEERSCH EA, LEHOT JJ, PARLOE MR, BERRIDGE JC, SINCLAIR CJ, BARON JF, PRZYBELSKI RJ.: Randomized trial of diaspirin cross-linked hemoglobin solution as an alternative to blood transfusion after cardiac surgery. The DCLHb Cardiac Surgery Trial Collaborative Group. *Anesthesiology*, Mar 92(3): 646-56, 2000

7. Literatur

92. LARSEN R: Cardiocirculatory changes in various forms of shock. *Klin Anasthesiol Intensivther*, 33:1-18, 1987
93. LARSEN R: Anästhesie, Verlag U&S: 5. Auflage, 1995
94. LAVROVSKY Y, SCHWARTZMAN ML, LEVERE RD, KAPPAS A; ABRAHAM NG: Identification of binding sites for transcription factors NF-kappa B and AP-2 in the promoter region of the human heme oxygenase 1 gene. *Proc Natl Acad Sci U S A*, 91: 5987-5991, 1994
95. LAVROVSKY Y, SONG CS, CHATTERJEE B, ROY AK: Age-dependent increase of heme oxygenase-1 gene expression in the liver mediated by NFkappaB. *Mech Ageing Dev*, 114: 49-60, 2000
96. LEE PJ, ALAM J, JIANG BH, SEMENZA G, CHOI AMK: Regulation of heme oxygenase-1 (HO-1) after hypoxia. *Am J Respir Crit Care Med*, 153: A29, 1996
97. LEVERE RD, MARTASEK P, ESCALANTE B, SCHWARTZMAN ML, ABRAHAM NG: Effect of heme arginate administration on blood pressure in spontaneously hypertensive rats. *J Clin Invest*, 86: 213-219, 1990;
98. LIAO JC, HEIN T, VAUGHN MW, HUANG K, KUO L: Intravascular flow decreases erythocyte consumption of nitric oxide. *Proc Natl Acad Sci U S A*, 96: 8757-8761, 1999
99. LINDQUIST S, CRAIG EA: The heat shock proteins. *Annu Rev Genet*, 22: 631-377, 1988
100. LIU X, MILLER MJ, JOSHI MS, SADOWSKA-KROWICKA H, CLARK DA, LANCASTER J: Diffusion-limited reaction of free nitric oxide with erythrocytes. *J Biol Chem*, 273: 18709-18713, 1998
101. LU TH, SHAN Y, PEPE J, LAMBRECHT RW, BONKOWSKY HL: Upstream regulatory elements in chick heme oxygenase-1 promoter: a study in primary cultures of chick embryo liver cells. *Mol Cell Biochem*, 209: 17-27, 2000
102. MAESHIMA K, TAKAHASHI T, UEHARA K, SHIMIZU H, OMORI E, YOKOYAMA M, TANI T, AKAGI R, MORITA K.: Prevention of hemorrhagic shock-induced lung injury by heme arginate treatment in rats. *Biochem Pharmacol*, Jun 1 69(11):1667- 80, 2005
103. MAINES MD: Heme oxygenase: function, multiplicity, regulatory mechanisms, and clinical applications. *FASEB J*, 2: 2557-2568, 1988

7. Literatur

104. MAINES MD, KAPPAS A: Cobalt induction of hepatic heme oxygenase; with evidence that cytochrome P-450 is not essential for this enzyme activity. Proc Natl Acad Sci USA, 71: 4293-4297, 1974
105. MAINES MD: Zinc-protoporphyrin is selective inhibitor of heme oxygenase activity in the neonatal rat. Biochem Biophys Acta, 673: 339-350, 1981
106. MAINES MD, TRAKSHEL GM, KUTTY RK: Characterisation of two constitutive forms of rat liver microsomal heme oxygenase: only one molecular species of the enzyme is inducible. J Biol Chem, 261: 411-419, 1986
107. MAINES MD: Effect of zinc- and tin-protoporphyrin on glutathione metabolism in rat organs. Proc 10th Int Congr Pharmacol, 1987
108. MALCOLM DS., HAMILTON IN., JR., SCHULTZ SC., COLE F., BURHOP K.: Characterization of the hemodynamic response to intravenous diaspirin crosslinked hemoglobin solution in rats. Artif Cells Blood Substit Immobil Biotechnol, 22: 91-107, 1994
109. MALMBERG PO, HLASTALA MP, WOODSON RD: Effect of increased blood oxygen affinity on oxygen transport in hemorrhagic shock. J Appl Physiol, 47:889-95, 1979
110. MARTASEK P, SCHWARTZMAN ML, GOODMAN AI, SOLANGI KB, LEVERE RD, ABRAHAM NG: Hemin and L-arginine regulation of blood pressure in spontaneous hypertensive rats. J Am Soc Nephrol, Dec 2(6):1078-84, 1991
111. MARUBAYASHI S, TAKENAKA M, DOHI K, EZAKI H, KAWASAKI T: Adenine nucleotide metabolism during hepatic ischemia and subsequent blood reflow periods and its relation to organ viability. Transplantation, 30:294-6, 1980
112. MARZI I: The significance of the liver for the course of SIRS (Systemic Inflammatory Response Syndrome) following shock, trauma and during sepsis. Anasthesiol Intensivmed Notfallmed Schmerzther, Feb 29(1): 41-46, 1994
113. MAULIK N, ENGELMAN RM, ROUSOU JA, FLACK JE, DEATON D, DAS DK: Ischemic preconditioning reduces apoptosis by up-regulating anti-death gene Bcl-2. Circulation, 100: 1369- 1375, 1999
114. MAZANET R, FRANZINI-ARMSTRONG C: Scanning electron microscopy of pericytes in rat red muscle. Microvasc Res, 20: 233-241, 1980

7. Literatur

115. MC COUBREY WK, HUANG TJ, MAINES MD: Isolation and characterization of a cDNA from the rat brain that encodes hemoprotein heme oxygenase-3. Eur J Biochem, 247: 725-732, 1997
116. MC GUIRE GM, LIU P, JAESCHKE H: Neutrophil-induced lung damage after hepatic ischemia and endotoxemia. Free Radical Biology and Medicine, 20: 189-197, 1996
117. MC KENZIE JE, COST E, SCANDLING DM, AHLE NW, SAVAGE RW: Effects of diaspirin crosslinked haemoglobin during coronary angioplasty in the swine. Cardiovasc Res, 28: 1188-1192, 1994
118. MENGER MD, RICHTER S, YAMAUCHI J, VOLLMAR B.: Role of microcirculation in hepatic ischemia/reperfusion injury. Hepatogastroenterology, Jun 46 Suppl 2: 1452-7, 1999
119. MESSMER K: Schock: Siegenthaler, W. (Hsg.) Klinische Pathophysiologie. Thieme. Stuttgart, New York: 551-564, 2001
120. MONDORO TH, ALAYASH AI, RYAN BA, TERLE DA, VOSTAL JG: Hemoglobin AO and alphacrosslinked hemoglobin (alpha-DBBF) potentiate agonist-induced platelet aggregation through the platelet thromboxane receptor. Artif Cells Blood Substit Immobil Biotechnol, 26: 1-16, 1998
121. MORITA T, KOUREMBANAS S: Endothelial cell expression of vasoconstrictors and growth factors is regulated by smooth muscle cell-derived carbon monoxide. J Clin Invest, Dec 96(6): 2676-82, 1995
122. MURRY CE, JENNINGS RB, REIMER KA. Preconditioning with ischemia: a delay of lethal cell injury in ischemic myocardium. Circulation, 74: 1124-1136, 1986
123. MUSTAJOKI P, TENHUNEN R, TOKOLA O, GOTHONI G: Haem arginate in the treatment of acute hepatic porphyrias. Br Med J, 293: 538-539, 1986
124. MUSTAJOKI P, NORDMANN Y: Early administration of heme arginate for acute porphyric attacks. Arch Intern Med, 153: 2004-2008, 1993
125. NAITO Y, TAKAGI T, YOSHIKAWA T.: Heme oxygenase-1: a new therapeutic target for inflammatory bowel disease. Aliment Pharmacol Ther, Jul 20 Suppl 1:177-84, 2004
126. NATH KA, BALLA G, VERCELLOTTI GM, BALLA J, JAKOB HJ, LEVITT MD, ROSENBERG ME: Induction of heme oxygenase is a rapid, protective response in rhabdomyolysis in the rat. J Clin Invest, 90: 267-270, 1992

7. Literatur

127. NEHLS V; DRENCKHAHN D: Heterogeneity of microvascular pericytes for smooth muscle type alpha-actin. *J Cell Biol*, 113: 147-154, 1991
128. NEUZIL J, STOCKER R: Bilirubin attenuates radical-mediated damage to serum albumin. *FEBS Lett*, 331: 281-284, 1993
129. NEUZIL J, STOCKER R: Free and albumin-bound bilirubin are efficient co-antioxidants for alpha-tocopherol, inhibiting plasma and low density lipoprotein lipid peroxidation. *J Biol Chem*, 269: 16712-16719, 1994
130. NOLTE D., BOTZLAR A., HECHT R., CSAPO C., MENGER M. D., MESSMER K.: Diaspirin crosslinked hemoglobin: evaluation of effects on the microcirculation of striated muscle. *Artif Cells Blood Substit Immobil Biotechnol* 22: 587-592, 1994
131. NOVER L: Heat shock response. Boca Raton, Fd: CRC Press, 1991
132. O'HARA JF, COLBURN WA, TETZLAFF JE, NOVICK AC, ANGERMEIER KW, SCHUBERT A: Hemoglobin and methemoglobin concentrations after large-dose infusions of diaspirin cross-linked hemoglobin. *Anesth Analg*, 92: 44-48, 2001
133. OKINAGA S, SHIBAHARA S: Identification of a nuclear protein that constitutively recognizes the sequence containing a heat-shock element. Its binding properties and possible function modulating heat-shock induction of the rat heme oxygenase gene. *Eur J Biochem*, Feb 15; 212 (1): 167-75, 1993
134. OLSON JS, FOLEYS EW, ROGGE C: No scavenging and hypertensive effect of hemoglobin-based blood substitutes. *Free Radic. Biol. Med.* 36: 685-697, 2004
135. OLSSON R: Changes in content of purine nucleoside in canine myocardium during coronary occlusion. *Circ Res*, 26: 301-306, 1970
136. PALMER RM, FERRIGE AG, MONCADA S.: Nitric oxide release accounts for the biological activity of endothelium-derived relaxing factor. *Nature*, Jun 11-17 : 524-6, 1987
137. PANG CY, YANG RZ, ZHONG A, XU N, BOYD B, FORREST CR: Acute ischemic preconditioning protects against skeletal muscle infarction in the pig. *Cardiovasc Res*, 29: 782-788, 1995
138. PARRAT J: Protection of the heart by ischemic preconditioning: mechanisms and possibilities for pharmacological exploitation. *TIPS*, 15: 19-25: 1994

7. Literatur

139. PAXIAN M, RENSING H, BAUER I, BAUER M: Molecular mechanisms of hepatocellular injury after hemorrhagic shock (abstract). Shock, 15 (suppl 1): 17, 2001
140. PAXIAN M, RENSING H, GECKEIS K, BAUER I, KUBULUS D, SPAHN DR, BAUER M: Perflubron emulsion in prolonged hemorrhagic shock: influence on hepatocellular energy metabolism and oxygen-dependent gene expression. Anesthesiology, Jun 98 (6): 1391-9, 2003
141. PEITZMAN AB, BILLIAR TR, HARBRECHT BG, KELLY E, UDEKWU AO, SIMMONS RL: Hemorrhagic shock. Curr Probl Surg, Nov 32 (11): 925-1002, 1995
142. PERALTA C, CLOSA D, HOTTER G, GELPI E, PRATS N, ROSELLO-CALAFAU J: Liver ischemic preconditioning is mediated by the inhibitory action of nitric oxide on endothelin. Biochem Biophys Res Commun, 229: 264-270, 1996
143. PERALTA C, HOTTER G, CLOSA D, GELPI E, BULBENA O, ROSELOCATEFAU J: Protective effect of preconditioning on the injury associated to hepatic ischemia-reperfusion in the rat: role of nitric oxide and adenosine. Hepatology, 25: 934-937, 1997
144. PERALTA C, HOTTER G, CLOSA D, PI F, BADOSA F, GELPI E, ROSELLO-CATAFAU J: Nitric oxide enhances endothelin production in pancreas transplantation. Pancreas, 14: 369-372, 1997
145. PRZYBELSKI RJ, DAILY EK, STERN KN, MATTIA-GOLDBERG C.: A graded scale for assessment of safety of blood substitutes. Transfusion, Jul 37(7): 749-51, 1997
146. RAMOS KS, LIN H; McGRATH JJ: Modulation of cyclic guanosine monophosphate levels in cultured smooth muscle cells by carbon monoxide and nitric oxide. Biochem Pharmacol, 38: 1368-1370, 1989
147. REED JC: Cloning and functional analysis of BAG-1: a novel Bcl-2-binding protein with anti-cell death activity. Cell 80: 279-284; 1995
148. REDAELLI CA, TIAN YH, SCHAFFNER T, LEDERMANN M, BAER HU, DUFOUR JF: Extended preservation of rat liver graft by induction of heme oxygenase-1. Hepatology, 35: 1082-1092, 2002
149. REDL H, GASSER H, HALLSTRÖM S, SCHLAG G: Radical related cell injury. In: Pathophysiology of shock, sepsis and organ failure. Schlag G., Redl H. (eds) Heidelberg, Springer Verlag: 92-110, 1993

7. Literatur

150. RENSING H, BAUER I, DATENE V, PATAU C, PANNEN BH, BAUER M: Differential expression-pattern of heme oxygenase-1/heat shock protein 32 and nitric oxide synthase-II and their impact on liver injury in a rat model of hemorrhage and resuscitation. Crit Care Med, 27: 2766-2775, 1999
151. RENSING H, JAESCHKE H, BAUER I, PATAU C, DATENE V, PANNEN BH, BAUER M.: Differential activation pattern of redox-sensitive transcription factors and stress-inducible dilator systems heme oxygenase-1 and inducible nitric oxide synthase in hemorrhagic and endotoxic shock. Crit Care Med, Oct 29 (10): 1962-71, 2001
152. RITOSSA F: Discovery of the heat shock response. Cell Stress Chaperones, Jun 1(2): 97-8, 1996
153. ROGERS MS, RYAN BB, CASHON RE, ALAYASH AI.: Effects of polymerization on the oxygen carrying and redox properties of diaspirin cross-linked hemoglobin. Biochim Biophys Acta, Apr 27-1248 (2): 135-42, 1995
154. ROTH S, LI B, ROSENBAUM PS, GUPTA H, GOLDSTEIN IM, MAXWELL KM, GIDDAY JM: Preconditioning provides complete protection against retinal ischemic injury in rats. Invest OpOphthalmol Vis Sci, 39: 777-785, 1998
155. ROUGET C: Memoire sur le developpement, la structure et les proprietes physiologiques des capillaires sanguins et lymphatiques. Arch Physiol Normale Pathol, 5: 603-661, 1873
156. ROUGET, C: Sur la contractilité des capillaires sanguins. CR Acad Sci, 88: 916-918, 1879
157. ROY RS, MC CORD JM: Superoxide and ischemia: Conversion of xanthine dehydrogenase to xanthine oxidase. Oxy radikals and their scavenger systems. Vol.II: cellular and medical aspects eds.: Robert Greenwald and Gerald Cohen, 1983
158. RUBANYI GM, POLOKOFF MA: Endothelins: Molecular biology, biochemistry, pharmacology, physiology, and pathophysiology. Pharmacological Reviews, 46: 325-415, 1994
159. RYTER SW, SI M, LAI CC, SU CY.: Regulation of endothelial heme oxygenase activity during hypoxia is dependent on chelatable iron. Am J Physiol Heart Circ Physiol, Dec 279(6): H2889-97, 2000
160. SAXENA R, WIJNHOUAD AD, MAN IN'T VELD, VAN DEN MEIRACKER AH: Effect of diaspirin cross-linked hemoglobin on endothelin-1 and blood pressure in acute ischemic stroke in man. J Hypertens, Oct 16 (10): 1459-65, 1998

7. Literatur

161. SAXENA R, WIJNHOUD AD, CARTON H: Controlled safety study of a hemoglobinbased oxygen carrier, DCLHb, in acute ischemic stroke. *Stroke*, 30: 993-996, 1999
162. SCHENKER S, MCCANDLESS DW, ZOLLMAN PE.: Studies of cellular toxicity of unconjugated bilirubin in kernicteric brain. *J Clin Invest*, Jul 45(7):1213-20, 1966
163. SCHMIDT HW: NO, CO and OH: endogenous soluble guanylyl cyclase-activating factors. *FEBS Lett*, 307: 102-107, 1992
164. SCHUBERT A, O'HARA JF, PRZYBELSKI RJ: Effect of diaspirin crosslinked hemoglobin (DCLHb HemAssist) during high blood loss surgery on selected indices of organ function. *Artif. Cells Blood Substit. Immobil.Biotechnol.*, 30: 259-283, 2002
165. SEN AP, DONG Y, SAXENA PR, GULATI A.: Modulation of resuscitative effect of diaspirin cross-linked hemoglobin by L-NAME in rats. *Shock*, Mar 9(3): 223-30, 1998
166. SHIBAHARA S, YOSHIDA T, KIKUCHI G.: Induction of heme oxygenase by hemin in cultured pig alveolar macrophages. *Arch Biochem Biophys*, Jun 188(2): 243-50, 1978
167. SHIBAHARA S, MUELLER RM, TAGUCHI H: Transcriptional control of rat heme oxygenase by heat shock. *J Biol Chem*, 262: 12889-12892, 1987
168. SHIBAHARA, KATO Y, SHIMAZU M., KONDO M, UCHIDA K, KUMAMOTO Y, WAKABAYASHI G, KITAJIMA M, SUEMATSU M: Bilirubin rinse: A simple protectant against the rat liver graft injury mimicking heme oxygenase-1 preconditioning; *hepatologie*, Aug 38(2): 264-8, 2003
169. SKALLI O, PELTE MF, FECLET MC: Alpha-smooth muscle cell actin, a differentiation market of smooth muscle cells, is present in microfilamentous bundle of pericytes. *J Histochem Cytochem*, 37: 315-321, 1989
170. SLOAN EP, KOENIGSBERG M, GENZ D, CIOPOLLEI M, RUNGE J, MALLORY MN, RODMAN G Jr.: Diaspirin cross-linked hemoglobin (DCLHb) in the treatment of severe traumatic hemorrhagic shock: a randomized controlled efficacy trial. *JAMA*, 282: 1857-1864, 1999
171. SLOAN EP, KOENIGSBERG M, BRUNETT PH, BYNOE RP, MORRIS JA, TINKOFF G, DALSEY WC, OCHSNER MG; DCLHB TRAUMATIC HEMORRHAGIC SHOCK STUDY GROUP. Post hoc mortality analysis of the efficacy trial of diaspirin cross-linked hemoglobin in the treatment of severe traumatic hemorrhagic shock. *J Trauma*, May 52(5): 887-95, 2002

7. Literatur

172. SPAHN DR, KOCIAN R.: Artificial O₂ carriers: status in 2005. Curr Pharm, Dez 11(31): 4099-114, 2005
173. STOCKER R, YAMAMOTO Y, MCDONAGH AF, GLAZER AN, AMES BN: Bilirubin is an antioxidant of possible physiological importance. Science, 235: 1043-1045, 1987
174. SUEMATSU M, WAKABAYASHI Y, ISHIMURA Y: Gaseous monoxides: a new class of microvascular regulator in the liver. Cardiovasc Res, 32: 679-686, 1996
175. SULLIVAN DR, WEST M, JEREMY R.: Utility of brain natriuretic peptide (BNP) measurement in cardiovascular disease. Heart Lung Circ, Jun 14 (2): 78-84, 2005
176. SZABO C, BILLIAR TR.: Novel roles of nitric oxide in hemorrhagic shock. Shock, Jul 12(1):1-9, 1999
177. TAKEDA K, ISHIZAWA S, SATO M, YOSHIDA T, SHIBAHARA S: Identification of a cis-acting element that is responsible for cadmium-mediated induction of the human heme oxygenase gene. J Biol Chem, 269: 22858-22867, 1994
178. TAKAYAMA S, XIE Z, KRAJEWSKI S, KOCHEL K, IRIE S, MILLAN JA: Hepatology 33: 100-113, 2001
179. TENHUNEN R, MARVER HS, SCHMID R: The enzymatic conversion of heme to bilirubin by microsomal heme oxygenase. Proc.Natl.Acad.Sci.U.S.A., 61:748-755, 1968
180. TENHUNEN R, TOKOLA O, LINDEN IB.: Haem arginate: a new stable haem compound. J Pharm Pharmacol, Oct 39(10):780-6, 1987
181. TOKOLA O, TENHUNEN R, VOLIN L, MUSTAJOKI P: Pharmacokinetics of intravenously administered haem arginate. Br J Clin Pharmacol, Sep 22(3):331-5, 1986
182. TURMAN MA, BATES CM: Susceptibility of human proximal tubular cells to hypoxia: effect of hypoxic preconditioning and comparison to glomerular cells. Ren Fail, 19:47-60, 1997
183. QATO MK, MAINES MD: Prevention of neonatal hyperbilirubinaemia in nonhuman primates by Zn-Protoporphyrin. Biochem J, 226: 51-57, 1985

7. Literatur

184. SAKURAI M, HAYASHI T, ABE K, AOKI M, SADAHIRO M, TABAYASHI K: Enhancement of heat shock protein expression after transient ischemia in the preconditioned spinal cord of rabbits. *J Vasc Surg* 27: 720-725; 1998
185. SAVITZKY J, DOCZI J, BLACK J, ARNOLD J: A clinical safety trial of stroma-free hemoglobin. *Clin Pharmacol Ther* 23: 135: 867-73; 1978
186. SAXENA R, WIJNHOND AD, CARTON H, HACKE W, KASTE M, PRZYBELSKI RJ, STERN KN, KONDSTAAL PJ: Controlled safety study of a hemoglobin-based oxygen carrier, DCLHb, in acute ischemic stroke. *Stroke* 1999; 30: 993-996
187. SHOEMAKER WC: Diagnosis and treatment of the shock syndromes. In: Grenvik AG, Holbrook PR, Shoemaker WC, (eds.) *Textbook of critical care*. Philadelphia, London, Toronto, Montreal, Sydney, Tokyo: W.B. Saunders Company: 85-102, 1995
188. SUTTNER DM, DENNERY PA.: Reversal of HO-1 related cytoprotection with increased expression is due to reactive iron. *FASEB J*, Oct 13(13): 1800-9, 1999
189. TENHUNEN R, MARVER HS, SCHMID R: The enzymatic conversion of heme to bilirubin by microsomal heme oxygenase. *Proc Nati Acad Sci USA*, 61: 748-755, 1968
190. TENHUNEN R, MARVER HS, SCHMID R: The enzymatic catabolism of hemoglobin: stimulation of microsomal heme oxygenase by hemin. *J Lab Clin Med*, 75: 410-21, 1970
191. TENHUNEN R, MUSTAJOKI P: Acute porphyria: treatment with heme. *Semin Liver Dis*, 18 (1): 53-5, 1998
192. TENHUNEN R, TOKOLA O, LINDEN IB: Haem arginate: a new stable haem compound. *J Pharm Pharmacol*, 39: 780-786, 1987
193. TRAKSHEL GM, KUTTY RK, MAINES MD: Purification and characterisation of the major constitutive form of testicular heme oxygenase: the non-inducible form. *J Biol Chem*, 261: 11131-11137, 1986
194. URBAITIS B, LU YS, FRONTICELLI C, BUCCI E.: Renal excretion of pseudo-cross-linked human, porcine and bovine hemoglobins. *Biochim Biophys Acta*, 1156(1): 50-6, 1992
195. UTZ J, ULLRICH V: Carbon monoxide relaxes ileal smooth muscle through activation of guanylate cyclase. *Biochem Pharmacol*, Apr 15- 41(8): 1195-201, 1991

7. Literatur

196. VAUGHN MW, HUANG KT, KUO L, LIAO JC: Erythrocytes possess an intrinsic barrier to nitric oxide consumption. *J Biol Chem*, 275: 2342-2348, 2000
197. VAUGHN MW, HUANG K, KUO L, LIAO JC: Erythrocyte consumption of nitric oxide: competition experiment and model analysis. *Nitric Oxide*, 5: 18-31, 2001
198. VEERAMACHANENI NK, HARKEN AH, CAIRNS CB: Clinical implications of hemoglobin as a nitric oxide carrier. *Arch Surg*, 134: 434-437, 1999
199. VERCCELLOTTI GM, BALLA G, BALLA J, NATH K, EATON JW, JAKOB HS: Heme and the vasculature: An oxidative hazard that includes antioxidant defences in the endohelium. *Artif Cells Blood Substi Immobil Biotechnol*, 22: 207- 213, 1994
200. VERMA A, HIRSCH DJ, GLATT CE, RONNETT GV, SNYDER SH: Carbon monoxide: a putative neural messenger. *Science*, 259(5093): 381-4, 1993; Erratum in: *Science*, 263 (5143):15, 1994
201. VILE GF, BASU-MODAK S, WALTNER C, TYRRELL RM: Heme oxygenase 1 mediates an adaptive response to oxidative stree in human skin fibroblasts. *Proc Natl Acad Sci* 91: 2607-2610, 1994
202. VUOLTEENAH O, ALA-KOPSALA M, RUSKOAH O: BNP as a biomarker in heart disease. *Adv Clin Chem*, 40: 1-36, 2005
203. WATSON CJ, DHAR GJ, BOSSENMAIER I, CARDINAL R, PETRYKA ZJ: Effect of hematin in acute porphyric relapse. *Ann Intern Med*, Jul 79 (1): 80-3, 1973
204. WEIBEL ER: On pericytes, particularly their existence on lung capillaries. *Microvasc Res*, 8: 218-235, 1974
205. WELCH WJ: Mammalian stress response: cell physiology, structure/function of stress proteins, and implications for medicine and disease. *Physiol Rev*, 72: 1063-1081, 1992
206. WENNBERG RP, JOHANSSON BB, FOLBERGROVA J, SIESJO BK.: Bilirubin-induced changes in brain energy metabolism after osmotic opening of the blood-brain barrier. *Pediatr Res*, Nov 30 (5): 473-8, 1991
207. WIGGERS HC, INGRAHAM RC: Hemorrhagic shock: Definition and criteria for its diagnosis. *J Clin Invest*, 25: 30, 1946

7. Literatur

208. WILLIAMSON JR, TILTON RG, KILO C: Immunofluorescent imaging of capillaries and pericytes in human skeletal muscle and retina. *Microvasc Res*, 20: 233-241, 1980
209. WILLIS D, MOORE AR, FREDERICK R, WILLOUGHBY DA: Heme oxygenase: a novel target for the modulation of the inflammatory response. *Nature Med*, 2: 87-90, 1996
210. WINSLOW R M.: New Transfusion Strategies: Red cell substitutes. *Annu Rev Med*, 50: 337-353, 1999
211. WINSLOW RM: Alphaalpha-crosslinked hemoglobin: was failure predicted by preclinical testing? *Vox Sang*, 79: 1-20, 2000
212. WINSLOW RM: Current status of blood substitute research: towards a new paradigm. *J Intern Med*, 253: 508-517, 2003
213. WOO J, IYER S, CORNEJO MC, MORI N, GAO L, SIPOS I, MAINES M, BUELOW R.: Stress protein-induced immunosuppression : inhibition of cellular immune effector functions following overexpression of heme oxygenase (HSP 32). *Transpl Immuno*, 6: 84-93, 1998
214. WYNN RM, DAVIE JR, COX RP, CHANG DT: Molecular chaperons: Heat-shock proteins, foldases, and matchmakers. *J Lab Clin Med*, 124: 31-36, 1994
215. WYNN TA, OSWALD IP, ELTOUM IA, CASPAR P, LOWENSTEIN CJ, LEWIS FA, JAMES SL, SHER A: Elevated expression of Th1 cytokines and nitric oxide synthase in the lungs of vaccinated mice after challenge infection with *Schistosoma mansoni*. *J Immunol*, 153 (11): 5200-9, 1994
216. YADAV SS, SINDRAM D, PERRY DK, CLAVIEN PA: Ischemic preconditioning protects the mouse liver by inhibition of apoptosis tUrough a caspase-dependent pathway. *Hepatology*, 30: 1223-1231, 1999
217. YOSHIDA T, KIKUGHI G: Partial purification and reconstitution of the heme oxygenase system from pig spleen microsomes. *Biochem J*, 75: 1187-1191, 1974
218. ZAKHARY R, GAINES SP, DINERMAN JL, RUAT M, FLAVAHAN NA, SNYDER SH.: Heme oxygenase 2: endothelial and neuronal localization and role in endothelium-dependent relaxation. *Proc Natl Acad Sci USA*, 93 (2): 795-8, 1996