

7. LITERATURVERZEICHNIS

- Adamah D.J.B., Gokhale P.J., Eastwood D.J., Rajpert De-Mestry E., Goepel J., Walsh J.R., Moore H.D., Andrews P.W. (2006) Dysfunction of the mitotic:meiotic switch as a potential cause of neoplastic conversion of primordial germ cells. *Int J Androl.* **29**(1):219-27.
- Akopov, SB, Nikolaev, LG, Khil, PP, Lebedev, YB, Serdlov, ED (1998) Long terminal repeats of human endogenous retrovirus K family (HERV-K) specifically bind host cell nuclear proteins. *FEBS Lett.* 16; **421**(3), 229-33
- Albagli O, Dhordain P, Deweindt C, Lecocq G, Leprince D (1995) The BTB/POZ domain: a new protein-protein interaction motif common to DNA- and actin-binding proteins. *Cell Growth Differ.* **6**(9):1193-8
- Allman, D., Punt, J. A., Izon, D. J., Aster, J. C., and Pear, W. S. (2002). An invitation to T and more: notch signaling in lymphopoiesis. *Cell* **109** Suppl, S1-11.
- Amati B. (2001) Integrating Myc and TGF-beta signalling in cell-cycle control. *Nat Cell Biol.* **3**(5):E112-3.
- Andersson, M. L., Lindeskog, M., Medstrand, P., Westley, B., May, F., and Blomberg, J. (1999). Diversity of human endogenous retrovirus class II-like sequences. *J Gen Viro* **80** (Pt 1), 255-60.
- Antony J.M., van Marle G., Opii W., Butterfield D.A., Mallet F., Yong V.W., Wallace J.L., Deacon R.M., Warren K., Power C. (2004) Human endogenous retrovirus glycoprotein-mediated induction of redox reactants causes oligodendrocyte death and demethylation. *Nat. Neurosci.* **7**:1088-1095
- Armbruester V., Sauter M, Roemer K, Best B, Hahn S, Nty A, Schmied A, Philipp S, Mueller A, Mueller-Lantzsch N (2004). Np9 protein of human endogenous retrovirus K interacts with LNX (ligand of Numb protein X). *J Virol* 2004 **78**(19),10310-9.
- Armbruester, V., Sauter, M., Krautkraemer, E., Meese, E., Kleiman, A., Best, B., Roemer, K., and Mueller-Lantzsch, N. (2002). A novel gene from the human endogenous retrovirus K expressed in transformed cells. *Clin Cancer Res* **8**(6), 1800-7.
- Artavanis-Tsakonas, S., Matsuno, K., and Fortini, M. E. (1995). Notch signaling. *Science* **268**(5208), 225-32.
- Artavanis-Tsakonas, S., Rand, M. D., and Lake, R. J. (1999). Notch signaling: cell fate control and signal integration in development. *Science* **284**(5415), 770-6.

- Balk, S. P., and K. E. Knudsen. (2008). AR, the cell cycle, and prostate cancer. *Nucl Recept Signal* **6**:e001.
- Barbulescu, M., Turner, G., Seaman, M. I., Deinard, A. S., Kidd, K. K., and Lenz, J. (1999). Many human endogenous retrovirus K (HERV-K) proviruses are unique to humans. *Curr Biol* **9**(16), 861-8.
- Barbulescu, M., Turner, G., Su, M., Kim, R., Jensen-Seaman, M. I., Deinard, A. S., Kidd, K. K., and Lenz, J. (2001). A HERV-K provirus in chimpanzees, bonobos and gorillas, but not humans. *Curr Biol* **11**(10), 779-83.
- Barna M., Hawe N., Niswander L., and Padolfi P.P (2000). PLZF regulates limb and axial skeletal patterning. *Nat.Genet.* **25** (2):166-172
- Bardwell V.J. and Teisman R. The POZ domain (1994): a conserved protein-protein interaction motif. *Genes Dev.* **8** (14):1664-1677
- Barré-Sinoussi F, Chermann JC, Rey F, Nugeyre MT, Chamaret S, Gruest J, Dauguet C, Axler-Blin C, Vézinet-Brun F, Rouzioux C, Rozenbaum W, Montagnier L (1983) Isolation of a T-lymphotropic retrovirus from a patient at risk for acquired immune deficiency syndrome (AIDS) *Rev Invest Clin* **56**(2):126-9
- Baust, C., Seifarth, W., Germaier, H., Hehlmann, R., and Leib-Mosch, C. (2000). HERV-K-T47D-Related long terminal repeats mediate polyadenylation of cellular transcripts. *Genomics* **66**(1), 98-103.
- Beer, C., L. J., Andersen DS, Pedersen L (2004). *Retroviruses*, Cold Spring Harbor, New York.
- Berkhout, B., Jebbink, M., and Zsiros, J. (1999). Identification of an active reverse transcriptase enzyme encoded by a human endogenous HERV-K retrovirus. *J Virol* **73**(3), 2365-75.
- Bieche, I., Laurent, A., Laurendeau, I., Duret, L., Giovangrandi, Y., Frendo, J. L., Olivi, M., Fausser, J. L., Evain-Brion, D., and Vidaud, M. (2003). Placenta-specific INSL4 expression is mediated by a human endogenous retrovirus element. *Biol Reprod* **68**(4), 1422-9.
- Bieda, K., Hoffmann, A., and Boller, K. (2001). Phenotypic heterogeneity of human endogenous retrovirus particles produced by teratocarcinoma cell lines. *J Gen Virol* **82**(Pt 3), 591-6.
- Bishop C.B., McDonald W.H., Gould K.L. and Forsburg S.L. et al., (2000) Isolation of an essential *Schizosaccharomyces pombe* gene, prp31, that links splicing and meiosis. *Nucleic Acids Res.*, **28**, 2214-2220
- Blond, J. L., Lavillette, D., Cheynet, V., Bouton, O., Oriol, G., Chapel-Fernandes, S., Mandrand, B., Mallet, F., and Cosset, F. L. (2000). An

- envelope glycoprotein of the human endogenous retrovirus HERV-W is expressed in the human placenta and fuses cells expressing the type D mammalian retrovirus receptor. *J Virol* **74**(7), 3321-9.
- Boese A., Galli U., Geyer M., Sauter M., Mueller-Lantzsch N. (2001) The Rev/Rex homolog HERV-K cORF multimerizes via a C-terminal domain. *FEBS Lett.* **493**(2-3):117-21.
- Boese, A., Sauter, M., Galli, U., Best, B., Herbst, H., Mayer, J., Kremmer, E., Roemer, K., and Mueller-Lantzsch, N. (2000). Human endogenous retrovirus protein cORF supports cell transformation and associates with the promyelocytic leukemia zinc finger protein. *Oncogene* **19**(38), 4328-36.
- Bolivar, F., Rodriguez, R. L., Greene, P. J., Betlach, M. C., Heyneker, H. L., and Boyer, H. W. (1977). Construction and characterization of new cloning vehicles. II. A multipurpose cloning system. *Gene* **2**(2), 95-113.
- Boller, K., Konig, H., Sauter, M., Mueller-Lantzsch, N., Lower, R., Lower, J., and Kurth, R. (1993). Evidence that HERV-K is the endogenous retrovirus sequence that codes for the human teratocarcinoma-derived retrovirus HTDV. *Virology* **196**(1), 349-53.
- Brodsky, I., Foley, B., Haines, D., Johnston, J., Cuddy, K., and Gillespie, D. (1993). Expression of HERV-K proviruses in human leukocytes. *Blood* **81**(9), 2369-74.
- Buaas, F. W., A. L. Kirsh, M. Sharma, D. J. McLean, J. L. Morris, M. D. Griswold, D. G. de Rooij, and R. E. Braun (2004). Plzf is required in adult male germ cells for stem cell self-renewal. *Nat Genet* **36**:647-52. Epub
- Bukrinsky, M. I., and Haffar, O. K. (1999). HIV-1 nuclear import: in search of a leader. *Front Biosci* **4**, D772-81.
- Burnette, W. N. (1981). "Western blotting": electrophoretic transfer of proteins from sodium dodecyl sulfate--polyacrylamide gels to unmodified nitrocellulose and radiographic detection with antibody and radioiodinated protein A. *Anal Biochem* **112**(2), 195-203.
- Burge C.B., Tuschl T., Sharp P.A. (1999) Splicin of precursors to mRNAs by the splicosomes. *The RNA World*. Cold Spring Harbor Laboratory Press, NY, pp.525-560
- Buscher K., Trefzer U., Hofmann M., Sterry W., Kurth R. und Denner J. (2005). Expression of human endogenous retrovirus K in melanomas and melanoma cell lines. *Cancer Research* **65**(10): 4172-80
- Caporale M., Cousens C., Centorame P., Pinoni C., De las Heras M.; Palmarini M. (2006) Expression of the jaagsiekte sheep retrovirus

- envelope glycoprotein is sufficient to induce lung tumors in sheep. *J Virol.* **80**(16):8030-7
- Chaconas, G., and van de Sande, J. H. (1980). 5'-32P labeling of RNA and DNA restriction fragments. *Methods Enzymol* **65**(1), 75-85.
- Chan D.C., Fass D., Berger J.M., Kim P.S. (1997) Core structure of gp41 from the HIV envelope glycoprotein. *Cell.* **89**(2):263-73
- Chen S.J., Zelent A., Tong J. H. , Yu H.Q., Wang Z.Y., Derre J., Berger R., Waxman S., and Chen Z. (1993) Rearrangements of the retinoic acid receptor alpha and Promyelocytic leukemia zinc finger genes resulting from t(11;17)(q23;q21) in a patient with acute promyelocytic leukemia. *J.Clin.Invest* **91** (5):2260-2267
- Chen S.J., Wang Z.Y., and Chen Z. (1995) Acute promyelocytic leukemia: from clinic to molecular biology. *Stem Cells* **13** (1): 22-31
- Chen Z., Brand N.J., Chen A., Chen S.J., Tong J.H., Wang Z.Y., Waxman S., and Zelent A. (1993) Fusion between a novel Kruppel-like zinc finger gene and the retinoic acid receptor-alpha locus due to a variant t(11;17) translocation associated with the acute promyelocytic leukemia. *EMBO J.* **12** (3): 1161-1167
- Chen Z., Guidez F., Rousselot P., Agadir A., Chen S.J., Wang Z.Y., Degos L., Zelent A., Waxman S., Chomienne C. (1994) PLZF-RAR alpha fusion proteins generated from the variant t(11;17)(q23;q21) translocation in acute promyelocytic leukemia inhibit ligand-dependent transactivation of wild-type retinoic acid receptors. *Proc Natl Acad Sci* **1**; **91**(3):1178-82.
- Chen Z., Chen S.J., and Wang Z.Y. (1994) Retinoic acid and acute promyelocytic leukemia: a model of targetting treatment for human cancer. *C.R.Acad.Sci.III* **317**(12):1135-1141
- Chen Z., Tong J.H., Dong S., Zhu J., Wang ZY., Chen S.J. (1996) Retinoic acid regulatory pathways, chromosomal translocations, and acute promyelocytic leukemia. *Genes Chromosomes Cancer.* **15**(3):147-56
- Cheng G.X, Zhu x.H., Men X.Q., Wang L., Huang Q.H., Jin X.L., Xiong S.M., Zhu J., Guo W.M., Chen J.Q., Xu S.F., So E., ChanL.C., Waxman S., Zelent A., Chen G.Q., Dong S., Liu J.X., and Chen S.J.(1999) Distinct leukemia phenotypes in transgenic mice and different corepressor interactions generated by promyelocytic leukemia variant fusion genes *PLZF-RAR α* and *NPM-RAR α* . *Proc Natl Acad Sci* **96**(11):6318-23.
- Clerici, M., Fusi, M. L., Caputo, D., Guerini, F. R., Trabattoni, D., Salvaggio, A., Cazzullo, C. L., Arienti, D., Villa, M. L., Urnovitz, H. B., and Ferrante, P. (1999). Immune responses to antigens of human endogenous retroviruses in patients with acute or stable multiple sclerosis. *J Neuroimmunol* **99**(2), 173-82.

- Coffin JM, H., SH, Varmus HE (1997). "Retroviruses." Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Coller H.A., Grandori C., Tamayo P., Colbert T., Lander E.S., Eisenman R.N., Golub T.R. (2000) Expression analysis with oligonucleotide microarrays reveals that MYC regulates genes involved in growth, cell cycle, signaling, and adhesion. *Proc Natl Acad Sci U S A.* **28;97**(7):3260-5.
- Conrad, B., Weissmahr, R. N., Boni, J., Arcari, R., Schupbach, J., and Mach, B. (1997). A human endogenous retroviral superantigen as candidate autoimmune gene in type I diabetes. *Cell* **90**(2), 303-13.
- International human genome sequencing consortium. (2001). Initial sequencing and analysis of the human genome. *Nature* **409**, 860-922.
- Costas, J. (2001). Evolutionary dynamics of the human endogenous retrovirus family HERV-K inferred from full-length proviral genomes. *J Mol Evol* **53**(3), 237-43.
- Costoya, J. A., Hobbs, R. M., Barna, M., Cattoretti, G., Manova, K., Sukhwani, M., Orwig, K. E., Wolgemuth, D. J., and Pandolfi, P. P. (2004). Essential role of Plzf in maintenance of spermatogonial stem cells. *Nat Genet* **36**(6), 653-9.
- Cowburn, D. (1997). Peptide recognition by PTB and PDZ domains. *Curr Opin Struct Biol* **7**(6), 835-8.
- Dai MS, Chevallier N, Stone S, Heinrich MC, McConnell M, Reuter T, Broxmeyer HE, Licht JD, Lu L, Hoatlin ME (2002) The effects of the Fanconi anemia zinc finger (FAZF) on cell cycle, apoptosis, and proliferation are differentiation stage-specific *Journal of biological chemistry* Vol.**227** No.29, Issue of July 19, pp. 26327-26334
- Dam, T. K., Sarkar, M., Ghosal, J., and Choudhury, A. (1992). A novel galactosyl-binding lectin from the plasma of the blood clam, Anadara granosa (L) and a study of its combining site. *Mol Cell Biochem* **117**(1), 1-9.
- Dangel, A. W., Baker, B. J., Mendoza, A. R., and Yu, C. Y. (1995). Complement component C4 gene intron 9 as a phylogenetic marker for primates: long terminal repeats of the endogenous retrovirus ERV-K(C4) are a molecular clock of evolution. *Immunogenetics* **42**(1), 41-52.
- David G., Alland L., Hong S.H., Wong C.W., DePhino R.A., Dejean A. (1998) Histone deacetylase associated with mSin3A mediates repression by the acute promyelocytic leukemia-associated PLZF protein. *Oncogene* **14;16**(19):2549-56
- Davis A.C., Wims M., Spotts G.D., Hann S.R., Bradley A. (1993) A null c-myc mutation causes lethality before 10.5 days of gestation in homozygotes

- and reduced fertility in heterozygous female mice. *Genes Dev.* **7**(4):671-82.
- Depil S., Roche C., Dussart P., Prin L. (2002) Expression of a human endogenous retrovirus HERV-K in the blood cells of leukemia patients. *Leukemia*. **16**:254-259
- Dewannieux, M., Blaise S. und Heidmann T. (2005). Identification of a functional envelope protein from the HERV-K family of human endogenous retroviruses. *J Virol.* **79**(24): 15573-7
- Dho, S. E., French, M. B., Woods, S. A., and McGlade, C. J. (1999). Characterization of four mammalian numb protein isoforms. Identification of cytoplasmic and membrane-associated variants of the phosphotyrosine binding domain. *J Biol Chem* **274**(46), 33097-104.
- Dho, S. E., Jacob, S., Wolting, C. D., French, M. B., Rohrschneider, L. R., and McGlade, C. J. (1998). The mammalian numb phosphotyrosine-binding domain. Characterization of binding specificity and identification of a novel PDZ domain-containing numb binding protein, LNX. *J Biol Chem* **273**(15), 9179-87.
- Dong S., Zhu J., Reid A., Strutt P., Guidez F., Zhong H.J., Wang Z.Y., Licht J., Waxman S., Chomienne C., Chen Z., Zelent A., Chen S.J. (1996) Amino-terminal protein-protein interaction motif (POZ-domain) is responsible for activities of the promyelocytic leukemia zinc finger-retinoic acid receptor-alpha fusion protein. *Proc Natl Acad Sci U S A*. **93**(8):3624-9.
- Dugaiczyk, A., Boyer, H. W., and Goodman, H. M. (1975). Ligation of EcoRI endonuclease-generated DNA fragments into linear and circular structures. *J Mol Biol* **96**(1), 171-84.
- Dyck, J. A., Maul, G. G., Miller, W. H., Jr., Chen, J. D., Kakizuka, A., and Evans, R. M. (1994). A novel macromolecular structure is a target of the promyelocyte-retinoic acid receptor oncprotein. *Cell* **76**(2), 333-43.
- Elbashir, S. M., Harborth, J., Weber, K., and Tuschl, T. (2002). Analysis of gene function in somatic mammalian cells using small interfering RNAs. *Methods* **26**(2), 199-213.
- Ellermann V., Bang O. (1908) Experimentelle Leukämie bei Hühnern. *Centralbl. Bakteriol.* **46**: 595-609
- Ejthadi H.D., Martin J.H., Junying D.A., Roden D.A., Lahiri M., Warren P., Murray P.G, Nelson P.N. (2005) A novel multiplex RT-PCR system detects human endogenous retrovirus-K in breast cancer. *Arch. Virol.* **150**:177-184

- Etkind, P. R., Lumb, K., Du, J., and Racevskis, J. (1997). Type 1 HERV-K genome is spliced into subgenomic transcripts in the human breast tumor cell line T47D. *Virology* **234**(2), 304-8.
- Fernandez P.C., Frank S.r., Wang ., Schroeder M., Liu S., Greene J., Cocito A., Amati B. (2003) Genomic targets of the human c-Myc protein. *Genes Dev.* **17**(9):1115-29.
- Farnet C.M., Haseltine W.A. (1991) Circularization of human immunodeficiency virus type 1 DNA in vitro. *J Virol.* **65**(12):6942-52
- Felicetti F., Bottero L., FelliN., Mattia G., Labbaye C., Alvino E., Peschle C., Colombo M.P., Care A. (2004) Role of PLZF in melanoma progression. *Oncogene.* **3;23**(26):4567-76
- Fields BN, K. D., Howley PM (1996). "Virology." 3 ed., Lippincott-Raven, Philadelphia, New York.
- Flockerzi A., Ruggieri A., Frank O., Sauter M., Maldener E., Kopper B., Wullich B., Seifarth W., Müller-Lantzsch N., Leib-Mösch C., Meese E., Mayer J., (2008). Expression partners of transcribed human endogenous retrovirus HERV-K(HML-2) loci in human tissues and the need for a HERV Transcriptome Project. *BMC Genomics.* **9**:354
- Fogh, J., Fogh, J. M., and Orfeo, T. (1977). One hundred and twenty-seven cultured human tumor cell lines producing tumors in nude mice. *J Natl Cancer Inst* **59**(1), 221-6.
- Forsthöfel, P. (1958). The skeletal effects of the luxoid gene in the mouse including its interactions with luxate gene. *J. Morphol.* **102**, 247-287.
- Frendo, J. L., Olivier, D., Cheynet, V., Blond, J. L., Bouton, O., Vidaud, M., Rabreau, M., Evain-Brion, D., and Mallet, F. (2003). Direct involvement of HERV-W Env glycoprotein in human trophoblast cell fusion and differentiation. *Mol Cell Biol* **23**(10), 3566-74.
- Galli UM, Sauter M, Lecher B, Maurer S, Herbst H, Roemer K, Mueller-Lantzsch N Human endogenous retrovirus Rec protein induces germ cell tumors in mice. zur Veröffentlichung eingereicht.
- Gaudin, P., Ijaz, S., Tuke, P. W., Marcel, F., Paraz, A., Seigneurin, J. M., Mandrand, B., Perron, H., and Garson, J. A. (2000). Infrequency of detection of particle-associated MSRV/HERV-W RNA in the synovial fluid of patients with rheumatoid arthritis. *Rheumatology (Oxford)* **39**(9), 950-4.
- Götzinger, N., Sauter, M., Roemer, K., and Mueller-Lantzsch, N. (1996). Regulation of human endogenous retrovirus-K Gag expression in teratocarcinoma cell lines and human tumours. *J Gen Virol* **77** (Pt 12), 2983-90.

- Graham, F. L., and van der Eb, A. J. (1973). A new technique for the assay of infectivity of human adenovirus 5 DNA. *Virology* **52**(2), 456-67.
- Green, M. (1955). Luxoid, a new hereditary leg and foot abnormality in the house mouse. *J. Hered.* **46**, 91-99.
- Gross L. (1970) *Oncogenic Viruses*, Pergamon Press, Oxford, United Kingdom, 1970
- Guidez F., Howell L., Isalan M., Cebrat M., Alani R.M., Ivins S., Hormaeche L., McConnell M.J., Pierce S., Cole P.A., Licht J., Zelent A. (2005) Histone acetyltransferase activity of p300 is required for transcriptional repression by the promyelocytic leukemia zinc finger protein. *Mol Cell Biol.* **25**(13):5552-66.
- Guo Q.M., Malek R.L., Kim S., Chiao C., He M., Ruffy M., Sanka K., Lee N.H., Dang C.V., Liu E.T. (2000) Identification of c-myc responsive genes using rat cDNA microarray. *Cancer Res.* **1;60**(21):5922-8.
- Gyuris, J., Golemis, E., Chertkov, H., and Brent, R. (1993). Cdi1, a human G1 and S phase protein phosphatase that associates with Cdk2. *Cell* **75**(4), 791-803.
- Harris, B. Z., and Lim, W. A. (2001). Mechanism and role of PDZ domains in signaling complex assembly. *J Cell Sci* **114**(Pt 18), 3219-31.
- Haffar O., Dubrovsky L., Lowe R., Berro R., Kashanchi F., Godden J., Vanpouille C., Bajorath J., Bukrinsky M. (2005) Oxadiazols: a new class of rationally designed anti-human immunodeficiency virus compounds targeting the nuclear localization signal of the viral matrix protein. *J Virol.* **79**(20):13028-36
- Hata, Y., Nakanishi, H., and Takai, Y. (1998). Synaptic PDZ domain-containing proteins. *Neurosci Res* **32**(1), 1-7.
- Hatfield, D., and Oroszlan, S. (1990). The where, what and how of ribosomal frameshifting in retroviral protein synthesis. *Trends Biochem Sci* **15**(5), 186-90.
- Hawe N., Soares V., Niswander L., Cattoretti G., and Pandolfi, P.P. (1996) Targeted disruption of the PLZF gene of acute promyelocytic leukemia results in phocomelia and altered spermatogenesis. *Blood* **88**:291a
- Hayashi, T., Kageyama, Y., Ishizaka, K., Xia, G., Kihara, K., and Oshima, H. (2001). Requirement of Notch 1 and its ligand jagged 2 expressions for spermatogenesis in rat and human testes. *J Androl* **22**(6), 999-1011.
- He L.Z., Guidez F., Triboli C., Peruzzi D., Ruthard M., Zelent A., Pandolfi P.P. (1998) Distinct interactions of PML-RARalpha and PLZF-RARalpha with co-repressors determine differential responses to RA in APL. *Nat Genet.* **18**(2):126-35

- Heimdal K., Olson H., Tretli S., Fossa S.D., Borresen A.L., Bishop D.T. (1997) A segregation of testicular cancer based on Norwegian Swedish families. *Br.J.Cancer.* **75**:1084-1087
- Herbst, H., Sauter, M., Kuhler-Obbarius, C., Loning, T., and Mueller-Lantzsch, N. (1998). Human endogenous retrovirus (HERV)-K transcripts in germ cell and trophoblastic tumours. *Apmis* **106**(1), 216-20.
- Herbst, H., Sauter, M., and Mueller-Lantzsch, N. (1996). Expression of human endogenous retrovirus K elements in germ cell and trophoblastic tumors. *Am J Pathol* **149**(5), 1727-35.
- Hildinger, M., Dittmar, M. T., Schult-Dietrich, P., Fehse, B., Schnierle, B. S., Thaler, S., Stiegler, G., Welker, R., and von Laer, D. (2001). Membrane-anchored peptide inhibits human immunodeficiency virus entry. *J Virol* **75**(6), 3038-42.
- Hoatlin M.E., Zhi Y., Ball H., Silvey K., Melnick A., Stone S., Arai S., Hawe N., Owen G., Zelent A., Licht J.D. (1999) A novel BTB/POZ transcriptional repressor protein interacts with the Fanconi anemia group C protein and PLZF. *Blood.* **1;94**(11):3737-47
- Hong S.H., David G., Wong C.W., Dejean A., Privalsky M.L.(1997) SMRT corepressor interacts with PLZF and with the PML-retinoic acid receptor alpha (RARalpha) and PLZF-RARalpha oncoproteins associated with acute promyelocytic leukemia. *Proc Natl Acad Sci U S A.* **19;94**(17):9028-33
- Holmes, D. S., and Quigley, M. (1981). A rapid boiling method for the preparation of bacterial plasmids. *Anal Biochem* **114**(1), 193-7.
- Hsieh, J. J., Zhou, S., Chen, L., Young, D. B., and Hayward, S. D. (1999). CIR, a corepressor linking the DNA binding factor CBF1 to the histone deacetylase complex. *Proc Natl Acad Sci U S A* **96**(1), 23-8.
- Hughes, D. C. (2001). Alternative splicing of the human VEGFGR-3/FLT4 gene as a consequence of an integrated human endogenous retrovirus. *J Mol Evol* **53**(2), 77-9.
- Hughes, J. F., and Coffin, J. M. (2004). Human endogenous retrovirus K solo-LTR formation and insertional polymorphisms: implications for human and viral evolution. *Proc Natl Acad Sci U S A* **101**(6), 1668-72.
- Hung, A. Y., and Sheng, M. (2002). PDZ domains: structural modules for protein complex assembly. *J Biol Chem* **277**(8), 5699-702.
- Ikeda R, Yoshida K, Inoue I (2007) Identification of FAZF as a novel BMP2-induced transcription factor during osteoblastic differentiation *J Cell Biochem.* 2007 101(1):147-54

- Inoue, A., A. Ishiji, S. Kasagi, M. Ishizuka, S. Hirose, T. Baba, and H. Hagiwara. 2000. The transcript for a novel protein with a zinc finger motif is expressed at specific stages of mouse spermatogenesis. *Biochem Biophys Res Commun* **273**:398-403.
- Ishizuka M., Ohshima H., Tamura N., Nakada T., Inoue A., Hirose S., Hagiwara H. (2003) Molecular cloning and characteristics of a novel zinc finger protein and its splice variant whose transcripts are expressed during spermatogenesis *Biochem Biophys Res Commun.* **301**(4):1079-85
- Ishizuka M., Kawate H., Takayanagi R., Ohshima H., Tao R.H., Hagiwara H. (2005) A zinc finger protein TZF is a novel corepressor of androgen receptor *Biochem Biophys Res Commun.* **331**(4):1025-31
- Jacks, T., Power, M. D., Masiarz, F. R., Luciw, P. A., Barr, P. J., and Varmus, H. E. (1988). Characterization of ribosomal frameshifting in HIV-1 gag-pol expression. *Nature* **331**(6153), 280-3.
- Jager, D., Stockert, E., Gure, A. O., Scanlan, M. J., Karbach, J., Jager, E., Knuth, A., Old, L. J., and Chen, Y. T. (2001). Identification of a tissue-specific putative transcription factor in breast tissue by serological screening of a breast cancer library. *Cancer Res* **61**(5), 2055-61.
- Jenster G (1998) Coactivators and corepressors as mediators of nuclear receptor function: an update *Mol Cell Endocrinol.* 1998 Aug 25; **143**(1-2):1-7
- Jenster G (1999) The role of the androgen receptor in the development and progression of prostate cancer *Semin Oncol.* 1999 Aug; **26**(4):407-21
- Judge, S. M., and Chatterton, R. T., Jr. (1983). Progesterone-specific stimulation of triglyceride biosynthesis in a breast cancer cell line (T-47D). *Cancer Res* **43**(9), 4407-12.
- Jurka J. (2000) Repbase update: a database and an electronic journal of repetitive elements. *Trends Genet* **16**(9):418-420
- Kazazian HH. (1998) Mobile elements and disease. *Curr Opin Genet Dev.* **8**:343-350
- Kim HS., Takenako O., Crow TJ. (2004) Isolation and phylogeny of endogenous retrovirus sequences belonging to the HERV-W family primates. *J Gen Virol.* **80**:2613-2619
- Kitamura, Y., Ayukawa, T., Ishikawa, T., Kanda, T., and Yoshiike, K. (1996). Human endogenous retrovirus K10 encodes a functional integrase. *J Virol* **70**(5), 3302-6.
- Kleimann A., Senyuta N., Tryakin A., Sauter M., Karseladze A., Tjulandin S., Gurtsevitch V., Müller-Lantzsch N. (2004) HERV-K(HML-2) GAG/ENV

- antibodies as indicator for therapy effect in patients with germ cell tumors. *Cancer Res.* **65**:459-461
- Khodosevich K., Lebedev Y., Sverdlov E. (2002). Endogenous retroviruses and human evolution. *Comp Funct Genom* **3**:494-498
- Knossl M., Lower R., and Lower J. (1999) Expression of the human endogenous retrovirus HTDV/HERV-K is enhanced by cellular transcription factor YY1. *J Virol.* **73** (2):1254-1261
- Komurian-Pradel F., Paranhos-Baccala G., Bedin F., Ounanian-Paraz A., Sodoyer M., Ott C., Rajoharison A., Garcia E., Malleet F., Mandrand B., Perron H. (1999) Molecular cloning and characterization of MSRV-related sequences associated with retrovirus-like particles. *Virology.* **260**(1):1-9
- Krämer A.(1996) The structure and functions of proteins involved in mammalian pre-mRNA splicing. *Annu Rev.Biochem.*, **65**, 367-409
- Krausslich, H. G., and Welker, R. (1996). Intracellular transport of retroviral capsid components. *Curr Top Microbiol Immunol* **214**, 25-63.
- Kushner (1979). "An improved method for transformation of Escherichia coli with coli-derived plasmids." *Genet. Eng.* (N. S. Boyer B, Ed.) Elsevier, Amsterdam.
- Labbaye C., Quaranta M.T., Pagliuca A., Militi S., Licht J.D., Testa U., Peschle C. (2002) PLZF induces megakaryocytic development, activates Tpo receptor expression and interacts with GATA1 protein. *Oncogene.* **26**;21(43):6669-79
- Laemmli, U. K. (1970). Cleavage of structural proteins during the assembly of the head of bacteriophage T4. *Nature* **227**(259), 680-5.
- Lamond, A. I., and Earnshaw, W. C. (1998). Structure and function in the nucleus. *Science* **280**(5363), 547-53.
- Landry, J. R., Rouhi, A., Medstrand, P., and Mager, D. L. (2002). The Opitz syndrome gene Mid1 is transcribed from a human endogenous retroviral promoter. *Mol Biol Evol* **19**(11), 1934-42.
- Lau, A. G., and Hall, R. A. (2001). Oligomerization of NHERF-1 and NHERF-2 PDZ domains: differential regulation by association with receptor carboxyl-termini and by phosphorylation. *Biochemistry* **40**(29), 8572-80.
- Lederberg, E. M., and Cohen, S. N. (1974). Transformation of *Salmonella typhimurium* by plasmid deoxyribonucleic acid. *J Bacteriol* **119**(3), 1072-4.
- Lee, D. H., and Goldberg, A. L. (1998). Proteasome inhibitors: valuable new tools for cell biologists. *Trends Cell Biol* **8**(10), 397-403.

- Leib-Mosch, C., and Seifarth, W. (1995). Evolution and biological significance of human retroelements. *Virus Genes* **11**(2-3), 133-45.
- Leroux C., Girard N., Cottin V., Greenland T., Mornex J.F., Archer F. (2007) Jaagsiekte Sheep Retrovirus (JSRV): from virus to lung cancer in sheep. *Vet res.* **38**:211-228
- Lewis, P. F., and Emerman, M. (1994). Passage through mitosis is required for oncoretroviruses but not for the human immunodeficiency virus. *J Virol* **68**(1), 510-6.
- Li J.Y., English M.A., Ball H.J., Yeyati P.L., Waxman S., Licht J.D. (1997) Sequence-specific DNA binding and transcriptional regulation by the promyelocytic leukemia zinc finger protein. *J Biol Chem.* **272**(36):22447-55
- Lin W, Lai CH, Tang CJ, Huang CJ, Tang TK (1999) Identification and gene structure of a novel human PLZF-related transcription factor gene, TZFP. *Biochemical and Biophysical research communications* **264**(3):789-95
- Limjoco T.I., Dickie P., Ikeda H., Silver J. (1993) Transgenic Fv-4 mice resistant to Friend virus. *J Virol.* **67**(7):4163-8
- Lin R.J., Nagy L., Inoue S., Shao W., Miler W.H.Jr, Evans R.M. (1998) Role of the histone deacetylase complex in acute promyelocytic leukaemia. *Nature.* **391**(6669):811-4
- Lower, R. (1999). The pathogenic potential of endogenous retroviruses: facts and fantasies. *Trends Microbiol* **7**(9), 350-6.
- Lower, R., Boller, K., Hasenmaier, B., Korbmacher, C., Muller-Lantzsch, N., Lower, J., and Kurth, R. (1993). Identification of human endogenous retroviruses with complex mRNA expression and particle formation. *Proc Natl Acad Sci U S A* **90**(10), 4480-4.
- Lower, R., Lower, J., Frank, H., Harzmann, R., and Kurth, R. (1984). Human teratocarcinomas cultured in vitro produce unique retrovirus-like viruses. *J Gen Virol* **65** (Pt 5), 887-98.
- Lower, R., Tonjes, R. R., Korbmacher, C., Kurth, R., and Lower, J. (1995). Identification of a Rev-related protein by analysis of spliced transcripts of the human endogenous retroviruses HTDV/HERV-K. *J Virol* **69**(1), 141-9.
- Magin C., Lower R., Lower J. (1999) cORF and RRE the Rev/rex and RRE/RxRE homologues of the human endogenous retrovirus family HTDV/HERV-K. *J. Virol.* **73**:9496-9507

- Makarova O.V., Makarov E.M., Liu S., Vornlocher H.P., Luhrmann R. (2002) Protein 61K, encoded by a gene (PRPF31) linked to autosomal dominant retinitis pigmentosa, is required for U4/U6*U5 tri-snRNP formation and pre-mRNA splicing. *EMBO J.* **21**(5):1148-57
- Mangelsdorf DJ, Thummel C, Beato M, Herrlich P, Schütz G, Umesono K, Blumberg B, Kastner P, Mark M, Chambon P, Evans RM (1995) The nuclear receptor superfamily: the second decade *Cell* **83**(6):835-9
- Mangeney M. and Heidmann T. (2001) Tumor cells expressing a retroviral envelope escape immune rejection in vivo. *Proc.Natl. Acad.Sci. U.S.A* **95** (25):14920-14925
- Marguerat S., Wang W.Y., Todd J.A., Conrad B. (2004) Association of human endogenous retrovirus K-18 polymorphisms with type 1 diabetes. *Diabetes*. **53**(3):852-4
- Martin M.A., Bryan T., Rasheed S., Khan A.S. (1981) Identification and cloning of endogenous retroviral sequences present in human DNA. *Proc.Natl.Acad.Sci.USA*. **78**:4892-4896
- Mayer, J., Meese, E., and Mueller-Lantzsch, N. (1998). Human endogenous retrovirus K homologous sequences and their coding capacity in Old World primates. *J Virol* **72**(3), 1870-5.
- Mayer, J., Sauter, M., Racz, A., Scherer, D., Mueller-Lantzsch, N., and Meese, E. (1999). An almost-intact human endogenous retrovirus K on human chromosome 7. *Nat Genet* **21**(3), 257-8.
- McConnell M.J., Chevallier M.J., Berkofsky-Fessler W., Giltnane J.M., Malani R.B., Staudt L.M., Licht J.D. (2003) Growth suppression by acute promyelocytic leukemia-associated protein PLZF is mediated by repression of c-myc expression. *Mol Cell Biol*. **23**(24):9375-88
- McConnell MJ, Licht JD (2007) The PLZF gene of t (11;17)-associated APL *Curr Top Microbiol Immunol.* 2007; **313**:31-48
- McGill, M. A., and McGlade, C. J. (2003). Mammalian numb proteins promote Notch1 receptor ubiquitination and degradation of the Notch1 intracellular domain. *J Biol Chem* **278**(25), 23196-203.
- Medstrand, P., and Blomberg, J. (1993). Characterization of novel reverse transcriptase encoding human endogenous retroviral sequences similar to type A and type B retroviruses: differential transcription in normal human tissues. *J Virol* **67**(11), 6778-87.
- Medstrand, P., Lindeskog, M., and Blomberg, J. (1992). Expression of human endogenous retroviral sequences in peripheral blood mononuclear cells of healthy individuals. *J Gen Virol* **73** (Pt 9), 2463-6.

- Medstrand, P., and Mager, D. L. (1998). Human-specific integrations of the HERV-K endogenous retrovirus family. *J Virol* **72**(12), 9782-7.
- Meese E., Gottert E., Zang K.D., Sauter M., Schommer S., Mueller-Lantzsch N. (1996) Human endogenous retroviral element k10 (HERV-K10): chromosomal localization by somatic hybrid mapping and fluorescence in situ hybridization. *Cytogenet* **72**(1):40-2
- Melnick A., Fruchtman S., Zelent A., Liu M., Huang Q., Boczkowska B., Calasanz M., Fernandez A., Licht J.D., Najfeld V. (1999) Identification of novel chromosomal rearrangements in acute myelogenous leukemia involving loci on chromosome 2p23, 15q22 and 17q21. *Leukemia*. **13**(10):1534-8
- Melnick A., Ahmad K.F.; Arai A., Polinger A., Ball H., Borden K.L., Carlile G.W., Prive G.G., Licht J.D. (2000) In-depth mutational analysis of the promyelocytic leukemia zinc finger BTB/POZ domain reveals motifs and residues required for biological and transcriptional functions. *Mol Cell Biol*. **20**(17):6550-67.
- Melnick A., Licht J.D. (1999) Deconstructing a disease: RARalpha, its fusion partners, and their roles in the pathogenesis of acute promyelocytic leukemia. *Blood*. **93**(10):3167-215
- Mi, S., Lee, X., Li, X., Veldman, G. M., Finnerty, H., Racie, L., LaVallie, E., Tang, X. Y., Edouard, P., Howes, S., Keith, J. C., Jr., and McCoy, J. M. (2000). Syncytin is a captive retroviral envelope protein involved in human placental morphogenesis. *Nature* **403**(6771), 785-9.
- Miaw SC, Choi A, Yu E, Kishikawa H, Ho IC (2000) ROG, repressor of GATA, regulates the expression of cytokine genes *Immunity* . **12**(3):323-33
- Modrow S, F. D. (2003). "Molekulare Virologie." Spektrum, Akad. Verlag.
- Mueller-Lantzsch, N., Sauter, M., Weiskircher, A., Kramer, K., Best, B., Buck, M., and Grasser, F. (1993). Human endogenous retroviral element K10 (HERV-K10) encodes a full-length gag homologous 73-kDa protein and a functional protease. *AIDS Res Hum Retroviruses* **9**(4), 343-50.
- Muster T., Waltenberger A., Grassauer A., Hirschl S., Caucig P., Romirer I., Fodinger D., Seppele H., Schanab O., Magin-Lachmann C. (2003) An endogenous retrovirus derived from human melanoma cells. *Cancer Res*.**16**:223-234.
- Nakagawa K., Harrison L.C. (1996) The potential roles of endogenous retroviruses in autoimmunity. *Immunol. Rev.* **152**:193-236
- Nesbit C.E., Grove L.E.; Yin X., Prochownik E.V. (1999) Differential apoptotic behaviors of c-myc, N-myc, and L-myc oncoproteins. *Cell Growth Differ*. **9**(9):731-41.

- Nie, G. Y., Li, Y., Minoura, H., Batten, L., Ooi, G. T., Findlay, J. K., and Salamonsen, L. A. (2003). A novel serine protease of the mammalian HtrA family is up-regulated in mouse uterus coinciding with placentation. *Mol Hum Reprod* **9**(5), 279-90.
- Nie, J., Li, S. S., and McGlade, C. J. (2004). A novel PTB-PDZ domain interaction mediates isoform-specific ubiquitylation of mammalian Numb. *J Biol Chem* **279**(20), 20807-15.
- Nie, J., McGill, M. A., Dermer, M., Dho, S. E., Wolting, C. D., and McGlade, C. J. (2002). LNX functions as a RING type E3 ubiquitin ligase that targets the cell fate determinant Numb for ubiquitin-dependent degradation. *Embo J* **21**(1-2), 93-102.
- Nilsen T.W.(1998) RNA-RNA interactions in nuclear pre mRNA splicing. In Simons, R.W. an dGrunberg-Manago, M. (eds.), *RNA Structure and Fiction*. Cold Spring Harbor Laboratory Press, NY, pp.279-307
- Ogg, C.S., and Lamond, A.I. (2002) Cajal bodies and coilin - moving towards function. *Journal of Cell Biology* **1**, 17-21
- Ohno M, F. M., Mattaj IW (1998). Nucleocytoplasmic transport: the last 200 nanometers. *Cell* **92**, 327-336.
- Ono, M., Yasunaga, T., Miyata, T., and Ushikubo, H. (1986). Nucleotide sequence of human endogenous retrovirus genome related to the mouse mammary tumor virus genome. *J Virol* **60**(2), 589-98.
- de Parseval N., Lazar V., Casella J.F., Benit L., Heidmann T. (2003) Survey of human genes of retroviral origin: identification and transcriptome of the genes with coding capacity for complete envelope proteins. *J Virol*. **77**:10414-10422
- de Parseval N., Cassella J., Gressin L., Heidmann T. (2001) Characterization of the three HERV-H proviruses with an open envelope reading frame encompassing the immunosuppressive domain and evolutionary history in primates. *Virology*. **20;279**(2):558-69
- Patel J.H., Loboda A.P., Showe M.K., Showe L.C., McMahon S.B. (2004) Analysis of genomic targets reveals complex functions of MYC. *Nat Rev Cancer*. **4**(7):562-8.
- Perron H., Jouvin-Marche E., Michel M., Ounanian-Paraz A., Camelo O., Dumon A., Jolivet-Reynaud C., Marcel F., Souillet Y., Borel E., Gebuhrer L., Santoro L., Marcel S., Seigneurin J.M., Marche P.N., Lafon M. (2001) Multiple sclerosis retrovirus particles and recombinant envelope trigger an abnormal immune response in vitro, by inducing polyclonal Vbeta16 T-lymphocyte activation. *Virology*. **1;287**(2):321-32.
- Piazza F, Costoya JA, Merghoub T, Hobbs RM, Pandolfi PP (2004) Disruption of PLZP in mice leads to increased T-lymphocyte

- proliferation, cytokine production, and altered hematopoietic stem cell homeostasis *Mol Cell Biol.* **24**(23):10456-69
- Ravnik S.E., Wolgemuth D.J. (1996) The developmentally restricted pattern of expression in the male germ line of a murine cyclin A, cyclin A2, suggests roles in both mitotic and meiotic cell cycles. *Dev Biol.* **173**(1):69-78.
- Ravnik S.:E, Wolgemuth D.J. (1999) Regulation of meiosis during mammalian spermatogenesis: the A-type cyclins and their associated cyclin-dependent kinases are differentially expressed in the germ-cell lineage. *Dev Biol.* **207**(2):408-18.
- Reid A., Gould A., Brand N., Cook M., Strutt P., Li J., Licht J., Waxman S., Krumlauf R., and Zelent A.(1995) Leukemia translocation gene, PLZF, is expressed with a speckled nuclear pattern in early hematopoietic progenitors. *Blood* **86** (12):4544-4552
- Rous P. (1911) A sarcoma of the fowl transmissible by an agent seperable from the tumor cells. *J Exp Med.* **13**(4):397-411
- de Ruiter, P. E., R. Teuwen, J. Trapman, R. Dijkema, and A. O. Brinkmann. (1995). Synergism between androgens and protein kinase-C on androgen-regulated gene expression. *Mol Cell Endocrinol* **110**:R1-6.
- Sakalian, M., and Hunter, E. (1998). Molecular events in the assembly of retrovirus particles. *Adv Exp Med Biol* **440**, 329-39.
- Sauter, M., Roemer, K., Best, B., Afting, M., Schommer, S., Seitz, G., Hartmann, M., and Mueller-Lantzsch, N. (1996). Specificity of antibodies directed against Env protein of human endogenous retroviruses in patients with germ cell tumors. *Cancer Res* **56**(19), 4362-5.
- Sauter, M., Schommer, S., Kremmer, E., Remberger, K., Dolken, G., Lemm, I., Buck, M., Best, B., Neumann-Haefelin, D., and Mueller-Lantzsch, N. (1995). Human endogenous retrovirus K10: expression of Gag protein and detection of antibodies in patients with seminomas. *J Virol* **69**(1), 414-21.
- Schommer, S., Sauter, M., Krausslich, H. G., Best, B., and Mueller-Lantzsch, N. (1996). Characterization of the human endogenous retrovirus K proteinase. *J Gen Virol* **77** (Pt 2), 375-9.
- Schommer, S. (1996). Charakterisierung der Proteine, die vom Protease und Reverse Transkriptase homologen offenen Leserahmen des humanen endogenen Retrovirus K (HERV-K) kodiert werden. Dissertation, Universität des Saarlandes
- Schuhmacher M., Kohlhuber F., Holzel M., Kaiser C., Burtscher H., Jarsch M., Bornkamm G.W., Laux G., Polack A., Weidle U.H., Eick D. (2001) The

- transcriptional program of a human B cell line in response to Myc. *Nucleic Acids Res.* **15**;29(2):397-406.
- Sitterlin D., Tiollais P., and Transy C.(1997) The RAR alpha-PLZF chimera associated with Acute Promyelocytic Leukemia has retained a squenece-specific DNA-binding domain. *Oncogene* **14** (9):1067-1074
- Staley J.P. and Guthrie C. (1988) Mechanical devices of the spliceosome: motors, clocks, springs and things. *Cell.* **92**, 315-326
- Sugimoto, J., Matsuura, N., Kinjo, Y., Takasu, N., Oda, T., and Jinno, Y. (2001). Transcriptionally active HERV-K genes: identification, isolation, and chromosomal mapping. *Genomics* **72**(2), 137-44.
- Sverdlov E. (2000) Retroviruses and primate evolution. *Bioassays* **22**: 161-171
- Sweeney C., Murphy M., Kubelka M., Ravnik S.E., Hawkins C.F., Wolgemuth D.J., Carrington M. (1996) A distinct cyclin A is expressed in germ cells in the mouse. *Development*. **122**(1):53-64
- Tao RH, Kawate H, Ohnaka K, Ishizuka M, Hagiwara H, Takayanagi R (2006) Opposite effects of alternative TZF spliced variants on androgen Receptor *Biochem Biophys Res Commun.* **341**(2):515-21
- Ting CN, Rosenberg MP, Snow CM, Samuelson LC, Meisler MH (1992) Endogenous retroviral sequences are required for tissue-specific expression of a human salivary amylase gene *Genes Dev* 1992 Aug; **6**(8):1457-65
- Tönjes, R. R., Czauderna, F., and Kurth, R. (1999). Genome-wide screening, cloning, chromosomal assignment, and expression of full-length human endogenous retrovirus type K. *J Virol* **73**(11), 9187-95.
- Tönjes, R. R., Limbach, C., Lower, R., and Kurth, R. (1997). Expression of human endogenous retrovirus type K envelope glycoprotein in insect and mammalian cells. *J Virol* **71**(4), 2747-56.
- Tönjes, R. R., Lower, R., Boller, K., Denner, J., Hasenmaier, B., Kirsch, H., Konig, H., Korbmacher, C., Limbach, C., Lugert, R., Phelps, R. C., Scherer, J., Thelen, K., Lower, J., and Kurth, R. (1996). HERV-K: the biologically most active human endogenous retrovirus family. *J Acquir Immune Defic Syndr Hum Retrovirol* **13 Suppl 1**, S261-7.
- Tristem M. (2000) Identification and characterization of novel human endogenous retrovirus families by phylogenetic screening of the human genome mapping project database *J Virol.* 2000 Apr; **74**(8):3715-30
- Turner, G., Barbulescu, M., Su, M., Jensen-Seaman, M. I., Kidd, K. K., and Lenz, J. (2001). Insertional polymorphisms of full-length endogenous retroviruses in humans. *Curr Biol* **11**(19), 1531-5.

- Vithana E.N. et al. (2001) A human homolog of yeast pre mRNA splicing gene, PRP31, underlies autosomal dominant retinitis pigmentosa on chromosome 19q13.4 (RP11). *Mol.Cell.* **8**,375-381, 2001
- Vogt PK, Friis RR (1971) An avian leukosis virus related to RSV(O): properties and evidence for helper activity *Virology* 1971 Jan; **43**(1):223-34
- Wang T., Zeng J., Lowe C.B., Sellers R.G., Salama S.R., Yang M., Burgess S.M., Brachmann R.K., Haussler D. (2007) Species-specific endogenous retrovirus shape the transcriptional network of the human suppressor protein p53. *Proc.Natl.Acad.Sci.USA* **104**:18613-18618
- Wang-Johanning F., Frost A.R., Johanning G.L., Khazaeli M.B., LoBuglio A.F., Shaw D.R., Strong T.V. (2001) Expression of human endogenous retrovirus k envelope transcripts in human breast cancer. *Clin Cancer Res.* **7**(6):1553-60. Wang-Johanning F., Frost A.R., Jian B., Epp L., Lu D.W., Johanning G.L. (2003) Quantitation of HERV-K env gene expression and splicing in human breast cancer. *Oncogene.* **13**;22(10):1528-35.
- Ward J.O., McConnell M.J., Carlile G.W., Pandolfi P.P., Licht J.D., and Freedman L.P.(2001) The acute promyelocytic leukemia-associated protein, promyelocytic leukemia zinc finger, regulates 1,25-dihydroxyvitamin D₃-induced monocytic differentiation of U937 cells through a physical interaction with vitamin D₃ receptor. *Blood*, **12**, pp. 3290-3300
- Weijzen, S., Rizzo, P., Braid, M., Vaishnav, R., Jonkheer, S. M., Zlobin, A., Osborne, B. A., Gottipati, S., Aster, J. C., Hahn, W. C., Rudolf, M., Siziopikou, K., Kast, W. M., and Miele, L. (2002). Activation of Notch-1 signaling maintains the neoplastic phenotype in human Ras-transformed cells. *Nat Med* **8**(9), 979-86.
- Weiss, R. (1984). The search for human RNA-tumor viruses. 2 ed. In "RNA-tumor viruses" (N. T. R Weiss, H Varmus, J Coffin, Ed.), pp. 1205-1281. Cold Spring Harbor Laboratory Press, Cold Spring Harbor, New York.
- Weiss R. (2006) The discovery of endogenous retroviruses. *Retrovirology* **3**:67

- Wilkinson DA, M. D., Leong JAC (1994). Endogenous human Retroviruses. In "The Retroviridae" (L. JA, Ed.), Vol. 3. Pleunum Press, New York.
- Wolfe SA, Nekludova L, Pabo CO (2000) DNA recognition by Cys2His2 zinc finger Proteins *Annu Rev Biophys Biomol Struct.* 2000; **29**:183-212
- Xie, Y., Zhao, W., Wang, W., Zhao, S., Tang, R., Ying, K., Zhou, Z., and Mao, Y. (2001). Identification of a human LNX protein containing multiple PDZ domains. *Biochem Genet* **39**(3-4), 117-26.
- Yang, J., Bogerd, H. P., Peng, S., Wiegand, H., Truant, R., and Cullen, B. R. (1999). An ancient family of human endogenous retroviruses encodes a functional homolog of the HIV-1 Rev protein. *Proc Natl Acad Sci U S A* **96**(23), 13404-8.
- Yeyati P.L., Shakhnovich R., Boterashvili S., Li J., Ball H.J., Waxman S., Nason-Burchenal K., Dmitrovsky E., Zelent A., Licht J.D. (1999) Leukemia translocation protein PLZF inhibits cell growth and expression of cyclin A. *Oncogene.* **18**(4):925-34.
- Yu, X., Yuan, X., Matsuda, Z., Lee, T. H., and Essex, M. (1992). The matrix protein of human immunodeficiency virus type 1 is required for incorporation of viral envelope protein into mature virions. *J Virol* **66**(8), 4966-71.
- Zollman S, Godt D, Privé GG, Couderc JL, Laski FA (1994) The BTB domain, found primarily in zinc finger proteins, defines an evolutionarily conserved family that includes several developmentally regulated genes in *Drosophila* *Proc Natl Acad Sci U S A* **91**(22):10717-21

Eidesstattliche Versicherung

Hiermit versichere ich an Eides statt, dass ich die vorliegende Arbeit selbstständig und ohne Benutzung anderer als der angegebenen Hilfsmittel angefertigt habe. Die aus anderen Quellen oder indirekt übernommene Daten und Konzepte sind unter Angabe der Quelle gekennzeichnet.

Die Arbeit wurde bisher weder im In- noch im Ausland in gleicher oder ähnlicher Form in einem Verfahren zur Erlangung eines akademischen Grades vorgelegt.

Ich versichere an Eides statt, dass ich nach bestem Wissen die Wahrheit gesagt und nichts verschwiegen habe.

Vor Aufnahme der vorstehenden Versicherung an Eides statt wurde ich über die Bedeutung einer eidesstattlichen Versicherung und die strafrechtlichen Folgen einer unrichtigen oder unvollständigen eidesstattlichen Versicherung belehrt.

Saarbrücken, den

Sabine Kaufmann

Lebenslauf

Persönliche Daten

Name	Sabine Kaufmann
Anschrift	In der Sitters 1 B 66128 Saarbrücken
Telefon	0177/7200008
Familienstand	ledig
Geboren am	24.07.1980 in Saarbrücken

Schulischer Werdegang

1986 – 1990	Grundschule Gersweiler
1990 – 1999	Gymnasium Marienschule, Saarbrücken

Abschluss: Abitur

Studium

Studium der Human- und Molekularbiologie, Universität des Saarlandes und Uniklinikum des Saarlandes, Homburg/Saar

Thema der Diplomarbeit	„Die Interaktion zwischen dem HERV-K Protein Np9 und der humanen Serinprotease HtrA2/Omi“ am Institut für Virologie am Uniklinikum des Saarlandes
	Abschluss: Diplom Biologin

seit Februar 2006	wissenschaftliche Mitarbeiterin am Uniklinikum des Saarlandes; Institute für Infektionsmedizin und Hygiene Fachbereich: Virologie
-------------------	---

