VI Literaturverzeichnis

(1) B.-M.Bellach UEMR. Der SF-36 im Bundes-Gesundheitssurvey. Bundesgesund-heitsb-Gesundheitsforsch-Gesundheitsschutz. 1998

(2) Bellach BM, Knopf H, Thefeld W. The German Health Survey. 1997/98. *Gesundheitswesen.* 1998 Dec.;60 Supp 2:59-68.

(3) Bateman JE. The diagnosis and treatment of ruptures of the rotator cuff. *Surg Clin North Am* 1963 December;43:1523-1530.

(4) Bennett WF. Arthroscopic repair of full-thickness supraspinatus tears (small-to-medium): A prospective study with 2-to-4-year follow-up. *Arthroscopy* 2003 March; 19(3):249-256.

(5) Bezer M; Yildirim Y, Akgun U, Erol B, Guven O. Superior excursion of the humeral head: a diagnostic tool in rotator cuff tear surgery. *J Shoulder Elbow Surg* 2005 July;14(4):375-379.

(6) Biberthaler P, Wiedemann E, Nerlich A, Kettler M, Mussack T, Deckelmann S, Mutschler W. Microcirculation associated with degenerative rotator cuff lesions. In vivo assessment with orthogonal polarization spectral imaging during arthroscopy of the shoulder. *J Bone Joint Surg Am* 2003 March;85-A(3):475-480.

(7) Bigliani LU, Cordasco FA, McIlveen SJ, Musso ES. Operative treatment of failed repairs of the rotator cuff. *J Bone Joint Surg Am* 1992 December;74-A(10):1505-1515.

(8) Boehm TD. Orthopädie und orthopädische Chirurgie: Schulter; (Scores). Gohlke F, Hedman A, eds. 98-104. 2002. Stuttgart, New York, Thieme. Ref Type: Serial (Book,Monograph)

(9) Boszotta H, Prunner K. Arthroscopically assisted rotator cuff repair. *Arthroscopy* 2004 July; 20(6):620-626.

(10) Bullinger M, Kirchberger I. SF-36-Fragebogen zum Gesundheitszustand. Göttingen-Bern-Toronto-Seattle: Hogrefe Verlag, 1998:4-64.

(11) Burkhart SS. Fluoroscopic comparison of kinematic patterns in massive rotator cuff tears. A suspension bridge model. *Clin Orthop Relat Res* 1992 Novem-ber;(284):144-152.

(12) Burkhart SS, Esch JC, Jolson RS. The rotator crescent and rotator cable: an anatomic description of the shoulder´s "suspension bridge". *Arthroscopy* 1993;9(6):611-616.

(13) Burkhart SS. The deadman theory of suture anchors: observations along a south Texas fence line. *Arthroscopy* 1995 February;11(1):119-123.

(14) Burkhart SS, Danaceau SM, Pearce CE, Jr. Arthroscopic rotator cuff repair : Analysis of results by tear size and by repair technique-margin convergence versus direct tendon-to-bone repair. *Arthroscopy* 2001 November;17(9):905-912.

(15) Calvert PT, Packer NP, Stoker DJ, Bayley JI, Kessel L. Arthrography of the shoulder after operative repair of the torn rotator cuff. *J Bone Joint Surg Br* 1986 January;68(1):147-150.

(16) Ciepiela MD, Burkhead WZ. The endresult: Functional assessment of rotator cuff repair. In Burkhead WZ (ed.Rotator cuff disorders),ed. 393-398.1996. Bal-timore,Williams and Wilkins. Ref Type: Serial (Book,Monograph)

(17) Codman EA. Complete ruptures of the supraspinatus tendon: Operative treatment with report of two successful cases. *Med Surg J* 1911;164:708-710.

(18) Cofield RH, Parvizi J, Hoffmeyer PJ, Lanzer WL, Ilsrup DM, Rowland CM. Surgical repair of chronic rotator cuff tears. A prospective long-term study. *J Bone Joint Surg Am* 2001 January;83-A(1)71-77.

(19) Constant CR, Murley AH. A clinical method of functional assessment of the shoulder. *Clin Orthop Relat Res* 1987 January; (214):160-164.

(20) Constant CR. [Assessment of shoulder function]. *Orthopäde* 1991 October; 20(5):289-294.

(21) Cotton RE, Rideaut DF. Tears of the humeral rotator cuff; a radiological and pathological necropsy survey. *J Bone Joint Surg Br* 1964 May; 46:314-328.

(22) Ellert U, Bellach B-M. Der SF-36 im Bundes-Gesundheitssurvey-Beschreibung einer aktuellen Normstichprobe. Georg Thieme Verlag Stuttagart: Robert-Koch-Institut, Berlin;2007.

(23) Ellman H, Hanker G, Bayer M. Repair of the rotator cuff. End-result study of factors influencing reconstruction. *J Bone Joint Surg Am* 1986 October;68(8):1136-1144.

(24) Galatz LM, Griggs S, Cameron BD, Iannotti JP. Prospective longitudinal analysis of postoperative shoulder function: a ten year follow-up study of full-thickness rotator cuff tears. *J Bone Joint Surg Am* 2001 July;83-A(7):1052-1056.

(25) Galatz LM, Ball CM, Teefey SA, Middleton WD, Yamaguchi K. The outcome and repair integrity of completely arthroscopically repaired large and massive rotator cuff tears. *J Bone Joint Surg Am* 2004 February,86-A(2):219-224.

(26) Galatz LM, Sandell LJ, Rothermich SY, Das R, Mastny A, Havlioglu N, Silva MJ, Thomopoulos S. Characteristics of the rat supraspinatus tendon

during tendon-to-bone healing after acute injury. *J Orthop Res* 2006 March;24(3):541-550.

(27) Gartsman GM, Taverna E. The incidence of glenohumeral joint abnormalities associated with full-thickness, reparable rotator cuff tears. *Arthroscopy* 1997 Aug; 13(4): 450-5.

(28) Gazielly DF, Gleyze P, Montagnon C. Functional and anatomical results after rotator cuff repair. *Clin Orthop Relat Res* 1994 July;(304):43-53.

(29) Gerber C, Krushell RJ. Isolated rupture of the tendon of the subscapularis muscle. Clinical features in 16 cases. *J Bone Joint Surg Br* 1991 May;73(3):389-394.

(30) Gerber C, Schneeberger AG, Beck M, Schlegel U. Mechanical strength of repairs of the rotator cuff. *J Bone Joint Surg Br* 1994 May;76(3):371-380.

(31) Gerber C, Schnneberger AG, Hoppeler H, Meyer DC. Correlation of atrophy and fatty infiltration on strength and integrity of rotator cuff repairs: a study in thirteen patients. *J Shoulder Elbow Surg* 2007.Nov-Dec;16(6):691-696.

(32) Gerber C, Hersche O, Farron A. Isolated rupture of the subscapularis tendon. *J Bone Joint Surg Am* 1996 July;78(7)1015-1023.

(33) Gerber C, Fuchs B, Hodler J. The results of repair of massiv tears of the rotator cuff. *J Bone Joint Surg Am* 2000 April;82(4):505-515.

(34) Germann G, Harth A, Wind G, Demir E. [Standardisation and validation of the German version 2.0 of the Disability of Arm, Shoulder, Hand (DASH) questionnaire]. *Unfallchirurg* 2003 January;106(1):13-19.

(35) Gladstone JN, Bishop JY, Lo IK, Flatow EL. Fatty infitration and atrophy of the rotator cuff do not improve after rotator cuff repair and correlate with poor functional outcome. *Am J Sports Med* 2007 May;35(5):719-728.

(36) Golding FC. The shoulder—the forgotten joint. *Br J Radiol* 1962 March;35:149-158.

(37) Gomoll AH, Katz JN, Warner JJ, Millett PJ. Rotator cuff disorders: recognition and management among patients with shoulder pain. *Arthritis Rheum* 2004 December;50(12):3751-3761.

(38) Gore DR, Murray MP, Sepic SB, Gardner GM. Shoulder-muscle strength and range of motion following surgical repair of full-thickness rotator-cuff tears. *J Bone Joint Surg Am* 1986 February;68(2):266-272.

(39) Goutallier D, Postel JM, Bernageau J, Lavau L, Voisin MC. Fatty muscle degeneration in Cuff Ruptures. *Clin Orthop Relat Res* 1994 July; 304: 78-83.

(40) Goutallier D, Postel JM, Gleyze P, Leguilloux P, Van Driessche S. Influence of cuff muscle fatty degeneration on anatomic and functional outcomes after simple suture of full-thickness tears. *J Shoulder Elbow Surg* 2003 Nov-Dec;12(6): 550-554.

(41) Gschwend N, Bloch HR, Bischof A. [Long-term results of surgical management of rotator cuff rupture]. *Orthopäde* 1991 September;20(4)255-261.

(42) Harryman DT, Mack LA, Wang KY, Jackins SE, Richardson ML, Matsen FA,III. Repairs of the rotator cuff. Correlation of functional results with integrity of the cuff. *J Bone Joint Surg Am* 1991 August;73(7):982-989.

(43) Hawkins RJ, Kennedy JC. Impingement syndrome in athletes. *Am J Sports Med* 1980 May;8(3):151-158.

(44) Hawkins RJ, Misamore GW, Hobeika PE. Surgery of full-thickness rotator-cuff tears. *J Bone Joint Surg Am* 1985 December;67(9):1349-1355.

(45) Hertel R; Ballmer FT; Lombert SM; Gerber C. Lag signs in the diagnosis of rotator cuff rupture. *J Shoulder Elbow Surg* 1996 November;5(4):307-313.

(46) Iannotti JP, Bernot MP, Kuhlman JR, Kelley MJ, Williams GR. Postoperative assessment of shoulder function: a prospective study of full-thickness rotator cuff tears. *J Shoulder Elbow Surg* 1996 November;5(6):449-457.

(47) Ide J, Maeda S, Takagi K. A comparison of arthroscopic and open rotator cuff repair. *Arthroscopy* 2005 September;21(9):1090-1098.

(48) Inman VT, Saunders JB, Abbott LC. Observation of the function of the shoulder joint. 1944. *Clin Orthop Relat Res* 1996 September;(330):3-12.

(49) Jobe FW, Moynes DR. Delineation of diagnostic criteria and a rehabilitation program for rotator cuff injuries. *Am J Sports Med* 1982 November;10(6):336-339.

(50) Jost B, Pfirrmann CW, Gerber C. Clinical outcome after structural failure of rotator cuff repairs. *J Bone Joint Surg Am* 2000 March:82(3):304-314.

(51) Kelly BT, Kadrmas WR, Speer KP. The manual muscle examination for rotator cuff strength. An electromyographic investigation. *Am J Sports Med* 1996 September,24(5):581-588.

(52) Kempf JF, Gleyze P, Bonnomet F, Walch G, Mole D, Frank A, Beaufils P, Levigne C, Rio B, Jaffe A. A multicenter study of 210 rotator cuff tears treated by arthros-copic acromioplasty. *Arthroscopy* 1999 January;15(1):56-66.

(53) Klepps S, Bishop J, Lin J. Prospective evaluation of the effect of rotator cuff integrity on the outcome of open rotator cuff repairs. *Am J Sports Med* 2004 Oct ;32 (7):1716-1722.

(54) Liu SH, Baker CL. Arthroscopically assisted rotator cuff repair: correlation of functional results with integrity of the cuff. *Arthroscopy* 1994 February;10(1):54-60.

(55) Lorbach Olaf. Ergebnisse der arthroskopischen subacromialen Dekompression bei Rotatorenmanschettenläsionen und Tendinosis calcarea nach 1 bis 5 Jahren. 2004. Justus-Liebig-Universität Gießen. Ref Type: Serial (Book,Monogaph), Dissertation.

(56) Milgrom C, Schaffler M, Gilber S, van HM. Rotator-cuff changes in asymptomatic adults. The effect of age, hand dominance and gender. *J Bone Joint Surg Br* 1995 March;77(2):296-298.

(57) Mosley HF. Examination of the shoulder. In: Mosley HF (ed.) Shoulder lesions, 22-30.1972. New York, Paul B.Hobe. Ref Type: Serial (Book, Monograph)

(58) Motycka T, Kriegleder B, Landsiedl F. Results of open repair of the rotator-cuff – a long-term review of 79 shoulders. *Arch Orthop Trauma Surg* 2001;121(3):148-151.

(59) Murray MP, Gore DR, Gardner GM, Mollinger LA. Shoulder motion and strength of normal men and women in two groups. *Clin Orthop* 1985; 192:268-273.

(60) Musculoskeletal Outcomes Data, Evaluation and Management System (MODEMS) Disability of the Arm, Shoulder, Hand (DASH) Questionnaire. 1997: Rosemont/IL. Ref Type : Serial (Book, Monograph).

(61) Neer CS. Cuff tears, biceps lesions and impingement.170.1990. Philadelphia, WB Saunders. In Neer CS,ed. Shoulder reconstruction. Ref Type: Serial (Book, Monograph)

(62) Neer CS. Impingement lesions. *Clin Orthop Relat Res* 1983 March;(173):70-77.

(63) Noyes FR, Stabler CL. A system for grading articular cartilage lesions at arthroscopy. *Am J Sports Med* 1989 July;17(4):505-513.

(64) Offenbaecher M, Ewert T, Sangha O, Stucki G. Validation of a German version of the disabilities of arm, shoulder and hand questionnaire (DASH-G). *J Rheumatol* 2002 February;29(2): 401-402.

(65) Ogilvie-Harris DJ, Demaziere A. Arthroscopic debridement versus open repair for rotator cuff tears. A prospective cohort study, *J Bone Joint Surg Br* 1993 May;75(3):416-420.

(66) Oh JH, Kim SH, Ji HM, Jo KH, Bin SW, Gong HS. Prognostic factors affecting anatomic outcome of rotator cuff repair and correlation with functional outcome. *Arthroscopy* 2009 Jan;25(1):30-39.

(67) Packer NP, Calvert PT, Bayley JI, Kessel L. Operative treatment of chronic ruptures of the rotator cuff of the shoulder. *J bone Joint Surg Br* 1983 March;65 (2):171-175.

(68) Paulos LE, Kody MH. Arthroscopically enhances « miniapproach » to rotator cuff repair. *Am J Sports Med* 1994 January;22(1):19-25.

(69) Poppen NK, Walker PS. Force at the glenohumeral joint in abduction. *Clin Orthop Relat Res* 1978 September;(135):165-170.

(70) Radoschewski M, Bellach BM. The SF-36 in the Federal Health Survey-possibilities and requirements for application at the oulation level. *Gesundheitswesen* 1999 Dec;61: 191-199.

(71) Rehm Sascha. Mittelfristige Ergebnisse der operativen Therapie des Impingement-Syndoms der Schulter.2001. Universität des Saarlandes, Homburg/Saar. Ref Type: Serial (Book,Monogaph), Dissertation

(72) Rokito AS, Cuomo F, Gallagher MA; Zuckerman JD. Long-term functional outcome of repair of large and massive chronic tears of the rotator cuff. *J bone Joint Surg Am* 1999 July;81(7):991-997.

(73) Romeo AA, Hang DW, Bach BR, Jr., Shott S. Repair of full thickness rotator cuff tears. Gender,age, and other factors affecting outcome. *Clin Orthop Relat Res* 1999 October;(367):243-255.

(74) Rupp S, Rehm S, Tempelhof S, Seil R. Mittelfristige Ergebnisse nach arthroskopischer subacromialer Dekompression (ASD) unter besonderer Berücksichtigung laufender Rentenantragsverfahren. *Unfallchirurg,* Springer-Verlag 2001. 104:961-964.

(75) Statistisches Bundesamt. Bevölkerungsentwicklung in Deutschland bis 2050. STATISTISCHES BUNDESAMT; 2006.

(76) Scheibel M, Magosch P, Pritsch M, Lichtenberg S, Habermeyer P. The belly-off sign: a new clinical diagnostic sign for subscapularis lesions. *Arthroscopy* 2005 October;21(10):1229-1235.

(77) Severud EL, Ruotolo C, Abbott DD; Nottage WM. All-arthroscopic verus mini-opn rotator cuff repair: A long term retrospective out come comparison. *Arthroscopy* 2003 March;19(3):234-238.

(78) Snyder SJ. Evaluation and treatment of the rotator cuff. *Orthop Clin North Am* 1993 January;24(1):173-192.

(79) Sonnabend DH, Watson EM. Structural factors affecting the outcome of rotator cuff repair. *J Shoulder Elbow Surg* 2002 May;11(3):212-218.

(80) Soslowsky LJ, Flatow EL, Bigliani LU, Mow VC. Articular geometry of the glenohumeral joint. *Clin Orthop Relat Res* 1992 December;(285):181-190.

(81) Tashjian RZ, Henn RF, Kang L, Green A. Effect of medical comorbidity on self-assessed pain, function, and general health status after rotator cuff repair. *J Bone Joint Surg Am* 2006 March;88(3):538-540.

(82) Tempelhof S, Rupp S, Seil R. Age-related prevalence of rotator cuff tears in asymptomatic shoulders. *J Shoulder Elbow Surg* 1999 July;8(4):296-299.

(83) Thomas M, Dieball O, Busse M. Normalwerte der Schulterkraft in Abhängigkeit von Alter und Geschlecht- Vergleich zum Constant-, ULCA-,ASES-Score und SF-36 Fragebogen. *Z Orthop* 2003;141:160-170.

(84) Thomazeau H, Rolland Y, Lucas C, Duval J, Langlais F. Atrophy of the supraspinatus belly ; assessment by MRI in 55 patients with rotator cuff pathology.*Acta Orthop Scan*1996;67 (3): 264-268.

(85) Thomazeau H, Boukobza E, Morcet N, Chaperon J, Langlais F. Prediction of rotator cuff results by magnetic resonance imaging. *Clin Orthop Relat Res.* 1997 Noc;(344):275-283.

(86) Uhthoff HK,Trudel G, Himori K. Relevance of pathology and basic research to the surgeon treating rotator cuff disease. *J Orthop Sci* 2003;8(3):449-456.

(87) Verma NN, Dunn W, Adler RS, Cordasco FA, Allen A, MacGillivray J, Craig E, Warren RF, Altchek DW. All-arthroscopic versus mini-open rotator cuff repair: a retrospective review with minimum 2-year-follow-up. *Arthroscopy* 2006 June;22(6):587-594.

(88) Viola RW, Boatright KC, Smith KL, Sidles JA, Matsen FA. Do shoulder patients insured by workers´ compensation present with worse self-assessed function and health status? *J Shoulder Elbow Surg* 2000. Sept/Oct Vol 9: 368-372.

(89) Ware JE Jr, Brook RH, DaviesAR, Lohr KN. Choosing measures of health status for individuals in general population. *AJPH.*1981 June; Vol 71 (6):620-625.

(90) Warner JJ, Goitz RJ, Irrgang JJ, Groff YJ. Arthroscopic-assisted rotator cuff repaire: patient selection and treatment outcome. *J Shoulder Elbow Surg* 1997 September;6(5):463-472.

(91) Watson EM, Sonnabend DH. Outcome of rotator cuff repair. *J Shoulder Elbow Surg* 2002 May;11(3):201-211.

(92) Weiner DS, Macnab I. Superior migration of the humeral head. A radiological aid in the diagnosis of tears of the rotator cuff. *J Bone Joint Surg Br* 1970 Aug ; 52 (3) : 524-527.

(93) Yergason RM. Supraspinatus sign. *J Bone Joint Surg* 2007;13:160.