

Definition of the Abstract Semantic Classes for the Verbmobil Forschungsprototyp 1.0

Johan Bos
Markus Egg
Michael Schiehlen

Universität des Saarlandes, IBM Heidelberg,
Universität Stuttgart

August, 1996

Johan Bos
Markus Egg
Michael Schiehlen

Computerlinguistik
Bau 17.2
Universität des Saarlandes
66041 Saarbrücken

Tel.: (0681) 302 - 4344
Fax: (0681) 302 - 4351

Gehört zum Antragsabschnitt: 8.1

Die vorliegende Arbeit wurde im Rahmen des Verbundvorhabens Verbmobil vom Bundesministerium für Bildung, Wissenschaft, Forschung und Technologie (BMBF) unter dem Förderkennzeichen 01 IV 101 R gefördert. Die Verantwortung für den Inhalt dieser Arbeit liegt bei den Autoren.

Contents

1	Introduction	2
2	General Issues	3
3	Abstract Semantic Classes	7

1 Introduction

This report is an extended, updated version of Verbmobil memo 101. It describes the syntax of the abstract semantic classes used in the Verbmobil Interface Term (VIT). The VIT is a common interface format for the different modules of the VERBMOBIL translation system. It represents an underspecified semantic structure of a natural language utterance, along with its prosodic, syntactic, and discourse information.

We thank Bernd Abb, Bianka Buschbeck-Wolf, Mariana Damova, Michael Dorna, Martin Emele, Björn Gambäck, Johannes Heinecke, Michael Herweg, Uwe Küssner, Kai Lebeth, Christian Lieske, Yoshiki Mori, Manfred Pinkal, Joachim Quantz, Sabine Reinhard, Bärbel Ripplinger, CJ Rupp, Uta Schwertel, and Karsten Worm for comments on earlier versions of this document.

2 General Issues

Notational Conventions

R: Relation (Predname); I: Index; L: Label; G: Label of grouping; D: Description (designator); H: Hole (underspecified scope); T: Hole (“top”-hole); M: Label (“main”-label); `arg123` means either `arg1`, `arg2` or `arg3`. `add_to_group(L,G)` means that label `L` should be placed into group `G` (used by disambiguation).

Labels

A predicate’s label is represented as its first argument. All predicates are uniquely labeled, except for the predicates `arg1`, `arg2`, `arg3`, `n_arg`, `s_arg`, and `o_arg`, which have the same labels as the predicate they correspond to, and the labels of `comp`, `superl`, and `nom`, which are identical to the predicate they are modifying.

Grouping

Groups of conjunctively connected relations, that enter scope relation as one single unit (as they occur e.g. as the result of intersective modification), are assigned a common group label. A grouping is represented as `sem_group(l1,[l2,l3,...])` in the **Groupings** slot. Groupings have at least one member and can contain other groupings. Classes that never enter a grouping are: `qua`, `ppro`, `dem`, `whq`, `whp`, `fadv`, `padv`, `comp`, `gr`, and `int` (and also mood operators). Classes that are always represented in a grouping are `cn`, `nom`, `pn`, `cop`, `iv`, `tv`, `dv`, `pcv`, `ipcv`, `dpcv`, `mv`, `prpa`, `part`, `itadv`, `dra`, and `scadv`. The remaining classes are in groupings when they act as modifiers.

Free Labels

Some labels that occur as arguments of a predicate are possibly free. That is, they do not refer to a predicate. In this case there is an entry of the form `unbound(L)` for a label `L` in the **Scope** slot of the VIT.

Comparatives

Comparative constructions are represented as `[comp(L,I1,I2,I3)]`. `L` and `I1` are the label and the instance of the adjective/adverb the comparative pertains to. `I2` represents the (set of) individuals with respect to which `I1` is being compared. This (set of) individuals can be expressed by a *als*-PP, e.g., in *schöner als die meisten Linguisten*. `I3` represents the amount to which `I1` possesses a property more than (the members of) `I2` like in *drei Wochen später als die anderen*. `I2` and `I3` might be unbound.

Superlatives

Superlative constructions are represented as `[superl(L,I1,I2)]`. `L` and `I1` are the label and the instance of the adjective/adverb the superlative pertains to. `I2` represents the (set of) individuals with respect to which `I1` is being compared. This (set of) individuals can be expressed by a *von*-PP or a genitive DP, e.g., in *der schönste der Linguisten*. `I2` might be unbound.

Free Datives

Syntactically free dative expressions (e.g. “Das passt mir gut”) introduce a predicate `perspective(L,I1,I2)`.

Mood

Sentence mood gets the representation `[R(L,H)/whq(L,L1,H)]`. `H` is the underspecified scope, `L` is the main label. The mood operator is introduced in the lexicon in the case of `whq`, which is part of the semantics of every *wh*-word. The introduction of other mood operators is triggered by syntactic sentence structure. `R` is `whq`, `decl`, `ynq`, `imp`, `ynq_decl` (triggered by the Japanese particle “ne”) or `ynq_imp` (e.g. in German “treffen wir uns”).

Nominalisations

Nominalisations of adjectives introduce the predicate `abstr_nom(L,I)`, where `L` is in the same grouping as the adjective is. Nominalisations of events introduce `nom(L,I)`, where `L` is the label of the event relation, and `I` its instance.

Relation nouns

In constructions like “die Hälfte des Jahres” the genitive DP introduces an **n_arg** relation. This used to be only allowed for a subset of common nouns, but this has been extended to all. The class `relation_noun` therefore lost its existence.

Gradual Prepositions

The treatment of the prepositions in phrases like “von vor drei Tagen” or “bis nach Ostern” results in a unbound instance **I1**, where the representation shows a structure like `[prep1(L,I,I1),prep2(L1,I1,I2)]`, where **L** and **L1** are members of the same groupings.

Spelling

Spellings are represented as `[spell(L,I,[D1,D2,...,Dn])]`, where **I** is the instance of the verb that is modified, and **Dx** is $\in \{a, b, c, ..., y, z, sz, ae, oe, ue, prime, dash, hyphen\}$.

The VIT

The VIT (Verbmobil Interface Term) is a ten place term. It consists of the following parts:

```
vit(UtteranceID, Semantics,  
    MainCondition, Sorts,  
    Discourse, Syntax,  
    TenseAndAspect, Scope,  
    Prosody, Groupings).
```

The **Semantics** slot is a list of labeled predicates.

The **MainCondition** is a label that points to the label that covers the whole representation. For complete utterances it points to a predicate representing the mood of the utterance.

Sorts is a list of entries of the form `s_sort(I,Sort)` or `s_concept(I,Concept)`. The values of **Sort** are taken from the SemDB (Heinecke and Worm 1996).

Discourse is a list with entries of the form `prontype(I,D1,D2)`, `demontype(I,D)`, and `dialog_act(DialogAct)`. In the description for personal pronoun and demonstrative in the next section you will find more on this.

Syntax contains entries with syntactic information associated to the information in **Semantics**.

Information in **TenseAndAspect** is represented as `ta_aspect(Inst,Aspect)`, `ta_mood(Inst,Mood)` and `ta_tense(Inst,Tense)`.

Scope gives information on how the labeled predicates in **Semantics** fit together. There are entries of the form:

- `leq(L,H)` (a label `L` is equal to hole `H` or indirectly in the scope of `H`);
- `eq(L,H)` (a label `L` is equal to hole `H`);
- `ccom_plug(H,L)` (a label `H` is “plugged” (identified) with label `L` based on immediate syntactic subordination information);
- `eval_plug(L,H)` (a plugging performed by semantic evaluation)
- `unbound(L)` can be found in here also.

The slot for prosodic information **Prosody** contains entries of the form:

- `pros_accent(L)` (predicate `L` has (probably) an accent);
- `pros_boundary(L)` (predicate `L` is (probably) followed by a short boundary (so-called b3-boundary);
- `pros_mood(L,D)` (prosodic mood is probably `D`, where `D` is either `decl`, `prog`, or `quest`).

Finally, **Groupings** is a slot to represent groupings, which have the format:

`sem_group(L, [L1, ... Ln])`

The interested reader might consult Michael Dorna’s “The ADT-Package for the Verbmobil Interface Term” (Dorna 1996).

3 Abstract Semantic Classes

In this section we discuss the abstract semantic classes (or maybe better: “syn-sem” classes), their format, use, and so on. For every class we present the class name, its *suffix* (an abbreviation of the class name, used as suffix to disambiguate predicate names), *part of speech*¹, the representation in VIT, *SemDB* (the arguments that are to be obtained from SemDB), and an example.

¹The interested reader might consult URL <http://www2.ims.uni-stuttgart.de/vmcd/STTS.html> for a description of the tagset

CLASS NAME: **common_noun**
 SUFFIX: **cn**
 PART OF SPEECH: **NN**
 REPRESENTATION: **[R(L,I)]**
 SEMDB: **predname R**
 COMMENTS: **I** is the instance variable of the noun. **L** is member of a grouping.
 EXAMPLE: **der *Termin* ist gut**

```

vit( segment_description('cn','der termin ist gut'),
    [termin(16,i2),                % Semantics
      support(15,i1,14),
      gut(14,i2),
      decl(13,h1),
      def(18,i2,12)],
    13,                            % Main Label
    [s_sort(i2,time_sit_poly)],    % Sorts
    [],                            % Discourse
    [gend(i2,masc),               % Syntax
      num(i2,sg),
      pers(i2,3),
      cas(i2,nom)],
    [ta_mood(i1,ind),             % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(11,h1),                 % Scope
      ccom_plug(h1,11)],
    [pros_mood(13,decl)],         % Prosody
    [sem_group(12,[16]),          % Groupings
      sem_group(11,[15])] ).

```

CLASS NAME: **nominalisation**
 SUFFIX: **nom**
 PART OF SPEECH: **NN**
 REPRESENTATION: **[nom(L,I),R(L,I)]**
 SEMDB: **predname R**
 COMMENTS: I is the instance variable of the noun. L is member of a grouping. R
 is also used in a verb class.
 EXAMPLE: das *Treffen* ist leider am Montag

```

vit( segment_description('nom','das treffen ist leider am montag'),
    [nom(19,i3),                                % Semantics
      treffen(19,i3),
      support(18,i1,l5),
      leider(17,h2),
      decl(16,h1),
      an(15,i3,i2),
      dofw(14,i2,mon),
      def(112,i3,l3),
      def(111,i2,l1)],
    16,                                          % Main Label
    [s_sort(i2,time),                          % Sorts
      s_sort(i3,meeting_sit)],
    [dir(15,no)],                              % Discourse
    [gend(i3,neut),                            % Syntax
      num(i3,sg),
      pers(i3,3),
      cas(i3,nom)],
    [ta_mood(i1,ind),                          % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(12,h2),                               % Scope
      leq(12,h1),
      leq(17,h1),
      ccom_plug(h2,l2),
      ccom_plug(h1,l7)],
    [pros_mood(16,decl)],                      % Prosody
    [sem_group(13,[19]),                       % Groupings
      sem_group(12,[18]),
      sem_group(11,[14])] ).
  
```

CLASS NAME: **proper name**
 SUFFIX: **pn**
 PART OF SPEECH: **NE**
 REPRESENTATION: `[def(L1,I,G),named(L2,I,D),sem_group(G,[L2])]`
 SEMDB: **designator D**
 COMMENTS: L2 is member of a grouping, this grouping is in the scope of a **def** operator. I is the instance variable of the proper name.
 EXAMPLE: *Holger* kommt nicht

```

vit( segment_description('pn','holger kommt nicht'),
    [named(l7,i3,holger),           % Semantics
      kommen(l5,i1),
      decl(l6,h1),
      arg3(l5,i1,i3),
      neg(l4,i2,h2),
      def(l10,i3,l3)],
    l6,                             % Main Label
    [s_sort(i1,move_sit),          % Sorts
      s_sort(i3,&(human,space_time))],
    [],                             % Discourse
    [gend(i3,masc),                % Syntax
      num(i3,sg),
      pers(i3,3),
      cas(i3,nom)],
    [ta_mood(i1,ind),              % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l2,h2),                   % Scope
      leq(l2,h1),
      leq(l1,h1),
      ccom_plug(h2,l2),
      ccom_plug(h1,l1)],
    [pros_mood(l6,decl)],          % Prosody
    [sem_group(l3,[l7]),           % Groupings
      sem_group(l2,[l5]),
      sem_group(l1,[l4])] ).
  
```

CLASS NAME: **dofw**
 SUFFIX: **dofw**
 PART OF SPEECH: **NN**
 REPRESENTATION: **[dofw(L,I,D)]**
 SEMDB: **designator D**
 COMMENTS: Day of week. I is the instance variable of the noun. L can be member
 of a grouping.
 $D \in \{ \text{sun, mon, tue, wed, thu, fri, sat} \}$.
 EXAMPLE: *Montag* ist okay bei mir

```

vit( segment_description('dofw','montag ist okay bei mir'),
    [support(17,i2,l6),                % Semantics
      okay(16,i3),
      decl(15,h1),
      dofw(14,i3,mon),
      bei(13,i2,i1),
      def(110,i3,12),
      pron(18,i1)],
    15,                                % Main Label
    [s_sort(i1,human),                 % Sorts
      s_sort(i3,time)],
    [dir(13,no),                       % Discourse
      prontype(i1,sp,std)],
    [num(i1,sg),                       % Syntax
      pers(i1,1),
      cas(i1,dat)],
    [ta_mood(i2,ind),                  % Tense and Aspect
      ta_tense(i2,pres)],
    [leq(11,h1),                      % Scope
      ccom_plug(h1,11)],
    [pros_mood(15,decl)],              % Prosody
    [sem_group(11,[13,17]),            % Groupings
      sem_group(12,[14])] ).
  
```

CLASS NAME: **mofy**
 SUFFIX: **mofy**
 PART OF SPEECH: **NN**
 REPRESENTATION: **[mofy(L,I,D)]**
 SEMDB: **designator D**
 COMMENTS: Month of year. I is the instance variable of the noun. L can be member of a grouping.
 $D \in \{ \text{jan, feb, mar, apr, may, jun, jul, aug, sep, oct, nov, dec} \}$.
 EXAMPLE: der *Januar* ist echt gut

```

vit( segment_description('mofy','der januar ist echt gut'),
    [support(17,i1,l6),           % Semantics
      echt_grad(16,l5),
      gut(15,i2),
      decl(14,h1),
      mofy(13,i2,jan),
      def(19,i2,l2)],
    14,                           % Main Label
    [s_sort(i2,time)],           % Sorts
    [],                           % Discourse
    [],                           % Syntax
    [ta_mood(i1,ind),            % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l1,h1),                 % Scope
      ccom_plug(h1,l1)],
    [pros_mood(14,decl)],        % Prosody
    [sem_group(12,[13]),         % Groupings
      sem_group(11,[17])] ).
  
```

CLASS NAME: **yofc**
 SUFFIX: **yofc**
 PART OF SPEECH: **syntactic**
 REPRESENTATION: **[yofc(L,I,D)]**
 SEMDB: **CARD**
 COMMENTS: Year of century. I is the instance variable of the noun. L can be in a grouping.
 $D \in \{ 0, \dots, 99 \}$.
 EXAMPLE: *sechzehnter März neunzehnhundert dreiundneunzig*

```

vit( segment_description('yofc','sechzehnter maerz neunzehnhundert dreiundneunzig'),
    [mofy(18,i3,mar),                % Semantics
      yofc(17,i1,93),
      tloc(16,i2,i1),
      ord(14,i2,i3,16),
      def(110,i2,12),
      def(111,i3,13),
      def(19,i1,11)],
    110,                             % Main Label
    [s_sort(i1,time),               % Sorts
      s_sort(i2,time),
      s_sort(i3,time)],
    [dir(16,no)],                   % Discourse
    [],                             % Syntax
    [],                             % Tense and Aspect
    [],                             % Scope
    [pros_mood(110,decl)],          % Prosody
    [sem_group(12,[16,14]),         % Groupings
      sem_group(13,[18]),
      sem_group(11,[17])] ).

```

CLASS NAME: **clocktime**
 SUFFIX: **ctime**
 PART OF SPEECH: **syntactic**
 REPRESENTATION: **[clocktime(L,I,D1,D2)]**
 SEMDB: **-**
 COMMENTS: I is the instance variable of the noun. L can be in a grouping.
 D1 $\in \{ u, 0, \dots, 23 \}$, D2 $\in \{ u, 0, \dots, 59 \}$. The value u is used in WH-
 questions where is asked for a certain clocktime, or partly specified
 clocktime expressions (e.g. in German “um halb”).
 EXAMPLE: um *fuenf* vor *zwoelf*

```

vit( segment_description('ctime','um fuenf vor zwoelf'),
    [um(14,i1,i2),                                % Semantics
      clocktime(12,i2,11,55),
      def(15,i2,11)],
    16,                                           % Main Label
    [s_sort(i2,time)],                           % Sorts
    [dir(14,no)],                                % Discourse
    [],                                           % Syntax
    [],                                           % Tense and Aspect
    [],                                           % Scope
    [pros_mood(16,decl)],                        % Prosody
    [sem_group(16,[14])],                        % Groupings
    sem_group(11,[12])] ).

```


CLASS NAME: **title**
 SUFFIX: **ttl**
 PART OF SPEECH: **NN**
 REPRESENTATION: **[title(L,I,D)]**
 SEMDB: **designator D**
 COMMENTS: I refers to the person addressed. L can be in a grouping.
 EXAMPLE: *Doktor Brown ist ja im Urlaub*

```

vit( segment_description('ttl','doktor brown ist ja im urlaub'),
    [title(l10,i3,doktor),          % Semantics
      named(l9,i3,brown),
      support(l8,i1,l4),
      ja(l7,h2),
      urlaub(l6,i2),
      decl(l5,h1),
      in(l4,i3,i2),
      def(l13,i3,l3),
      def(l12,i2,l1)],
    15,                               % Main Label
    [s_sort(i2,time_sit_poly),      % Sorts
      s_sort(i3,human)],
    [dir(l4,no)],                    % Discourse
    [num(i3,sg),                     % Syntax
      pers(i3,3),
      gend(i2,masc),
      num(i2,sg),
      pers(i2,3),
      cas(i2,dat),
      cas(i3,nom)],
    [ta_mood(i1,ind),                % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l2,h2),                     % Scope
      leq(l2,h1),
      leq(l7,h1),
      ccom_plug(h2,l2),
      ccom_plug(h1,l7)],
    [pros_mood(l5,decl)],            % Prosody
    [sem_group(13,[l10,l9]),         % Groupings
      sem_group(12,[l8]),
      sem_group(l1,[l6])] ).

```

CLASS NAME: **quant**
 SUFFIX: qua
 PART OF SPEECH: **ART,PIAT,PIDAT,PIS**
 REPRESENTATION: [R(L,I,G,H)]
 SEMDB: predname R
 COMMENTS: I is the variable quantified over. L is not in a grouping. L is in a leq relation. G is the restriction and covers the material in the N' constituent. If there is an empty N' constituent, or if the quantifier is syntactically a full NP (e.g., "jemand"), the predicate **abstr_nom** introduced. In every case, the main verb of the sentence is subordinated to the H argument of its quantified argument DPs.
 EXAMPLE: *Jedes Problem hat eine Lösung*

```

vit( segment_description('qua','jedes problem hat eine Loesung'),
    [problem(19,i3),                                % Semantics
      haben(16,i1),
      loesung(18,i2),
      decl(17,h2),
      arg2(16,i1,i3),
      arg3(16,i1,i2),
      jed(15,i3,l3,h3),
      ein_card_qua(14,i2,l13,l1,h1,1)],
    17,                                              % Main Label
    [s_sort(i1,situation),                          % Sorts
      s_sort(i2,info_content),
      s_sort(i3,abstract)],
    [],                                              % Discourse
    [gend(i3,neut),                                 % Syntax
      num(i3,sg),
      pers(i3,3),
      gend(i2,fem),
      num(i2,sg),
      pers(i2,3),
      cas(i2,acc),
      cas(i3,nom)],
    [ta_mood(i1,ind),                               % Tense and Aspect
      ta_tense(i1,pres)],
    [unbound(l13),                                  % Scope
      leq(15,h2),
      leq(12,h3),
      leq(12,h2),
      leq(12,h1),

```

```

leq(14,h2),
ccom_plug(h3,14),
ccom_plug(h2,15),
ccom_plug(h1,12)],
[pros_mood(17,decl)],           % Prosody
[sem_group(13,[19]),           % Groupings
 sem_group(12,[16]),
 sem_group(11,[18])] ).

```

CLASS NAME: **personal_pronoun**
 SUFFIX: **ppro**
 PART OF SPEECH: **PPER,PRF**
 REPRESENTATION: **[pron(L,I)]**
 SEMDB: **designator D1 designator D2**
 COMMENTS: L is not in a grouping. Additional information in the **Discourse** slot is: **[prontype(I,D1,D2)]**. Definite article that function as NPs (in e.g. “der ist okay”) also belong to this class.

D1 (reference)	explanation
sp	speaker
he	hearer
sp_he	speaker and hearer
third	third person
top	anything

D2 (sort)	explanation
refl	reflexive pronoun
std	standard pronoun
refl_std	refl or std
recip	reciprocal (“einander”)
imp	impersonal pronoun (“man”)
event	event anaphor (“das”, “es”)
event_std	event or std (“es”)
demon	demonstrative pronoun (“der”)
demon_event	demon or event
zero	topic drop (German), zero pronoun (Japanese)
intersent	intersentential referring pronoun (Japanese)

EXAMPLE: *Ich komme auch*

```

vit( segment_description('ppro','ich komme auch'),
    [kommen(14,i1),                % Semantics
      decl(15,h1),
      arg3(14,i1,i2),
      auch(12,13,h2),
      pron(17,i2)],
    15,                            % Main Label
    [s_sort(i1,move_sit),          % Sorts
      s_sort(i2,&(human,space_time))],
    [prontype(i2,sp,std)],         % Discourse
    [num(i2,sg),                   % Syntax
      pers(i2,1),

```

```

cas(i2,nom)],
[ta_mood(i1,ind),                                % Tense and Aspect
 ta_tense(i1,pres)],
[unbound(l3),                                     % Scope
 leq(l1,h2),
 leq(l1,h1),
 leq(l2,h1),
 ccom_plug(h2,l1),
 ccom_plug(h1,l2)],
[pros_mood(l5,decl)],                             % Prosody
[sem_group(l1,[l4])] ).                          % Groupings

```

CLASS NAME: **definite**
 SUFFIX: **def**
 PART OF SPEECH: **PDS**
 REPRESENTATION: **[def(L,I,G)/undef(L,I,G)]**
 SEMDB: **ART**
 COMMENTS: L can be in a grouping. G is the restriction and covers the material of the N' constituent. I is the variable quantified over. **def** is introduced by the definite article, **undef** is introduced by determine free NPs.
 EXAMPLE: *Der Montag ist gut*

```

vit( segment_description('def','der montag ist gut'),
    [support(16,i1,15),                % Semantics
      gut(15,i2),
      decl(14,h1),
      dofw(13,i2,mon),
      def(18,i2,12)],
    14,                                % Main Label
    [s_sort(i2,time)],                % Sorts
    [],                                % Discourse
    [],                                % Syntax
    [ta_mood(i1,ind),                  % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(11,h1),                       % Scope
      ccom_plug(h1,11)],
    [pros_mood(14,decl)],              % Prosody
    [sem_group(12,[13]),               % Groupings
      sem_group(11,[16])] ).

```

CLASS NAME: **possessive**
 SUFFIX: **poss**
 PART OF SPEECH: **PPOSS, PPOSAT**
 REPRESENTATION: `[def(L1,I1,G),poss(L2,I1,I2), pron(L3,I2), sem_group(G,[L2|X])]`
 SEMDB: **prontype D**
 COMMENTS: decomposition of “der N von X”. If there is an empty N’ constituent (for example German “meiner”), the relation **abstr_nom** is introduced.
 EXAMPLE: Das ist *mein Glas*

```

vit( segment_description('poss','das ist mein Glas'),
    [support(17,i1,l5),                % Semantics
      glas(16,i3),
      equal(15,i3,i4),
      decl(14,h1),
      poss(13,i3,i2),
      pron(11,i4),
      def(10,i3,11),
      pron(19,i2)],
    14,                                % Main Label
    [s_sort(i2,human),                 % Sorts
      s_sort(i3,thing)],
    [dir(13,no),                       % Discourse
      prontype(i4,third,demon),
      prontype(i2,sp,std)],
    [gend(i4,neut),                   % Syntax
      num(i4,sg),
      pers(i4,3),
      gend(i3,neut),
      num(i3,sg),
      pers(i3,3),
      cas(i3,nom),
      cas(i4,nom)],
    [ta_mood(i1,ind),                 % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(12,h1),                     % Scope
      ccom_plug(h1,12)],
    [pros_mood(14,decl)],             % Prosody
    [sem_group(11,[13,16]),           % Groupings
      sem_group(12,[17])] ).

```

CLASS NAME: **demonstrative**
 SUFFIX: **dem**
 PART OF SPEECH: **PDS, PDAT**
 REPRESENTATION: **[demonstrative(L,I,G)]**
 SEMDB: **demontype D**
 COMMENTS: L is not in a grouping. G is the restriction and covers the material of the N' constituent. If there is an empty N' constituent, the relation **abstr_nom** is introduced. Additional information in the **Discourse** slot: **[demontype(I,D)]**, D is **near** (dies), **far** (jen), **ident** (derselb), **spec** (derjenig).
 EXAMPLE: *Dieser Termin* ist ziemlich gut

```

vit( segment_description('dem','dieser termin ist ziemlich gut'),
    termin(17,i2),                % Semantics
    support(16,i1,15),
    ziemlich(15,14),
    gut(14,i2),
    decl(13,h1),
    demonstrative(19,i2,11)],
    13,                          % Main Label
    [s_sort(i2,time_sit_poly)],   % Sorts
    [demontype(i2,near)],         % Discourse
    [gend(i2,masc),              % Syntax
     num(i2,sg),
     pers(i2,3),
     cas(i2,nom)],
    [ta_mood(i1,ind),            % Tense and Aspect
     ta_tense(i1,pres)],
    [leq(12,h1),                % Scope
     ccom_plug(h1,12)],
    [pros_mood(13,decl)],        % Prosody
    [sem_group(12,[16]),         % Groupings
     sem_group(11,[17])] ).
  
```


CLASS NAME: **wh_question**
 SUFFIX: **whq**
 PART OF SPEECH: **PWS,PWAT,PWAV**
 REPRESENTATION: **[whq(L,G,H),...]**
 SEMDB: **-**
 COMMENTS: L is the main label of the VIT. L1 is member of grouping G.
 wann: [...,tloc(L2,I2,I1),time(L1,I1)]
 wo: [...,sloc(L2,I2,I1),place(L1,I1)]
 warum: [...,cause(L2,I2,I1),reason(L1,I1)]
 weshalb: [...,cause(L2,I2,I1),reason(L1,I1)]
 wieso: [...,cause(L2,I2,I1),reason(L1,I1)]
 weswegen: [...,cause(L2,I2,I1),reason(L1,I1)]
 wodurch: [...,cause(L2,I2,I1),reason(L1,I1)]
 wie: [...,abstr_rel(L1,I)]
 wer: [...,person(L1,I)]
 was: [...,thing(L1,I)]
 woher: [...,source(L2,I2,I1),place(L1,I1)]
 wohin: [...,goal(L2,I2,I1),place(L1,I1)]
 welch: [...,R(L1,I)]
 wieviel: [...,viel_sadx(L2,I1),abstr_grad(L1,L2)]
 um wieviel Uhr: [...,um(L2,I2,I1),clocktime(L1,I1,u,u)]
 I2 corefers with the instance of the modified verb. (see also: *mood*)
 EXAMPLE: *Wann* machen wir dann einen Termin aus?

```

vit( segment_description('whq','wann machen wir dann einen termin aus'),
    [time(19,i5),                                % Semantics
      whq(18,19,h3),
      ausmachen(15,i2),
      termin(17,i1),
      tloc(16,i2,i5),
      arg1(15,i2,i4),
      arg3(15,i2,i1),
      ein_card_qua(14,i1,l16,l1,h1,1),
      dann_laprep_padv(13,i2,h2,l17,i3,h3,l2,spec),
      pron(114,i4)],
    18,                                           % Main Label
    [s_sort(i1,&(space_time,time_sit_poly)), % Sorts
      s_sort(i2,ment_communicat_poly),
      s_sort(i4,&(human,person))],
    [dir(16,no),                                % Discourse
      dir(13,no),
      prontype(i4,sp_he,std)],

```

```

[num(i4,p1),
 pers(i4,1),
 gend(i1,masc),
 num(i1,sg),
 pers(i1,3),
 cas(i1,acc),
 cas(i4,nom)],
[ta_mood(i2,ind),
 ta_tense(i2,pres)],
[unbound(l17),
 unbound(l16),
 leq(l2,h3),
 leq(l2,h1),
 leq(l4,h3),
 ccom_plug(h3,l3),
 ccom_plug(h2,l4),
 ccom_plug(h1,l2)],
[pros_mood(l8,quest)],
[sem_group(l2,[l6,l5]),
 sem_group(l1,[l7])] ).
% Syntax
% Tense and Aspect
% Scope
% Prosody
% Groupings

```

CLASS NAME: **wh_prep**
 SUFFIX: **whp**
 PART OF SPEECH: **PWAV**
 REPRESENTATION: **[whq(L,G,H),...]**
 SEMDB: **-**
 COMMENTS: L is the main label of the VIT. L1 is member of grouping G.
 wofuer: [...,purpose(L2,I2,I1),thing(L1,I1)]
 wozu: [...,purpose(L2,I2,I1),thing(L1,I1)]
 womit: [...,concomit(L2,I2,I1),thing(L1,I1)]
 worueber: [...,topic(L2,I2,I1),thing(L1,I1)]
 wovon: [...,topic(L2,I2,I1),thing(L1,I1)]
 woegen: [...,reject(L2,I2,I1),thing(L1,I1)]
 wobei: [...,loc_derived(L2,I2,I1),thing(L1,I1)]
 woran: [...,thing(L1,I1)]
 worauf: [...,thing(L1,I1)]
 worin: [...,thing(L1,I1)]

EXAMPLE: *Wobei kann ich Ihnen helfen?*

```

vit( segment_description('whp','wobei kann ich ihnen helfen'),
    [thing(17,i5),                % Semantics
      whq(16,17,h2),
      helfen(13,i2),
      loc_derived(15,i2,i5),
      koennen(14,i1,h1),
      arg1(13,i2,i4),
      arg3(13,i2,i3),
      pron(111,i4),
      pron(110,i3)],
    16,                            % Main Label
    [s_sort(i1,mental_sit),        % Sorts
      s_sort(i2,action_sit),
      s_sort(i4,human)],
    [dir(15,yes),                  % Discourse
      prontype(i4,sp,std),
      prontype(i3,he,std)],
    [num(i4,sg),                   % Syntax
      pers(i4,1),
      num(i3,p1),
      pers(i3,3),
      cas(i3,dative),
      cas(i4,nom)],
    [ta_tense(i2,infin),           % Tense and Aspect

```

```

    ta_mood(i1,ind),
    ta_tense(i1,pres)],
    [leq(l2,h2),                                % Scope
     leq(l2,h1),
     leq(l1,h2),
     ccom_plug(h2,l1),
     ccom_plug(h1,l2)],
    [pros_mood(l6,quest)],                      % Prosody
    [sem_group(l2,[l5,l3]),                     % Groupings
     sem_group(l1,[l4])] ).

```

CLASS NAME: **copula**
 SUFFIX: **cop**
 PART OF SPEECH: **VA**
 REPRESENTATION: **[support(L,I,L1)]/[support(L,I,L1),equal(L1,I2,I3)]**
 SEMDB:
 COMMENTS: L is member of a grouping. I is the eventuality instance (possibly unbound). L1 refers to equal in COP+NP case.
 EXAMPLE: Das *ist* gut

```

vit( segment_description('cop','das ist gut'),
    [support(14,i1,l3),           % Semantics
      gut(13,i2),
      decl(12,h1),
      pron(16,i2)],
    12,                           % Main Label
    [],                           % Sorts
    [prontype(i2,third,demon)],   % Discourse
    [gend(i2,neut),              % Syntax
      num(i2,sg),
      pers(i2,3),
      cas(i2,nom)],
    [ta_mood(i1,ind),             % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l1,h1),                  % Scope
      ccom_plug(h1,l1)],
    [pros_mood(12,decl)],         % Prosody
    [sem_group(11,[14])] ).      % Groupings

```

CLASS NAME: **intransitive_verb**
 SUFFIX: **iv**
 PART OF SPEECH: **VV**
 REPRESENTATION: **[R(L,I),arg123(L,I,I1)]**
 SEMDB: **predname R**
 COMMENTS: L is member of a grouping. 'arg123' should be read as either 'arg1',
 'arg2', or 'arg3'.
 EXAMPLE: Ich *komme* nicht

```

vit( segment_description('iv','ich komme nicht'),
      [kommen(l4,i1),                                % Semantics
        decl(l5,h1),
        arg3(l4,i1,i3),
        neg(l3,i2,h2),
        pron(l8,i3)],
      15,                                             % Main Label
      [s_sort(i1,move_sit),                          % Sorts
        s_sort(i3,&(human,space_time))],
      [prontype(i3,sp,std)],                        % Discourse
      [num(i3,sg),                                    % Syntax
        pers(i3,1),
        cas(i3,nom)],
      [ta_mood(i1,ind),                               % Tense and Aspect
        ta_tense(i1,pres)],
      [leq(l2,h2),                                    % Scope
        leq(l2,h1),
        leq(l1,h1),
        ccom_plug(h2,l2),
        ccom_plug(h1,l1)],
      [pros_mood(15,decl)],                          % Prosody
      [sem_group(12,[14]),                            % Groupings
        sem_group(11,[13])] ).

```

CLASS NAME: **transitive_verb**
 SUFFIX: **tv**
 PART OF SPEECH: **VV**
 REPRESENTATION: **[R(L,I),arg123(L,I,I1),arg123(L,I,I2)]**
 SEMDB: **predname R**
 COMMENTS: L is member of a grouping. 'arg123' should be read as either 'arg1',
 'arg2', or 'arg3'.
 EXAMPLE: Wir *treffen* uns

```

vit( segment_description('tv','wir treffen uns'),
    [treffen(l2,i1),                                % Semantics
      decl(l3,h1),
      arg1(l2,i1,i3),
      arg3(l2,i1,i2),
      pron(l6,i3),
      pron(l5,i2)],
    l3,                                              % Main Label
    [s_sort(i1,meeting_sit),                        % Sorts
      s_sort(i2,&(human,person)),
      s_sort(i3,&(human,person))],
    [prontype(i3,sp_he,std),                        % Discourse
      prontype(i2,sp_he,refl_std)],
    [num(i3,p1),                                    % Syntax
      pers(i3,1),
      num(i2,p1),
      pers(i2,1),
      cas(i2,acc),
      cas(i3,nom)],
    [ta_mood(i1,ind),                               % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l1,h1),                                    % Scope
      ccom_plug(h1,l1)],
    [pros_mood(l3,decl)],                          % Prosody
    [sem_group(l1,[l2])] ).                        % Groupings
  
```

CLASS NAME: **ditransitive_verb**
 SUFFIX: dv
 PART OF SPEECH: VV
 REPRESENTATION: [R(L,I),arg1(L,I,I1),arg2(L,I,I2),arg3(L,I,I3)]
 SEMDB: predname R
 COMMENTS: L is member of a grouping.
 EXAMPLE: Ich *schicke* dir ein Ticket

```

vit( segment_description('dv','ich schicke dir ein Ticket'),
  [schicken(l4,i1),                                % Semantics
    ticket(l6,i2),
    decl(l5,h1),
    arg1(l4,i1,i4),
    arg2(l4,i1,i3),
    arg3(l4,i1,i2),
    ein_card_qua(l3,i2,l11,l1,h2,1),
    pron(l10,i4),
    pron(l9,i3)],
  l5,                                                % Main Label
  [s_sort(i1,action_sit),                          % Sorts
    s_sort(i2,thing),
    s_sort(i3,&(human,person)),
    s_sort(i4,&(human,person))],
  [prontype(i4,sp,std),                            % Discourse
    prontype(i3,he,std)],
  [num(i4,sg),                                     % Syntax
    pers(i4,1),
    num(i3,sg),
    pers(i3,2),
    gend(i2,neut),
    num(i2,sg),
    pers(i2,3),
    cas(i2,acc),
    cas(i3,datt),
    cas(i4,nom)],
  [ta_mood(i1,ind),                                % Tense and Aspect
    ta_tense(i1,pres)],
  [unbound(l11),                                   % Scope
    leq(l2,h2),
    leq(l2,h1),
    leq(l3,h1),
    ccom_plug(h2,l2),

```



```
    ccom_plug(h1,13)],  
    [pros_mood(15,decl)],           % Prosody  
    [sem_group(12,[14]),           % Groupings  
     sem_group(11,[16])] ).
```

CLASS NAME: **propositional_complement_verb**

SUFFIX: **pcv**

PART OF SPEECH: **VV**

REPRESENTATION: **[R(L,I1),arg12(L,I1,I2),arg3(L,I1,X)]**

SEMDB: **predname R**

COMMENTS: L is member of a grouping. Four cases are distinguished.

- **[arg3(L,I1,H)]** for a “dass” complement or a v2 clause. The main verb is in a **leq** relation to H;
- **[arg3(L,I1,L1)]** for a “ob” or whq-complement. The former is represented as **ob(L1,H)**;
- **[arg3(L,I1,I3)]** for noun phrases as argument. In this case I3 is the instance of the noun phrase;
- **[arg3(L,I1,H),abstr_rel(L2,I4),sem_group(G,[L2]),leq(G,H)]** for adjuncts, i.e., the coercion case. Example: ‘ich glaube am montag’.

EXAMPLE: Ich *glaube* dass wir uns Montag treffen

```
vit(segment_description('pcv','ich glaube dass wir uns montag treffen'),
    [glauben(17,i5),                % Semantics
      treffen(14,i1),
      decl(18,h2),
      arg2(17,i5,i6),
      arg3(17,i5,h1),
      dofw(16,i2,mon),
      tloc(15,i1,i2),
      arg1(14,i1,i4),
      arg3(14,i1,i3),
      pron(114,i6),
      pron(112,i4),
      pron(111,i3),
      def(110,i2,l1)],
    18,                               % Main Label
    [s_sort(i1,meeting_sit),         % Sorts
      s_sort(i2,time),
      s_sort(i3,&(human,person)),
      s_sort(i4,&(human,person)),
      s_sort(i5,mental_sit),
      s_sort(i6,&(human,person))],
```

```

[dir(i5,no),                                % Discourse
 prontype(i6,sp,std),
 prontype(i4,sp_he,std),
 prontype(i3,sp_he,refl_std)],
[num(i6,sg),                                % Syntax
 pers(i6,1),
 num(i4,p1),
 pers(i4,1),
 num(i3,p1),
 pers(i3,1),
 cas(i3,acc),
 cas(i4,nom),
 cas(i6,nom)],
[ta_mood(i5,ind),                            % Tense and Aspect
 ta_tense(i5,pres),
 ta_mood(i1,ind),
 ta_tense(i1,pres)],
[leq(i3,h2),                                % Scope
 leq(i2,h1),
 ccom_plug(h2,i3),
 ccom_plug(h1,i2)],
[pros_mood(i8,decl)],                        % Prosody
[sem_group(i2,[i5,i4]),                     % Groupings
 sem_group(i3,[i7]),
 sem_group(i1,[i6])] ).

```

CLASS NAME: **ditransitive_prop_complement_verb**
 SUFFIX: dpcv
 PART OF SPEECH: VV
 REPRESENTATION: [R(L,I1),arg1(L,I1,I2),arg2(L,I1,i3),arg3(L,I1,X)]
 SEMDB: predname R
 COMMENTS: L is member of a grouping. For the different argument cases the reader
 is referred to the description of propositional_complement_verb.
 EXAMPLE: Ich sage Ihnen dass wir uns Montag treffen

```

vit( segment_description('dpcv','ich sage ihnen dass wir uns montag treffen'),
    [sagen(17,i5),                                % Semantics
      treffen(14,i1),
      decl(18,h2),
      arg1(17,i5,i6),
      arg2(17,i5,i7),
      arg3(17,i5,h1),
      dofw(16,i2,mon),
      tloc(15,i1,i2),
      arg1(14,i1,i4),
      arg3(14,i1,i3),
      pron(115,i7),
      pron(114,i6),
      pron(112,i4),
      pron(111,i3),
      def(110,i2,11)],
    18,                                           % Main Label
    [s_sort(i1,meeting_sit),                     % Sorts
      s_sort(i2,time),
      s_sort(i3,&(human,person)),
      s_sort(i4,&(human,person)),
      s_sort(i5,communicat_sit),
      s_sort(i6,person),
      s_sort(i7,&(human,person))],
    [dir(15,no),                                  % Discourse
      prontype(i7,sp,std),
      prontype(i6,he,std),
      prontype(i4,sp_he,std),
      prontype(i3,sp_he,refl_std)],
    [num(i7,sg),                                  % Syntax
      pers(i7,1),
      num(i6,pl),
      pers(i6,3),

```

```

num(i4,p1),
pers(i4,1),
num(i3,p1),
pers(i3,1),
cas(i3,acc),
cas(i4,nom),
cas(i6,dat),
cas(i7,nom)],
[ta_mood(i5,ind),                                % Tense and Aspect
 ta_tense(i5,pres),
 ta_mood(i1,ind),
 ta_tense(i1,pres)],
[leq(l3,h2),                                      % Scope
 leq(l2,h1),
 ccom_plug(h2,l3),
 ccom_plug(h1,l2)],
[pros_mood(l8,decl)],                            % Prosody
[sem_group(l2,[l5,l4]),                          % Groupings
 sem_group(l3,[l7]),
 sem_group(l1,[l6])] ).

```

CLASS NAME: **modal_verb**
 SUFFIX: **mv**
 PART OF SPEECH: **VM**
 REPRESENTATION: **[R(L,I,H)]**
 SEMDB: **predname R**
 COMMENTS: L is a grouping. I is the eventuality of the verb, H is underspecified scope and covers the embedded verb phrase or **abstr_rel** in the case of single modals.
 EXAMPLE: Wir *koennen* es am Montag machen

```

vit( segment_description('mv','wir koennen es am montag machen'),
    [machen(14,i2),                                % Semantics
      decl(18,h2),
      koennen(17,i1,h1),
      an(16,i2,i3),
      dofw(15,i3,mon),
      arg1(14,i2,i5),
      arg3(14,i2,i4),
      pron(113,i5),
      pron(112,i4),
      def(111,i3,12)],
    18,                                             % Main Label
    [s_sort(i1,mental_sit),                        % Sorts
      s_sort(i2,situation),
      s_sort(i3,time),
      s_sort(i5,&(human,person))],
    [dir(16,no),                                   % Discourse
      prontype(i5,sp_he,std),
      prontype(i4,third,event_std)],
    [num(i5,p1),                                   % Syntax
      pers(i5,1),
      gend(i4,neut),
      num(i4,sg),
      pers(i4,3),
      cas(i4,acc),
      cas(i5,nom)],
    [ta_tense(i2,infin),                          % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [leq(13,h2),                                  % Scope
      leq(13,h1),
      leq(11,h2),

```

```

ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16,14]),        % Groupings
sem_group(12,[15]),
sem_group(11,[17])] ).

```

CLASS NAME: **present_participle**
 SUFFIX: **prpa**
 PART OF SPEECH: **ADJA, ADJD**
 REPRESENTATION: **[R(L1,I1),arg123(L1,I1,I2)]**
 SEMDB: **predname R**
 COMMENTS: L1 is in a grouping. The arg123-relation in the decomposition is
 the one that corresponds to the role of the subject argument of the
 involved verb. R is also used in a verb class.
 EXAMPLE: Das *beginnende* Chaos

```

vit( segment_description('prpa','das beginnende Chaos'),
    [chaos(l4,i2),                                % Semantics
      beginnen(l3,i1),
      arg1(l3,i1,i2),
      def(l6,i2,l1)],
    l6,                                           % Main Label
    [s_sort(i2,;(property,situation))], % Sorts
    [],                                           % Discourse
    [gend(i2,neut),                               % Syntax
      num(i2,sg),
      pers(i2,3),
      cas(i2,nom),
      cas(i2,acc)],
    [ta_tense(i1,prespart)],                     % Tense and Aspect
    [],                                           % Scope
    [pros_mood(l6,decl)],                        % Prosody
    [sem_group(l1,[l3,l4])] ).                  % Groupings
  
```


CLASS NAME: **participle**
 SUFFIX: **part**
 PART OF SPEECH: **VVPP**
 REPRESENTATION: **[perf(L,I,G),R(L1,I1),arg3(L1,I1,I2)]**
 SEMDB: **predname R**
 COMMENTS: L1 is in grouping G. L is in a grouping. R is also used in a verb class. This representation of the participle models its use in the perfect tense (with an auxiliary, e.g., in "Ich bin gekommen") as well as its attributive use (like in "der eingeplante Termin"). The difference between both uses of the participle, however, is the optionality of the arg3-relation. For perfect forms of verbs, this argument relation may be omitted according to general usage (if there is no overt realization of a corresponding argument position). No such omission is possible in the attributive use.
 EXAMPLE: Der *eingeplante* Termin ist schlecht

```

vit( segment_description('part','der eingeplante termin ist schlecht'),
    [termin(19,i4),                % Semantics
      einplanen(14,i2),
      perf(18,i3,l1),
      support(17,i1,l6),
      schlecht(16,i4),
      decl(15,h1),
      arg3(14,i2,i4),
      def(113,i4,l3)],
    15,                            % Main Label
    [s_sort(i4,time_sit_poly)],    % Sorts
    [],                            % Discourse
    [gend(i4,masc),               % Syntax
      num(i4,sg),
      pers(i4,3),
      cas(i4,nom)],
    [ta_tense(i2,perf),           % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [leq(12,h1),                 % Scope
      ccom_plug(h1,l2)],
    [pros_mood(15,decl)],         % Prosody
    [sem_group(13,[18,19]),       % Groupings
      sem_group(12,[17]),
      sem_group(11,[14])] ).

```

CLASS NAME: **transitive_adverb_adjective**
 SUFFIX: **tadx**
 PART OF SPEECH: **ADJA,ADJD**
 REPRESENTATION: **[R(L,I), n_arg(L,I,I1)]**
 SEMDB: **predname R**
 COMMENTS: L can be in a grouping. I is the instance of the modified constituent.
 n_arg is optional and appears only if the argument DP of the adjective
 is overtly expressed.
 EXAMPLE: Der Termin ist *nah* am Wochenende

```

vit( segment_description('tadxr2u1','der termin ist nah am wochenende'),
    [termin(19,i3),                % Semantics
      support(18,i2,17),
      nahe(17,i3),
      wochenende(16,i1),
      decl(15,h1),
      n_arg(17,i3,i1),
      def(112,i3,13),
      def(110,i1,11)],
    15,                            % Main Label
    [s_sort(i1,time),              % Sorts
      s_sort(i3,time_sit_poly)],
    [dir(14,no)],                  % Discourse
    [gend(i3,masc),                % Syntax
      num(i3,sg),
      pers(i3,3),
      cas(i3,nom)],
    [ta_mood(i2,ind),              % Tense and Aspect
      ta_tense(i2,pres)],
    [leq(12,h1),                   % Scope
      ccom_plug(h1,12)],
    [pros_mood(15,decl)],          % Prosody
    [sem_group(12,[18]),           % Groupings
      sem_group(13,[19]),
      sem_group(11,[16])] ).
  
```

CLASS NAME: **ordinal**
 SUFFIX: **ord**
 PART OF SPEECH: **ORD**
 REPRESENTATION: **[ord(L,I1,I2,D)]**
 SEMDB: **designator D**
 COMMENTS: L can be in a grouping. I1 is the instance of the ordinal. I2 is the instance of the argument of the ordinal (can be unbound). D is a number. Two cases are covered by this representation. E.g. “der dritte Mai” is represented as **[ord(L,I1,I2,3),mofy(L1,I2,may)]**, and “die zweite Maiwoche” is represented as **[ord(L,I1,I2,2),maiwoche(L1,I1)]**.
 EXAMPLE: Der *achte Oktober* ist nicht schlecht

```

vit( segment_description('ord','der achte oktober ist nicht schlecht'),
    [support(l10,i1,l9),                % Semantics
      schlecht(l9,i4),
      decl(l8,h1),
      mofy(l7,i3,oct),
      neg(l6,i2,h2),
      ord(l5,i4,i3,8),
      def(l14,i4,l4),
      def(l13,i3,l2)],
    l8,                                % Main Label
    [s_sort(i3,time),                  % Sorts
      s_sort(i4,time)],
    [],                                % Discourse
    [],                                % Syntax
    [ta_mood(i1,ind),                  % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l3,h2),                       % Scope
      leq(l3,h1),
      leq(l1,h1),
      ccom_plug(h2,l3),
      ccom_plug(h1,l1)],
    [pros_mood(l8,decl)],              % Prosody
    [sem_group(14,[l5]),               % Groupings
      sem_group(13,[l10]),
      sem_group(12,[l7]),
      sem_group(11,[l6])] ).

```

CLASS NAME: **cardinal**
 SUFFIX: **card**
 PART OF SPEECH: **CARD**
 REPRESENTATION: **[card(L,I,D)]**
 SEMDB: **designator D**
 COMMENTS: L can be in a grouping. I is the instance of the modified constituent,
 D is a number.
 EXAMPLE: *Zwei Stunden reichen*

```

vit( segment_description('card','zwei stunden reichen'),
    [card(16,i2,2),                % Semantics
      stunde(15,i2),
      reichen(13,i1),
      decl(14,h1),
      arg3(13,i1,i2),
      udef(18,i2,12)],
    14,                            % Main Label
    [s_sort(i1,mental_sit),        % Sorts
      s_sort(i2,time)],
    [],                            % Discourse
    [gend(i2,fem),                 % Syntax
      num(i2,p1),
      pers(i2,3),
      cas(i2,nom)],
    [ta_mood(i1,ind),              % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(11,h1),                  % Scope
      ccom_plug(h1,11)],
    [pros_mood(14,decl)],          % Prosody
    [sem_group(12,[16,15]),        % Groupings
      sem_group(11,[13])] ).

```

CLASS NAME: **scopal_adverb**
 SUFFIX: **scadv**
 PART OF SPEECH: **ADV,ADJD**
 REPRESENTATION: **[R(L,I,H)]**
 SEMDB: **predname R**
 COMMENTS: Covers negation, quantificational adverbs, modal adverbs, and scalar adverbs. I is an eventuality variable. L is in a grouping. H is under-specified scope.
 EXAMPLE: Das ist *vielleicht* besser

```

vit( segment_description('scadv','das ist vielleicht besser'),
    [support(16,i1,l3),                % Semantics
      gut(13,i5),
      decl(15,h1),
      vielleicht(14,i4,h2),
      comp(13,i5,i3,i2),
      pron(11,i5)],
    15,                                % Main Label
    [],                                % Sorts
    [prontype(i5,third,demon)],        % Discourse
    [gend(i5,neut),                    % Syntax
      num(i5,sg),
      pers(i5,3),
      cas(i5,nom)],
    [ta_mood(i1,ind),                  % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(12,h2),                        % Scope
      leq(12,h1),
      leq(11,h1),
      ccom_plug(h2,l2),
      ccom_plug(h1,l1)],
    [pros_mood(15,decl)],              % Prosody
    [sem_group(12,[16]),                % Groupings
      sem_group(11,[14])] ).

```

CLASS NAME: **focusing_adverb**
 SUFFIX: **fadv**
 PART OF SPEECH: **ADV,ADJD**
 REPRESENTATION: **[R(L,L1,H)]**
 SEMDB: **predname R**
 COMMENTS: L is not in a grouping. L1 is a label of the constituent in focus (semantic focus), possible unbound (in that case **unbound(L1)** in **Scope**), H is underspecified scope.
 EXAMPLE: Das ist *auch* gut

```

vit( segment_description('fadv','das ist auch gut'),
    [support(16,i1,l5),                % Semantics
      gut(15,i2),
      decl(14,h1),
      auch(12,l3,h2),
      pron(18,i2)],
    14,                                % Main Label
    [],                                % Sorts
    [prontype(i2,third,demon)],        % Discourse
    [gend(i2,neut),                    % Syntax
      num(i2,sg),
      pers(i2,3),
      cas(i2,nom)],
    [ta_mood(i1,ind),                  % Tense and Aspect
      ta_tense(i1,pres)],
    [unbound(l3),                      % Scope
      leq(l1,h2),
      leq(l1,h1),
      leq(l2,h1),
      ccom_plug(h2,l1),
      ccom_plug(h1,l2)],
    [pros_mood(14,decl)],              % Prosody
    [sem_group(l1,[l6])] ).            % Groupings

```

CLASS NAME: **iterative_adverb**
 SUFFIX: **itadv**
 PART OF SPEECH: **ADV**
 REPRESENTATION: **[tloc(L,I,I1),card(L1,I1,D),mal(L2,I1)]**
 SEMDB: **designator D**
 COMMENTS: L is in a grouping. L1 and L2 are in the same grouping, this grouping
 is argument of a **udef** operator. I is an eventuality variable. D is a
 number or x.
 EXAMPLE: Wir fahren *dreimal* nach Mallorca

```

vit( segment_description('itadv','wir fahren dreimal nach mallorca'),
[fahren(16,i1),                                % Semantics
mal(110,i3),
card(19,i3,3),
named(18,i2,mallorca),
decl(17,h1),
arg3(16,i1,i4),
tloc(15,i1,i3),
nach(14,i1,i2),
pron(114,i4),
udef(113,i3,12),
def(112,i2,11)],
17,                                             % Main Label
[s_sort(i1,move_sit),                          % Sorts
s_sort(i2,geo_location),
s_sort(i4,&(human,object))],
[dir(14,yes),                                  % Discourse
prontype(i4,sp_he,std)],
[num(i4,p1),                                   % Syntax
pers(i4,1),
gend(i2,neut),
num(i2,sg),
pers(i2,3),
cas(i2,dative),
cas(i4,nom)],
[ta_mood(i1,ind),                              % Tense and Aspect
ta_tense(i1,pres)],
[leq(13,h1),                                   % Scope
ccom_plug(h1,13)],
[pros_mood(17,decl)],                          % Prosody
[sem_group(13,[14,15,16]),                     % Groupings
sem_group(12,[19,110]),
sem_group(11,[18])] ).

```

CLASS NAME: **standard_adverb_adjective**
 SUFFIX: **sadx**
 PART OF SPEECH: **ADV,ADJD,ADJA**
 REPRESENTATION: **[R(L,I)]**
 SEMDB: **predname R**
 COMMENTS: L can be in a grouping. I is the instance of the modified constituent.
 EXAMPLE: Das passt mir *gut*

```

vit( segment_description('sadx','das passt mir gut'),
    [passen_suit_aufgeben(l3,i1),      % Semantics
      gut(l5,i1),
      decl(l4,h1),
      s_arg(l3,i1,i3),
      perspective(l2,i1,i2),
      pron(l8,i3),
      pron(l7,i2)],
    l4,                                % Main Label
    [s_sort(i1,mental_sit),            % Sorts
      s_sort(i2,human),
      s_sort(i3,person)],
    [prontype(i3,third,demon),         % Discourse
      prontype(i2,sp,std)],
    [gend(i3,neut),                   % Syntax
      num(i3,sg),
      pers(i3,3),
      num(i2,sg),
      pers(i2,1),
      cas(i2,dat),
      cas(i3,nom)],
    [ta_mood(i1,ind),                 % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l1,h1),                      % Scope
      ccom_plug(h1,l1)],
    [pros_mood(l4,decl)],             % Prosody
    [sem_group(l1,[l2,l5,l3])] ).    % Groupings

```


CLASS NAME: **temporal_adverb**
 SUFFIX: **tadv**
 PART OF SPEECH: **ADV,ADJD**
 REPRESENTATION: **[R(L,I)]**
 SEMDB: **predname R**
 COMMENTS: L can be in a grouping. I is the instance of the modified constituent.
 EXAMPLE: Wir treffen uns *morgen*

```

vit( segment_description('tadv','wir treffen uns morgen'),
    [treffen(12,i1),                                % Semantics
      morgen_tadv(14,i1),
      decl(13,h1),
      arg1(12,i1,i3),
      arg3(12,i1,i2),
      pron(17,i3),
      pron(16,i2)],
    13,                                              % Main Label
    [s_sort(i1,&(meeting_sit,time)),                % Sorts
      s_sort(i2,&(human,person)),
      s_sort(i3,&(human,person))],
    [prontype(i3,sp_he,std),                        % Discourse
      prontype(i2,sp_he,refl_std)],
    [num(i3,p1),                                    % Syntax
      pers(i3,1),
      num(i2,p1),
      pers(i2,1),
      cas(i2,acc),
      cas(i3,nom)],
    [ta_mood(i1,ind),                              % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(11,h1),                                    % Scope
      ccom_plug(h1,11)],
    [pros_mood(13,decl)],                          % Prosody
    [sem_group(11,[14,12])] ).                    % Groupings

```

CLASS NAME: **quantificational_adverb**
 SUFFIX: qadv
 PART OF SPEECH: **ADV,ADJD**
 REPRESENTATION: [R3(L1,I1,I2),R1(L2,I2,G,H)/R1(L2,I2,G),R2(L3,I2,D)/R2(L3,I2)]
 SEMDB: predname R1 predname R2 predname R3
 COMMENTS: I1 is the instance of the modified constituent. R1 is a quantifiertype.
 R2 is the relation that describes the restriction of the quantifier L2.
 R3 is a prepositional relation. L2 is not in a grouping.
 EXAMPLE: Ich kann *irgendwann* kommen

```

vit( segment_description('qadv','ich kann irgendwann kommen'),
    [time(19,i3),                                % Semantics
      kommen(15,i2),
      decl(18,h2),
      koennen(17,i1,h1),
      tloc(16,i2,i3),
      arg3(15,i2,i4),
      indef(14,i3,l2,h3),
      pron(113,i4)],
    18,                                           % Main Label
    [s_sort(i1,mental_sit),                      % Sorts
      s_sort(i2,move_sit),
      s_sort(i4,&(human,space_time))],
    [dir(16,no),                                % Discourse
      prontype(i4,sp,std)],
    [num(i4,sg),                                % Syntax
      pers(i4,1),
      cas(i4,nom)],
    [ta_tense(i2,infin),                        % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [leq(13,h3),                                % Scope
      leq(13,h2),
      leq(13,h1),
      leq(14,h2),
      leq(11,h2),
      ccom_plug(h3,l1),
      ccom_plug(h2,l4),
      ccom_plug(h1,l3)],
    [pros_mood(18,decl)],                      % Prosody
    [sem_group(13,[16,15]),                    % Groupings
      sem_group(12,[19]),

```

```
sem_group(11,[17])) ).
```

CLASS NAME: **pragmatic_adverb**
 SUFFIX: **padv**
 PART OF SPEECH: **ADV,ADJD**
 REPRESENTATION: **[R(L,H)]**
 SEMDB: **predname R**
 COMMENTS: L is not in a grouping. H is underspecified scope.
 EXAMPLE: Das kann ich *doch* nicht sagen

```

vit( segment_description('padv','das kann ich doch nicht sagen'),
    [doch(18,h4),                                % Semantics
      sagen(14,i2),
      decl(17,h3),
      koennen(16,i1,h1),
      neg(15,i3,h2),
      arg1(14,i2,i4),
      arg3(14,i2,i5),
      pron(113,i5),
      pron(112,i4)],
    17,                                           % Main Label
    [s_sort(i1,mental_sit),                       % Sorts
      s_sort(i2,communicat_sit),
      s_sort(i4,&(human,person))],
    [prontype(i5,third,demon),                    % Discourse
      prontype(i4,sp,std)],
    [gend(i5,neut),                               % Syntax
      num(i5,sg),
      pers(i5,3),
      num(i4,sg),
      pers(i4,1),
      cas(i4,nom),
      cas(i5,acc)],
    [ta_tense(i2,infin),                          % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [leq(13,h4),                                  % Scope
      leq(13,h3),
      leq(13,h2),
      leq(13,h1),
      leq(18,h3),
      leq(12,h3),
      leq(11,h3),
      ccom_plug(h4,12),

```

```

ccom_plug(h3,18),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(17,decl)],           % Prosody
[sem_group(13,[14]),           % Groupings
 sem_group(12,[15]),
 sem_group(11,[16])] ).

```

CLASS NAME: **discourse_relation_adverb**
 SUFFIX: dra
 PART OF SPEECH: **ADV,ADJD,KON,KOUS,KOUI**
 REPRESENTATION: [R(L,I,H1,H2)/R(L,I,H2)]
 SEMDB: predname R
 COMMENTS: The first representation is for adverbs which syntactically operate as sentence connectors, the second for adverbs which are sentence modifiers. L is in a grouping. I is an eventuality variable, H1 is underspecified scope of the first sentential argument, and H2 of the second.
 EXAMPLE: Ich komme Montag *weil* das mir besser passt

```

vit( segment_description('dra','ich komme montag weil das mir besser passt'),
[kommen(l11,i7),                                % Semantics
  gut(l5,i1),
  passen_suit_aufgeben(l8,i1),
  decl(l12,h1),
  arg3(l11,i7,i9),
  dofw(l10,i8,mon),
  tloc(l9,i7,i8),
  s_arg(l8,i1,i5),
  perspective(l7,i1,i4),
  weil(l6,i6,h3,h2),
  comp(l5,i1,i3,i2),
  pron(l21,i9),
  def(l20,i8,l3),
  pron(l17,i5),
  pron(l16,i4)],
l12,                                % Main Label
[s_sort(i1,mental_sit),             % Sorts
  s_sort(i4,human),
  s_sort(i5,person),
  s_sort(i7,move_sit),
  s_sort(i8,time),
  s_sort(i9,&(human,space_time))],
[dir(l9,no),                        % Discourse
  prontype(i9,sp,std),
  prontype(i5,third,demon),
  prontype(i4,sp,std)],
[num(i9,sg),                        % Syntax
  pers(i9,1),
  gend(i5,neut),
  num(i5,sg),

```

```

pers(i5,3),
num(i4,sg),
pers(i4,1),
cas(i4,dat),
cas(i5,nom),
cas(i9,nom)],
[ta_mood(i7,ind),                                % Tense and Aspect
 ta_tense(i7,pres),
 ta_mood(i1,ind),
 ta_tense(i1,pres)],
[leq(l4,h3),                                     % Scope
 leq(l2,h1),
 leq(l1,h2),
 ccom_plug(h3,l4),
 ccom_plug(h2,l1),
 ccom_plug(h1,l2)],
[pros_mood(l12,decl)],                          % Prosody
[sem_group(l1,[l7,l5,l8]),                      % Groupings
 sem_group(l4,[l9,l11]),
 sem_group(l3,[l10]),
 sem_group(l2,[l6])] ).

```

CLASS NAME: **coordination_particle**

SUFFIX: **coord**

PART OF SPEECH: **KON**

REPRESENTATION: **[R(L,)]**

SEMDB: **predname R**

COMMENTS: There are five cases:

- **[R(L,H1,H2)]** for coordination of sentences without mood operators. E.g. “ich komme und ich gehe”.
- **[R(L,L1,L2)]** for coordination of utterances with mood operators. E.g. “wann kommen sie und wie spaet kommen sie?”
- **[R(L,I,L1,I1,L2,I2)]** for coordination of adjectives, common nouns, NPs without holes. E.g. “jeder [montag und dienstag]”.
- **[R(L,I,H,I1,I2)]** for coordination of two NPs with holes. E.g. “jeder montag und jeder dienstag”.
- **[R(L,I,H,I1,L2,I2)]** for coordination of two NPs where one NP has a hole and the other hasn't. E.g. “jeder montag und der dienstag”.

EXAMPLE: Ich komme Montag *und* Dienstag

```
vit( segment_description('coord','ich komme montag und dienstag'),
[kommen(l9,i1),                                % Semantics
 decl(l10,h1),
 arg3(l9,i1,i5),
 dofw(l8,i3,mon),
 dofw(l7,i2,tue),
 tloc(l6,i1,i4),
 und(l5,i4,l3,i3,l2,i2),
 pron(l15,i5),
 def(l13,i3,l3),
 def(l14,i4,l1),
 def(l12,i2,l2)],
l10,                                             % Main Label
[s_sort(i1,move_sit),                          % Sorts
 s_sort(i2,time),
 s_sort(i3,time),
 s_sort(i5,&(human,space_time))],
[dir(l6,no),                                  % Discourse
 prontype(i5,sp,std)],
```



```

[num(i5,sg),
 pers(i5,1),
 cas(i5,nom)],
[ta_mood(i1,ind),
 ta_tense(i1,pres)],
[leq(l4,h1),
 ccom_plug(h1,l4)],
[pros_mood(l10,decl)],
[sem_group(l4,[l6,l9]),
 sem_group(l3,[l8]),
 sem_group(l2,[l7]),
 sem_group(l1,[l5]))] ).
% Syntax
% Tense and Aspect
% Scope
% Prosody
% Groupings

```

CLASS NAME: **gradual**
 SUFFIX: **grad**
 PART OF SPEECH: **ADV,ADJD**
 REPRESENTATION: **[R(L,L1)]**
 SEMDB: **predname R**
 COMMENTS: L can be in a grouping. L1 covers the adjective, adverb, preposition,
 or cardinal.
 EXAMPLE: Das ist leider *sehr* schlecht

```

vit( segment_description('grad','das ist leider sehr schlecht'),
    [support(16,i1,14),           % Semantics
      leider(15,h2),
      sehr_grad(14,13),
      schlecht(13,i2),
      decl(12,h1),
      pron(18,i2)],
    12,                           % Main Label
    [],                           % Sorts
    [prontype(i2,third,demon)],   % Discourse
    [gend(i2,neut),              % Syntax
      num(i2,sg),
      pers(i2,3),
      cas(i2,nom)],
    [ta_mood(i1,ind),            % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(11,h2),                 % Scope
      leq(11,h1),
      leq(15,h1),
      ccom_plug(h2,11),
      ccom_plug(h1,15)],
    [pros_mood(12,decl)],        % Prosody
    [sem_group(11,[16])] ).      % Groupings

```

CLASS NAME: **gradual_adverb_adjective**
 SUFFIX: **gadx**
 PART OF SPEECH: **PIS, PIAT**
 REPRESENTATION: **[R1(L,L1),R2(L1,I)]**
 SEMDB: **predname R1 predname R2**
 COMMENTS: Decomposition into gradual and adverb/adjective. L can be in a grouping.
 EXAMPLE: Wir haben *zu viele* Termine

```

vit( segment_description('gadx','wir haben zu viele termine'),
    [haben(13,i3),                                % Semantics
      viel(17,i2),
      zu_grad(16,17),
      termin(15,i2),
      decl(14,h1),
      arg2(13,i3,i4),
      arg3(13,i3,i2),
      udef(110,i2,11),
      pron(19,i4)],
    14,                                             % Main Label
    [s_sort(i1,time_sit_poly),                     % Sorts
      s_sort(i3,situation),
      s_sort(i4,human)],
    [prontype(i4,sp_he,std)],                      % Discourse
    [num(i4,p1),                                   % Syntax
      pers(i4,1),
      gend(i1,masc),
      num(i1,p1),
      pers(i1,3),
      cas(i1,acc),
      cas(i4,nom)],
    [ta_mood(i3,ind),                              % Tense and Aspect
      ta_tense(i3,pres)],
    [leq(12,h1),                                   % Scope
      ccom_plug(h1,12)],
    [pros_mood(14,decl)],                          % Prosody
    [sem_group(12,[13]),                          % Groupings
      sem_group(11,[15,16])] ).
  
```

CLASS NAME: **standard_preposition**
 SUFFIX: **sprep**
 PART OF SPEECH: **APPR, APPO**
 REPRESENTATION: **[R(L,I1,I2)]**
 SEMDB: **predname R**
 COMMENTS: L can be in a grouping. I1 is the instance of the modified constituent (external argument), I2 is the instance of the argument NP (internal argument). See also the note on gradual prepositions in section two of this document. For prepositions a corresponding **dir(L,yes/no)** is compulsory.
 EXAMPLE: Ich komme *an* einem Montag

```

vit( segment_description('sprep','ich komme an einem montag'),
    [kommen(l6,i1),                                % Semantics
      decl(l7,h1),
      arg3(l6,i1,i3),
      an(l5,i1,i2),
      dofw(l4,i2,mon),
      ein_card_qua(l3,i2,l11,l1,h2,1),
      pron(l10,i3)],
    17,                                             % Main Label
    [s_sort(i1,move_sit),                          % Sorts
      s_sort(i2,time),
      s_sort(i3,&(human,space_time))],
    [dir(l5,no),                                    % Discourse
      prontype(i3,sp,std)],
    [num(i3,sg),                                    % Syntax
      pers(i3,1),
      cas(i3,nom)],
    [ta_mood(i1,ind),                               % Tense and Aspect
      ta_tense(i1,pres)],
    [unbound(l11),                                  % Scope
      leq(l2,h2),
      leq(l2,h1),
      leq(l3,h1),
      ccom_plug(h2,l2),
      ccom_plug(h1,l3)],
    [pros_mood(l7,decl)],                          % Prosody
    [sem_group(l2,[l5,l6]),                        % Groupings
      sem_group(l1,[l4])] ).
  
```

CLASS NAME: **definite_preposition**
 SUFFIX: dprep
 PART OF SPEECH: **APPRART**
 REPRESENTATION: [R(L,I1,I2),def(L2,I2,G)]
 SEMDB: predname R
 COMMENTS: decomposition: def + sprep.
 EXAMPLE: Ich komme *am* Montag

```

vit( segment_description('dprep','ich komme am montag'),
    [kommen(15,i1),                % Semantics
      decl(16,h1),
      arg3(15,i1,i3),
      an(14,i1,i2),
      dofw(13,i2,mon),
      pron(19,i3),
      def(18,i2,l1)],
    16,                            % Main Label
    [s_sort(i1,move_sit),          % Sorts
      s_sort(i2,time),
      s_sort(i3,&(human,space_time))],
    [dir(14,no),                   % Discourse
      prontype(i3,sp,std)],
    [num(i3,sg),                  % Syntax
      pers(i3,1),
      cas(i3,nom)],
    [ta_mood(i1,ind),              % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(12,h1),                  % Scope
      ccom_plug(h1,12)],
    [pros_mood(16,decl)],          % Prosody
    [sem_group(12,[14,15]),        % Groupings
      sem_group(11,[13])] ).
  
```

CLASS NAME: **anaphoric_preposition**
 SUFFIX: **aprep**
 PART OF SPEECH: **PAV**
 REPRESENTATION: **[R(L,I,I1),demonstrative(L1,I1,G)]**
 SEMDB: **predname R demontype D**
 COMMENTS: **decomposition: demonstrative + sprep.**
 EXAMPLE: *unterdessen* gehen wir

```

vit( segment_description('aprep','unterdessen gehen wir'),
  [abstr_nom(16,i3),                % Semantics
    gehen_move_passen(13,i1),
    decl(15,h1),
    waehrend_sprep(14,i1,i3),
    s_arg(13,i1,i2),
    demonstrative(19,i3,12),
    pron(18,i2)],
  15,                                % Main Label
  [s_sort(i1,;(move_sit,mental_sit)), % Sorts
    s_sort(i2,human)],
  [dir(14,no),                        % Discourse
    demontype(i3,far),
    prontype(i2,sp_he,std)],
  [num(i2,p1),                        % Syntax
    pers(i2,1),
    cas(i2,nom)],
  [ta_mood(i1,ind),                  % Tense and Aspect
    ta_tense(i1,pres)],
  [leq(11,h1),                       % Scope
    ccom_plug(h1,11)],
  [pros_mood(15,decl)],              % Prosody
  [sem_group(11,[14,13]),            % Groupings
    sem_group(12,[16])] ).

```

CLASS NAME: **locational_anaphoric_preposition**
 SUFFIX: laprep
 PART OF SPEECH: **PAV**
 REPRESENTATION: [R(L,I,I1),demonstrative(L1,I1,G),abstr_loc(L2,I1)]
 SEMDB: predname R demontype D
 COMMENTS:
 EXAMPLE: Wir kommen *hierhin*

```

vit( segment_description('laprep','wir kommen hierhin'),
    [kommen(l4,i1),                                % Semantics
      abstr_loc(l6,i2),
      decl(l5,h1),
      arg3(l4,i1,i3),
      zu(l3,i1,i2),
      pron(l9,i3),
      demonstrative(l8,i2,l1)],
    l5,                                              % Main Label
    [s_sort(i1,move_sit),                          % Sorts
      s_sort(i3,&(human,space_time))],
    [dir(l3,yes),                                  % Discourse
      prontype(i3,sp_he,std),
      demontype(i2,near)],
    [num(i3,p1),                                    % Syntax
      pers(i3,1),
      cas(i3,nom)],
    [ta_mood(i1,ind),                              % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l2,h1),                                    % Scope
      ccom_plug(h1,l2)],
    [pros_mood(l5,decl)],                          % Prosody
    [sem_group(l2,[l3,l4]),                        % Groupings
      sem_group(l1,[l6])] ).

```

CLASS NAME: **reciprocal_preposition**
 SUFFIX: **recprep**
 PART OF SPEECH: **ADV**
 REPRESENTATION: **[R(L1,I1,I2),pron(L3,I2)]**
 SEMDB: **predname R**
 COMMENTS: Decomposition into pronouns and preposition. In the **Discourse** slot
 there is **prontype(I2,top,recip)**.
 EXAMPLE: *miteinander*

```

vit( segment_description('recprep',miteinander),
    [mit(12,i1,i2),                % Semantics
      pron(13,i2)],
    14,                            % Main Label
    [],                            % Sorts
    [prontype(i2,top,recip)],      % Discourse
    [],                            % Syntax
    [],                            % Tense and Aspect
    [],                            % Scope
    [pros_mood(14,decl)],          % Prosody
    [sem_group(14,[12])] ).        % Groupings

```


CLASS NAME: **circumposition**
 SUFFIX: **cir**
 PART OF SPEECH: **APPR+APZR**
 REPRESENTATION: **[R1(L1,L2), R2(L2,I1,I2)]**
 SEMDB: **Predname R1 Predname R2**
 COMMENTS: Expressions like "um ... herum", "in ... hinein", "bis ... an", that may
 be analyzed as circumpositions, are rendered in terms of a gradual
 modifying a prepositional phrase.
 EXAMPLE: Ich habe *um* den siebzehnten *herum* Zeit

```

vit( segment_description(ttestr12u1,yes,'ich habe um den siebzehnten herum zeit'),
    [haben(16,i1),                                % Semantics
      zeit(18,i2),
      decl(17,h1),
      arg2(16,i1,i5),
      arg3(16,i1,i2),
      herum(15,l14),
      um(114,i1,i4),
      ord(14,i4,i3,17),
      pron(113,i5),
      def(112,i4,12),
      udef(110,i2,11)],
    17,                                           % Main Label
    [s_sort(i1,situation),                        % Sorts
      s_sort(i2,time),
      s_sort(i4,time),
      s_sort(i5,human)],
    [dir(15,no),                                  % Discourse
      prontype(i5,sp,std)],
    [num(i5,sg),                                  % Syntax
      pers(i5,1),
      gend(i2,fem),
      num(i2,sg),
      pers(i2,3),
      cas(i2,acc),
      cas(i5,nom)],
    [ta_mood(i1,ind),                             % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(13,h1),                                  % Scope
      ccom_plug(h1,13)],
    [pros_mood(17,decl)],                        % Prosody
    [sem_group(13,[15,16])],                    % Groupings
  )

```

```
sem_group(12,[14]),  
sem_group(11,[18])) ).
```

CLASS NAME: **fadv_padv**
 SUFFIX: fadv_padv
 PART OF SPEECH:
 REPRESENTATION: [R_fadv_padv(L,L1,H)]
 SEMDB: predname R
 COMMENTS: Disambiguation:

fadv: [R_fadv(L,L1,H)]

padv: [R_padv(L,H)]

EXAMPLE: wir koennen *noch* einen termin ausmachen

```

vit( segment_description('fadv_padv','wir koennen noch einen termin ausmachen'),
    [termin(l10,i3),                % Semantics
      ausmachen(l5,i2),
      decl(l9,h3),
      koennen(l8,i1,h1),
      noch_fadv_padv(l6,l7,h4),
      arg1(l5,i2,i4),
      arg3(l5,i2,i3),
      ein_card_qua(l4,i3,l15,l2,h2,1),
      pron(l14,i4)],
    19,                                % Main Label
    [s_sort(i1,mental_sit),          % Sorts
      s_sort(i2,ment_communicat_poly),
      s_sort(i3,&(space_time,time_sit_poly)),
      s_sort(i4,&(human,person))],
    [prontype(i4,sp_he,std)],        % Discourse
    [num(i4,p1),                     % Syntax
      pers(i4,1),
      gend(i3,masc),
      num(i3,sg),
      pers(i3,3),
      cas(i3,acc),
      cas(i4,nom)],
    [ta_tense(i2,infin),             % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [unbound(l7),                    % Scope
      unbound(l15),
      leq(l3,h4),
      leq(l3,h3),
  
```

```

leq(13,h2),
leq(13,h1),
leq(16,h3),
leq(14,h3),
leq(11,h3),
ccom_plug(h4,14),
ccom_plug(h3,16),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(19,decl)],           % Prosody
[sem_group(13,[15]),           % Groupings
 sem_group(12,[110]),
 sem_group(11,[18])] ).

```

CLASS NAME: **laprep_padv**
 SUFFIX: laprep_padv
 PART OF SPEECH:
 REPRESENTATION: [R_laprep_padv(L,I,H,L1,I1,T,M,D)]
 SEMDB: demontype D, predname R
 COMMENTS: Disambiguation:

 padv: [R_padv(L,H),leq(L,T),leq(M,H)]

 laprep: [R(L1,I,I1),demonstrative(L2,I1,G),
 abstr_loc(L3,I1),sem_group(G,[L3]),
 add_to_group(L1,M),demontype(I1,D),eq(L,H)]

EXAMPLE: wir koennen *da* einen termin ausmachen

```

vit( segment_description('laprep_padv','wir koennen da einen termin ausmachen'),
    [termin(19,i2),                                % Semantics
      ausmachen(16,i3),
      decl(18,h3),
      koennen(17,i1,h1),
      arg1(16,i3,i5),
      arg3(16,i3,i2),
      ein_card_qua(15,i2,l16,l2,h2,1),
      da_laprep_padv(14,i3,h4,l17,i4,h3,l3,spec),
      pron(l15,i5)],
    18,                                             % Main Label
    [s_sort(i1,mental_sit),                        % Sorts
      s_sort(i2,&(space_time,time_sit_poly)),
      s_sort(i3,ment_communicat_poly),
      s_sort(i5,&(human,person))],
    [dir(14,no),                                   % Discourse
      prontype(i5,sp_he,std)],
    [num(i5,p1),                                   % Syntax
      pers(i5,1),
      gend(i2,masc),
      num(i2,sg),
      pers(i2,3),
      cas(i2,acc),
      cas(i5,nom)],
    [ta_tense(i3,infin),                           % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [unbound(l17),                                % Scope

```

```

unbound(l16),
leq(13,h3),
leq(13,h2),
leq(13,h1),
leq(15,h3),
leq(11,h3),
ccom_plug(h4,15),
ccom_plug(h3,14),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16]),           % Groupings
sem_group(12,[19]),
sem_group(11,[17])] ).

```

CLASS NAME: **padv_scadv**
 SUFFIX: padv_scadv
 PART OF SPEECH:
 REPRESENTATION: [R_padv_scadv(L,H,T,M)]
 SEMDB: predname R
 COMMENTS: Disambiguation:

 padv: [R_padv(L,H),leq(L,T),leq(M,H)]

 scadv: [R_scadv(L,I,H),sem_group(G,[L]),
 leq(G,T),leq(M,H)]

 EXAMPLE: wir koennen *denn* einen termin ausmachen

```

vit( segment_description('padv_scadv','wir koennen denn einen termin ausmachen'),
  [termin(19,i3),                % Semantics
    ausmachen(16,i2),
    decl(18,h3),
    koennen(17,i1,h1),
    arg1(16,i2,i4),
    arg3(16,i2,i3),
    denn_padv_scadv(15,h4,h3,l3),
    ein_card_qua(14,i3,l14,l2,h2,1),
    pron(113,i4)],
  18,                            % Main Label
  [s_sort(i1,mental_sit),        % Sorts
    s_sort(i2,ment_communicat_poly),
    s_sort(i3,&(space_time,time_sit_poly)),
    s_sort(i4,&(human,person))],
  [prontype(i4,sp_he,std)],      % Discourse
  [num(i4,p1),                  % Syntax
    pers(i4,1),
    gend(i3,masc),
    num(i3,sg),
    pers(i3,3),
    cas(i3,acc),
    cas(i4,nom)],
  [ta_tense(i2,infin),          % Tense and Aspect
    ta_mood(i1,ind),
    ta_tense(i1,pres)],
  [unbound(l14),                % Scope
    leq(13,h3),
    leq(13,h2),

```

```

leq(13,h1),
leq(14,h3),
leq(11,h3),
ccom_plug(h4,14),
ccom_plug(h3,15),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16]),           % Groupings
 sem_group(12,[19]),
 sem_group(11,[17])] ).

```


CLASS NAME: **padv_tadv**
 SUFFIX: padv_tadv
 PART OF SPEECH:
 REPRESENTATION: [R_padv_tadv(L,I,H,L1,T,M)]
 SEMDB: predname R
 COMMENTS: Disambiguation:

 padv: [R_padv(L,H),leq(L,T),leq(M,H)]
 tadv: [R_tadv(L1,I),add_to_group(L1,M),eq(L,H)]

 EXAMPLE: wir koennen *eben* einen termin ausmachen

```

vit( segment_description('padv_tadv','wir koennen eben einen termin ausmachen'),
    [termin(l9,i3),                      % Semantics
      ausmachen(l6,i2),
      decl(l8,h3),
      koennen(l7,i1,h1),
      arg1(l6,i2,i4),
      arg3(l6,i2,i3),
      eben_padv_tadv(l5,i2,h4,l15,h3,l3),
      ein_card_qua(l4,i3,l14,l2,h2,1),
      pron(l13,i4)],
    l8,                                % Main Label
    [s_sort(i1,mental_sit),             % Sorts
      s_sort(i2,ment_communicat_poly),
      s_sort(i3,&(space_time,time_sit_poly)),
      s_sort(i4,&(human,person))],
    [prontype(i4,sp_he,std)],           % Discourse
    [num(i4,p1),                        % Syntax
      pers(i4,1),
      gend(i3,masc),
      num(i3,sg),
      pers(i3,3),
      cas(i3,acc),
      cas(i4,nom)],
    [ta_tense(i2,infin),                % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [unbound(l15),                      % Scope
      unbound(l14),
      leq(l3,h3),
      leq(l3,h2),

```

```

leq(13,h1),
leq(14,h3),
leq(11,h3),
ccom_plug(h4,14),
ccom_plug(h3,15),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16]),           % Groupings
 sem_group(12,[19]),
 sem_group(11,[17])] ).

```

CLASS NAME: **sadx_scadv**
 SUFFIX: sadx_scadv
 PART OF SPEECH:
 REPRESENTATION: [R_sadx_scadv(L,I,H,L1,T,M)]
 SEMDB: predname R
 COMMENTS: Disambiguation:

 sadx: [R_sadx(L1,I),add_to_group(L1,M),eq(L,H)]

 scadv: [R_scadv(L,I1,H),sem_group(G,[L]),
 leq(G,T),leq(M,H)]

 EXAMPLE: wir koennen *gleich* einen termin ausmachen

```

vit( segment_description('sadx_scadv','wir koennen gleich einen termin ausmachen'),
    [termin(19,i3),                % Semantics
      ausmachen(16,i2),
      decl(18,h3),
      koennen(17,i1,h1),
      arg1(16,i2,i4),
      arg3(16,i2,i3),
      gleich_sadx_scadv(15,i2,h4,l15,h3,l3),
      ein_card_qua(14,i3,l14,l2,h2,1),
      pron(113,i4)],
    18,                            % Main Label
    [s_sort(i1,mental_sit),        % Sorts
      s_sort(i2,ment_communicat_poly),
      s_sort(i3,&(space_time,time_sit_poly)),
      s_sort(i4,&(human,person))],
    [prontype(i4,sp_he,std)],      % Discourse
    [num(i4,p1),                  % Syntax
      pers(i4,1),
      gend(i3,masc),
      num(i3,sg),
      pers(i3,3),
      cas(i3,acc),
      cas(i4,nom)],
    [ta_tense(i2,infin),          % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [unbound(l15),                % Scope
      unbound(l14),
      leq(13,h3),

```

```

leq(13,h2),
leq(13,h1),
leq(14,h3),
leq(11,h3),
ccom_plug(h4,14),
ccom_plug(h3,15),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16]),           % Groupings
 sem_group(12,[19]),
 sem_group(11,[17]])] ).

```

CLASS NAME: **fadv_sadx**
 SUFFIX: fadv_sadx
 PART OF SPEECH:
 REPRESENTATION: [R_fadv_sadx(L,I,L1,H,L2,T,M)]
 SEMDB: predname R
 COMMENTS: Disambiguation:

 fadv: [R_fadv(L,L1,H),leq(L,T),leq(M,H)]
 sadx: [R_sadx(L2,I),eq(L,H),add_to_group(L2,M)]

 EXAMPLE: wir koennen *direkt* einen termin ausmachen

```

vit( segment_description('fadv_sadx','wir koennen direkt einen termin ausmachen'),
    [termin(l10,i2),                % Semantics
      ausmachen(l7,i3),
      decl(l9,h3),
      koennen(l8,i1,h1),
      arg1(l7,i3,i4),
      arg3(l7,i3,i2),
      ein_card_qua(l6,i2,l16,l2,h2,1),
      direkt_fadv_sadx(l4,i3,l5,h4,l17,h3,l3),
      pron(l15,i4)],
    19,                               % Main Label
    [s_sort(i1,mental_sit),          % Sorts
      s_sort(i2,&(space_time,time_sit_poly)),
      s_sort(i3,ment_communicat_poly),
      s_sort(i4,&(human,person))],
    [prontype(i4,sp_he,std)],        % Discourse
    [num(i4,p1),                     % Syntax
      pers(i4,1),
      gend(i2,masc),
      num(i2,sg),
      pers(i2,3),
      cas(i2,acc),
      cas(i4,nom)],
    [ta_tense(i3,infin),              % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [unbound(l17),                   % Scope
      unbound(l16),
      leq(l3,h3),
      leq(l3,h2),

```

```

leq(13,h1),
leq(16,h3),
leq(11,h3),
ccom_plug(h4,16),
ccom_plug(h3,14),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(19,decl)],           % Prosody
[sem_group(13,[17]),           % Groupings
 sem_group(12,[110]),
 sem_group(11,[18])] ).

```

CLASS NAME: **aprep_dra**
 SUFFIX: **aprep_dra**
 PART OF SPEECH:
 REPRESENTATION: **[R_aprep_dra(L,I,H,L1,I1,T,M,D)]**
 SEMDB: **predname R, demontype D**
 COMMENTS: Disambiguation:

aprep: **[R_aprep(L1,I,I1),demonstrative(L2,I1,G),**
add_to_group(L1,M),eq(L,H),demontype(I1,D)]

dra: **[R_dra(L,I1,H),leq(M,H),leq(L,T)]**

 EXAMPLE: wir koennen *dafuer* einen termin ausmachen

```

vit( segment_description('aprep_dra','wir koennen dafuer einen termin ausmachen'),
  [termin(19,i2),                                % Semantics
    ausmachen(16,i4),
    decl(18,h3),
    koennen(17,i1,h1),
    arg1(16,i4,i5),
    arg3(16,i4,i2),
    ein_card_qua(15,i2,l16,l2,h2,1),
    dafuer_aprep_dra(14,i4,h4,l17,i3,h3,l3,far),
    pron(115,i5)],
  18,                                             % Main Label
  [s_sort(i1,mental_sit),                        % Sorts
    s_sort(i2,&(space_time,time_sit_poly)),
    s_sort(i4,ment_communicat_poly),
    s_sort(i5,&(human,person))],
  [dir(14,no),                                   % Discourse
    prontype(i5,sp_he,std)],
  [num(i5,p1),                                   % Syntax
    pers(i5,1),
    gend(i2,masc),
    num(i2,sg),
    pers(i2,3),
    cas(i2,acc),
    cas(i5,nom)],
  [ta_tense(i4,infin),                           % Tense and Aspect
    ta_mood(i1,ind),
    ta_tense(i1,pres)],
  [unbound(l17),                                 % Scope
    unbound(l16),

```

```

leq(13,h3),
leq(13,h2),
leq(13,h1),
leq(15,h3),
leq(11,h3),
ccom_plug(h4,15),
ccom_plug(h3,14),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16]),           % Groupings
 sem_group(12,[19]),
 sem_group(11,[17])] ).

```


CLASS NAME: **laprep_dra**
 SUFFIX: laprep_dra
 PART OF SPEECH:
 REPRESENTATION: [R_laprep_dra(L,I,H,L1,I1,T,M,D)]
 SEMDB: predname R, demontype D
 COMMENTS: Disambiguation:

 laprep: [R_laprep(L1,I,I1),demonstrative(L2,I1,G),
 abstr_loc(L3,I1),
 add_to_group(L1,M),eq(L,H),demontype(I1,D)]

 dra: [R_dra(L,I1,H),leq(M,H),leq(L,T)]

EXAMPLE: wir koennen *daher* einen termin ausmachen

```

vit( segment_description('laprep_dra','wir koennen daher einen termin ausmachen'),
    [termin(19,i2),                                % Semantics
      ausmachen(16,i4),
      decl(18,h3),
      koennen(17,i1,h1),
      arg1(16,i4,i5),
      arg3(16,i4,i2),
      ein_card_qua(15,i2,l16,l2,h2,1),
      daher_laprep_dra(14,i4,h4,l17,i3,h3,l3,spec),
      pron(115,i5)],
    18,                                             % Main Label
    [s_sort(i1,mental_sit),                        % Sorts
      s_sort(i2,&(space_time,time_sit_poly)),
      s_sort(i4,ment_communicat_poly),
      s_sort(i5,&(human,person))],
    [dir(14,yes),                                  % Discourse
      prontype(i5,sp_he,std)],
    [num(i5,p1),                                    % Syntax
      pers(i5,1),
      gend(i2,masc),
      num(i2,sg),
      pers(i2,3),
      cas(i2,acc),
      cas(i5,nom)],
    [ta_tense(i4,infin),                            % Tense and Aspect
      ta_mood(i1,ind),
      ta_tense(i1,pres)],
    [unbound(l17),                                  % Scope

```

```

unbound(l16),
leq(13,h3),
leq(13,h2),
leq(13,h1),
leq(15,h3),
leq(11,h3),
ccom_plug(h4,15),
ccom_plug(h3,14),
ccom_plug(h2,11),
ccom_plug(h1,13)],
[pros_mood(18,decl)],           % Prosody
[sem_group(13,[16]),           % Groupings
sem_group(12,[19]),
sem_group(11,[17])] ).

```

CLASS NAME: **card_qua**
 SUFFIX: **card_qua**
 PART OF SPEECH:
 REPRESENTATION: **[R_card_qua(L,I,L2,G,H,D)]**
 SEMDB: **predname R, designator D**
 COMMENTS: Disambiguation:
 card: **[undef(L2,I,G),card(L1,I,D),**
 add_to_group(L1,G),eq(L,H)]
 qua: **[R_qua(L,I,G,H)]**
 EXAMPLE: *ein* Termin

```

vit( segment_description('card_qua','ein termin'),
    [termin(14,i1),                                % Semantics
      ein_card_qua(12,i1,17,11,h2,1)],
    12,                                             % Main Label
    [s_sort(i1,time_sit_poly)],                   % Sorts
    [],                                             % Discourse
    [gend(i1,masc),                                % Syntax
      num(i1,sg),
      pers(i1,3),
      cas(i1,nom)],
    [],                                             % Tense and Aspect
    [unbound(17),                                  % Scope
      unbound(16),
      leq(16,h2),
      ccom_plug(h2,16)],
    [pros_mood(12,decl)],                          % Prosody
    [sem_group(11,[14])] ).                       % Groupings
  
```

CLASS NAME: **def_qua**
 SUFFIX: **def_qua**
 PART OF SPEECH:
 REPRESENTATION: **[R_def_qua(L,I,G,H)]**
 SEMDB: **predname R**
 COMMENTS: Disambiguation:

def: [def(L,I,G)]

qua: [R_qua(L,I,G,H)]

EXAMPLE: *montags*

```

vit( segment_description('def_qua',montags),
    [dofw(15,i2,mon),                % Semantics
      tloc(14,i1,i2),
      jed_def(12,i2,l1,h2)],
    17,                               % Main Label
    [s_sort(i2,time)],               % Sorts
    [dir(14,no)],                    % Discourse
    [],                              % Syntax
    [],                              % Tense and Aspect
    [leq(17,h2),                    % Scope
      ccom_plug(h2,17)],
    [pros_mood(17,decl)],            % Prosody
    [sem_group(17,[14]),             % Groupings
      sem_group(11,[15])] ).

```

CLASS NAME: **pcv_tv**
 SUFFIX: pcv_tv
 PART OF SPEECH:
 REPRESENTATION: [R(L,I),s_arg(L,I,I1),o_arg(L,I,I2/L1/H)]
 SEMDB: predname R
 COMMENTS: s_arg is corresponding to the subject argument, o_arg to the object argument.
 EXAMPLE: Ich *nehme* an dass er kommt

```

vit( segment_description('pcv_tv','ich nehme an dass er kommt'),
  [annehmen_accept_assume(14,i3),      % Semantics
    kommen(13,i1),
    decl(15,h2),
    o_arg(14,i3,h1),
    s_arg(14,i3,i4),
    arg3(13,i1,i2),
    pron(19,i4),
    pron(17,i2)],
  15,                                     % Main Label
  [s_sort(i1,move_sit),                  % Sorts
    s_sort(i2,space_time),
    s_sort(i3,mental_sit),
    s_sort(i4,&(human,person))],
  [prontype(i4,sp,std),                  % Discourse
    prontype(i2,third,std)],
  [num(i4,sg),                           % Syntax
    pers(i4,1),
    gend(i2,masc),
    num(i2,sg),
    pers(i2,3),
    cas(i2,nom),
    cas(i4,nom)],
  [ta_mood(i3,ind),                      % Tense and Aspect
    ta_tense(i3,pres),
    ta_mood(i1,ind),
    ta_tense(i1,pres)],
  [leq(12,h2),                           % Scope
    leq(11,h1),
    ccom_plug(h2,12),
    ccom_plug(h1,11)],
  [pros_mood(15,decl)],                  % Prosody
  [sem_group(12,[14])],                 % Groupings

```

```
sem_group(11,[13])) ).
```

CLASS NAME: **ambig_tv**
 SUFFIX: **atv**
 PART OF SPEECH:
 REPRESENTATION: **[R(L,I),s_arg(L,I,I1),o_arg(L,I,I2)]**
 SEMDB: **predname R**
 COMMENTS: **s_arg** is corresponding to the subject argument, **o_arg** to the object argument.
 EXAMPLE: Ich *ziehe* den Termin *vor*

```

vit( segment_description('atv','ich ziehe den termin vor'),
    [vorziehen_move_prefer(l3,i1),      % Semantics
      termin(l5,i2),
      decl(l4,h1),
      o_arg(l3,i1,i2),
      s_arg(l3,i1,i3),
      pron(l8,i3),
      def(l7,i2,l1)],
    14,                                % Main Label
    [s_sort(i1,;(move_sit,mental_sit)), % Sorts
      s_sort(i2,time_sit_poly),
      s_sort(i3,&(human,person))],
    [prontype(i3,sp,std)],             % Discourse
    [num(i3,sg),                       % Syntax
      pers(i3,1),
      gend(i2,masc),
      num(i2,sg),
      pers(i2,3),
      cas(i2,acc),
      cas(i3,nom)],
    [ta_mood(i1,ind),                  % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l2,h1),                       % Scope
      ccom_plug(h1,l2)],
    [pros_mood(l4,decl)],              % Prosody
    [sem_group(l2,[l3]),               % Groupings
      sem_group(l1,[l5])] ).

```

CLASS NAME: **ambig_iv**
 SUFFIX: aiv
 PART OF SPEECH:
 REPRESENTATION: [R(L,I),s_arg(L,I,I1)]
 SEMDB: predname R
 COMMENTS: s_arg is corresponding to the subject argument.
 EXAMPLE: Er *geht*

```

vit( segment_description('aiv','er geht'),
    [gehen_move_passen(l2,i1),          % Semantics
      decl(l3,h1),
      s_arg(l2,i1,i2),
      pron(l5,i2)],
    l3,                                % Main Label
    [s_sort(i1,;(move_sit,mental_sit))],% Sorts
    [prontype(i2,third,std)],          % Discourse
    [gend(i2,masc),                    % Syntax
      num(i2,sg),
      pers(i2,3),
      cas(i2,nom)],
    [ta_mood(i1,ind),                  % Tense and Aspect
      ta_tense(i1,pres)],
    [leq(l1,h1),                       % Scope
      ccom_plug(h1,l1)],
    [pros_mood(l3,decl)],              % Prosody
    [sem_group(l1,[l2])] ).            % Groupings

```


CLASS NAME: **complementizer**
 SUFFIX: **comp**
 PART OF SPEECH: **KOUS**
 REPRESENTATION: **R(L,H)**
 SEMDB: **-**
 COMMENTS: See pcv.
 EXAMPLE: Ich möchte wissen, *ob* wir uns am Montag treffen

```

vit( segment_description('comp','ich moechte wissen ob wir uns am montag treffen'),
  [moegen(19,i5),                % Semantics
    wissen(18,i6),
    ob(111,h1),
    treffen(15,i1),
    decl(110,h3),
    arg2(19,i5,i7),
    arg3(19,i5,h2),
    arg2(18,i6,i7),
    arg3(18,i6,111),
    an(17,i1,i2),
    dofw(16,i2,mon),
    arg1(15,i1,i4),
    arg3(15,i1,i3),
    pron(118,i7),
    pron(115,i4),
    pron(114,i3),
    def(113,i2,11)],
  110,                            % Main Label
  [s_sort(i1,meeting_sit),        % Sorts
    s_sort(i2,time),
    s_sort(i3,&(human,person)),
    s_sort(i4,&(human,person)),
    s_sort(i5,mental_sit),
    s_sort(i6,mental_sit),
    s_sort(i7,&(human,person))],
  [dir(17,no),                    % Discourse
    prontype(i7,sp,std),
    prontype(i4,sp_he,std),
    prontype(i3,sp_he,refl_std)],
  [num(i7,sg),                   % Syntax
    pers(i7,1),
    num(i4,pl),
    pers(i4,1),

```

```

num(i3,p1),
pers(i3,1),
cas(i3,acc),
cas(i4,nom),
cas(i7,nom)],
[ta_tense(i6,infin),           % Tense and Aspect
 ta_mood(i5,ind),
 ta_tense(i5,pres),
 ta_mood(i1,ind),
 ta_tense(i1,pres)],
[leq(l4,h3),                   % Scope
 leq(l4,h2),
 leq(l3,h3),
 leq(l2,h1),
 ccom_plug(h3,l3),
 ccom_plug(h2,l4),
 ccom_plug(h1,l2)],
[pros_mood(l10,decl)],        % Prosody
[sem_group(12,[17,15]),       % Groupings
 sem_group(14,[18]),
 sem_group(13,[19]),
 sem_group(11,[16])] ).

```

CLASS NAME: **greeting**
 SUFFIX: **gr**
 PART OF SPEECH: **ITJ**
 REPRESENTATION: **[greeting(L,D)]**
 SEMDB: **designator D**
 COMMENTS: **L is the main label of the VIT.**
 EXAMPLE: *hallo*

```

vit( segment_description('gr',hallo),
    [greeting(l1,hallo)],           % Semantics
    l1,                             % Main Label
    [],                             % Sorts
    [],                             % Discourse
    [],                             % Syntax
    [],                             % Tense and Aspect
    [],                             % Scope
    [pros_mood(l1,decl)],          % Prosody
    [] ).                          % Groupings

```

CLASS NAME: **interjection**
 SUFFIX: **int**
 PART OF SPEECH: **ITJ,PTKANT**
 REPRESENTATION: **[excl(L,D)]**
 SEMDB: **designator D**
 COMMENTS: **L is the main label of the VIT.**
 EXAMPLE: *jawohl*

```

vit( segment_description('int',jawohl),
    [excl(l1,jawohl)],           % Semantics
    l1,                         % Main Label
    [],                         % Sorts
    [],                         % Discourse
    [],                         % Syntax
    [],                         % Tense and Aspect
    [],                         % Scope
    [pros_mood(l1,decl)],       % Prosody
    [] ).                       % Groupings

```

References

- Dorna, M.: 1996, *The ADT Package for the Verbmobil Interface Term*, Technical Report Verbmobil Report 104, Universität Stuttgart
- Heinecke, J. and Worm, K.: 1996, *The Verbmobil Semantic Database*, Technical Report Verbmobil Report 107, Humboldt Universität zu Berlin and Universität des Saarlandes

Index

aiv	86	dra	52
ambig_iv	86	dv	30
ambig_tv	85	fadv_padv	65
anaphoric_preposition	60	fadv_sadx	75
aprep_dra	77	fadv	44
aprep	60	focusing_adverb	44
aspect	6	gadx	57
atv	85	gradual_adverb_adjective	57
card_qua	81	gradual	56
cardinal	42	grad	56
card	42	greeting	89
circumposition	63	groupings	3, 6
cir	63	gr	89
clocktime	14	interjection	90
cn	8	intransitive_verb	28
common_noun	8	int	90
comparative	4	itadv	45
complementizer	87	iterative_adverb	45
comp	87	iv	28
coordination_particle	54	label	3
coord	54	laprep_dra	79
copula	27	laprep_padv	67
cop	27	laprep	61
ctime	14	locational_anaphoric_preposition	61
def_qua	82	main-condition	5
definite_preposition	59	modal_verb	36
definite	20	mofy	12
def	20	mood	4
demonstrative	22	mv	36
dem	22	nominalisation	9
discourse_relation_adverb	52	nom	9
discourse	5	ordinal	41
ditransitive_prop_complement_verb	34	ord	41
ditransitive_verb	30	padv_sadv	69
dofw	11	padv_tadv	71
dpcv	34	padv	50
dprep	59	participle	39

part	39	transitive_verb	29
pcv_tv	83	ttn	15
pcv	32	tv	29
personal_pronoun	18	unbound	3
perspective	4	vit	5
pn	10	wh_prep	25
possessive	21	wh_question	23
poss	21	whp	25
ppro	18	whq	23
pragmatic_adverb	50	yofc	13
present_participle	38		
proper_name	10		
propositional_complement_verb	32		
prosody	6		
prpa	38		
qadv	48		
quantificational_adverb	48		
quant	16		
qua	16		
reciprocal_preposition	62		
recprep	62		
sadx_scadv	73		
sadx	46		
scadv	43		
scopal_adverb	43		
scope	6		
semantics	5		
sorts	5		
spelling	5		
sprep	58		
standard_adverb_adjective	46		
standard_preposition	58		
superlative	4		
syntax	6		
tadv	47		
tadx	40		
temporal_adverb	47		
tense	6		
title	15		
transitive_adverb_adjective	40		